



GS1 Business Message Profile

UN/CEFACT Cross Industry Order

BMP Release: 1.0_09B, BRG Name: eCom

May-2012



Document Summary

Document Item	Current Value
Document Title	UN/CEFACT Cross Industry Order
BMS Name	GS1 Business Message Profile
BMS Release	1.0_09B
BRG Name	eCom
Document Number	1.0_09B
Date Last Modified	May-2012
Status	Approved
Owner	
BMS Template Version	2.0

Change Request Reference

Date of CR Submission to GSMP:	CR Submitter(s):	Refer to Change Request (CR) Number(s):

Business Requirements Document (BRAD) Reference

BRAD Title:	BRD Date:	BRAD Version

Document Change History

Date of Change	Version	Changed By	Reason for Change	Summary of Change	Model Build #
May-2012	1.0	Coen Janssen	First Version		

Disclaimer

WHILST EVERY EFFORT HAS BEEN MADE TO ENSURE THAT THE GUIDELINES TO USE THE GS1 STANDARDS CONTAINED IN THE DOCUMENT ARE CORRECT, GS1 AND ANY OTHER PARTY INVOLVED IN THE CREATION OF THE DOCUMENT HEREBY STATE THAT THE DOCUMENT IS PROVIDED WITHOUT WARRANTY, EITHER EXPRESSED OR IMPLIED, REGARDING ANY MATTER, INCLUDING BUT NOT LIMITED TO THE OF ACCURACY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND HEREBY DISCLAIM ANY AND ALL LIABILITY, DIRECT OR INDIRECT, FOR ANY DAMAGES OR LOSS RELATING TO OR RESULTING FROM THE USE OF THE DOCUMENT. THE DOCUMENT MAY BE MODIFIED, SUBJECT TO DEVELOPMENTS IN TECHNOLOGY, CHANGES TO THE STANDARDS, OR NEW LEGAL REQUIREMENTS. SEVERAL PRODUCTS AND COMPANY NAMES MENTIONED HEREIN MAY BE TRADEMARKS AND/OR REGISTERED TRADEMARKS OF THEIR RESPECTIVE COMPANIES. GS1 IS A REGISTERED TRADEMARK OF GS1 AISBL.

Table of Contents

1. Business Domain View	4
1.1. Problem Statement / Business Need	4
1.2. Objective.....	4
1.3. Audience.....	4
1.4. References	4
1.5. Acknowledgements.....	4
1.5.1. BRG Work Group.....	4
1.5.2. Design Team Members.....	5
2. Business Context	5
3. Additional Technical Requirements Analysis.....	5
3.1. Technical Requirements.....	5
4. Business Transaction View	6
4.1. Business Transaction Use Case Diagram.....	6
4.2. Use Case Description.....	6
4.3. Business Transaction Activity Diagram(s).....	7
4.4. Business Transaction Sequence Diagram(s)	7
5. Information Model (Including GDD Report)	8
6. Business Document Examples.....	37
6.1. Example A	37
6.2. Example B	37
6.3. Example C	38
6.4. Example D	38
7. Implementation Considerations	39
8. Testing	40
8.1. Pass / Fail Criteria.....	40
8.2. Test Data	40
8.2.1. Business Document Example A	40
9. Appendices	41
10. Summary of Changes.....	42

1. Business Domain View

1.1. Problem Statement / Business Need

The Order provides the ability to order different quantities of trade items/services originating from multiple locations of the seller, shipped to multiple locations of the buyer, using one business message.

1.2. Objective

To provide a GS1 profiled schema based on the UN/CEFACT Cross Industry Order meeting the GS1 requirements as currently supported in the GS1 BMS for the Multi Shipment Order.

1.3. Audience

The audience of the standards would be any participant in the global supply chain. This would include retailers, manufacturers, service providers, and other third parties.

1.4. References

Reference Name	Description
[Ref1]	GS1 BMS Multi Shipment Order
[Ref2]	GS1 BMS Common Library
[Ref3]	UN/CEFACT RSM Cross Industry Order 09B

1.5. Acknowledgements

The following is a list of individuals (and their companies) who participated in the creation, review and approval of this BMS.

1.5.1. BRG Work Group

Function	Name	Company / organisation
BRG Work Group Chair		
BRG Work Group Member		

Function	Name	Company / organisation
BRG Work Group Member		

1.5.2. Design Team Members

Function	Name	Organisation
Modeler	Eric Kauz, Coen Janssen	GS1
XML Technical Designer		
EANCOM Technical Designer		
Peer Reviewer		

2. Business Context

Context Category	Value(s)
Industry	All
Geopolitical	All
Product	All
Process	Ordering
System Capabilities	GS1
Official Constraints	None

3. Additional Technical Requirements Analysis


3.1. Technical Requirements

Not Applicable

4. Business Transaction View

4.1. Business Transaction Use Case Diagram

Figure 4-1 Multi Shipment Order Use Case Diagram



4.2. Use Case Description

Use Case ID	BT01
Use Case Name	Multi Shipment Purchase Order
Use Case Description	This use case provides the ability to order different quantities of trade items/ services originating from multiple locations of the seller shipped to multiple locations of the buyer using one business message.
Actors (Goal)	Buyer: To send the Multi Shipment Purchase Order Seller: To receive the Multi Shipment Purchase Order
Performance Goals	None

Preconditions	<p>(Multi Shipment) Purchase Order: PREPARED</p> <p>The Buyer and Seller have aligned Party and Item information.</p> <p>The Buyer and Seller have established their trading partner agreements</p> <p>The trading partners (Buyer and Seller) must exchange and have aligned their basic business data such as trading partner names, addresses, locations (Party Information), Item information and Price information.</p> <p>The Buyer and Seller have agreed that each can produce and process a purchase order with multiple ship-to locations with varied quantities and dates of trade items/services per ship-to location.</p> <p>The Buyer and Seller have agreed on whether a Receipt Acknowledgement or Order Confirmation messages are required, as an option based on the pre-determined trading partner agreements.</p> <p>Purchase conditions have been agreed upon.</p>						
Post conditions	<p>Multi Shipment Purchase Order: COMMUNICATED</p> <p>The Seller has received the Multi Shipment Order sent by the Buyer.</p>						
Scenario	<p>Begins when... Not Applicable</p> <p>Continues with...</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #003366; color: white;"> <th style="width: 10%;">Step #</th> <th style="width: 40%;">Actor</th> <th style="width: 50%;">Activity Step</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td></td> <td></td> </tr> </tbody> </table> <p>Ends when...</p>	Step #	Actor	Activity Step	1		
Step #	Actor	Activity Step					
1							
Alternative Scenario	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr style="background-color: #003366; color: white;"> <th style="width: 10%;">Step #</th> <th style="width: 40%;">Actor</th> <th style="width: 50%;">Activity Step</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td></td> <td></td> </tr> </tbody> </table>	Step #	Actor	Activity Step	1		
Step #	Actor	Activity Step					
1							
Related Requirements	No Related Requirement						
Related Rules	No Business Rule						

4.3. Business Transaction Activity Diagram(s)

Not Applicable

4.4. Business Transaction Sequence Diagram(s)

Not Applicable

5. Information Model (Including GDD Report)

Element/Attribute		Annotation
CrossIndustryOrder	..	rsm:CrossIndustryOrderType The TBG1 Cross Industry Order message.
CIExchangedDocumentContext	1..1	ram:CIExchangedDocumentContextType The scenario or setting of a Cross Industry (CI) exchanged document, such as its business process application context.
CIOHExchangedDocument	1..1	ram:CIOHExchangedDocumentType A collection of data for a Cross Industry Order Header (CIOH) that is exchanged between two or more parties in written, printed or electronic form.
ID	1..1	udt:IDType The identifier of this CIOH exchanged document.
IssueDateTime	1..1	udt:DateTimeType The date, time, date time, or other date time value for the issuance of this CIOH exchanged document.
CopyIndicator	0..1	udt:IndicatorType pattern false true Indicates if the document is a copy (True) or an original (False). The indication of whether or not this CIOH exchanged document is a copy.
RevisionDateTime	0..1	udt:DateTimeType The date, time, date time, or other date time value for the revision of this CIOH exchanged document.
VersionID	0..1	udt:IDType This is a version number for the structure of the document. The version identifier for this CIOH exchanged document.
IncludedCINote	0..unbounded	ram:CINoteType A note included in this CIOH exchanged document.
Subject	0..1	udt:TextType The subject, expressed as text, of this CI note.
Content	0..unbounded	udt:TextType Content, expressed as text, of this CI note.
SubjectCode	0..1	udt:CodeType The code specifying the subject of this CI note.
CIOHSupplyChainTradeTransaction	1..1	ram:CIOHSupplyChainTradeTransactionType The trade line items, trade agreement, trade delivery and trade settlement details included in this Cross Industry Order Header (CIOH).
ApplicableCIOHSupplyChainTradeAgreement	1..1	ram:CIOHSupplyChainTradeAgreementType The trade agreement applicable to this CIOH supply chain trade transaction.
SellerCITradeParty	0..1	ram:CITradePartyType The party that is the seller for this CIOH supply chain trade agreement.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise.



	SpecifiedCILEgalOrganization	0..1	A globally unique identifier of this CI trade party. ram:CILEgalOrganizationType
--	-------------------------------------	-------------	--

Element/Attribute		Annotation
		The legally constituted organization specified for this CI trade party.
LegalClassificationCode	0..1	udt:CodeType The code specifying the legal classification of this CI organization, such as Incorporated (Inc), Limited Liability Corporation (LLC) or non-profit.
Name	0..1	udt:TextType The name, expressed as text, of this CI legal organization.
ID	0..1	udt:IDType The unique identifier for this CI legal organization.
PostalCITradeAddress	0..1	ram:CITradeAddressType The postal address for this CI legal organization.
PostcodeCode	0..1	udt:CodeType The postcode of this CI trade address.
PostOfficeBox	0..1	udt:TextType The identifier, expressed as text, of a post office box for this CI trade address.
LineOne	0..1	udt:TextType The first free form line, expressed as text, of this CI trade address.
LineTwo	0..1	udt:TextType The second free form line, expressed as text, of this CI trade address.
CityName	0..1	udt:TextType The name, expressed as text, of the city, town or village of this CI trade address.
CountryID	0..1	udt:IDType The unique identifier of the country for this CI trade address.
CountrySubDivisionID	0..1	udt:IDType The unique identifier of the sub-division of the country for this CI trade address.
AuthorizedCILegalRegistration	0..unbounded	ram:CILegalRegistrationType A legal registration authorized for this CI legal organization.
TypeCode	0..1	udt:CodeType The code specifying the type of this CI legal registration.
ID	0..1	udt:IDType The unique identifier for this CI legal registration.
DefinedCITradeContact	0..unbounded	ram:CITradeContactType A trade contact defined for this CI trade party.
PersonName	0..1	udt:TextType The name, expressed as text, of this CI trade contact person.
DepartmentName	0..1	udt:TextType The name, expressed as text, of the department which is this CI trade contact.
TypeCode	0..1	udt:CodeType The code specifying the type of CI trade contact.
TelephoneCIUniversalCommunication	0..1	ram:CIUniversalCommunicationType The telephone communication information for this CI trade contact.
URIID	0..1	udt:IDType The Uniform Resource Identifier (URI), such as a web or an email address, for this CI universal communication.
ChannelCode	0..1	udt:CodeType

Element/Attribute	Annotation
	The code specifying the channel or manner in which a CI universal communication can be made, such as telephone or email.
CompleteNumber 0..1	udt:TextType The text string of characters that make up the complete number for this CI universal communication.
FaxCIUniversalCommunication 0..1	ram:CIUniversalCommunicationType The fax communication information for this CI trade contact.
URIID 0..1	udt:IDType The Uniform Resource Identifier (URI), such as a web or an email address, for this CI universal communication.
ChannelCode 0..1	udt:CodeType The code specifying the channel or manner in which a CI universal communication can be made, such as telephone or email.
CompleteNumber 0..1	udt:TextType The text string of characters that make up the complete number for this CI universal communication.
EmailURICIUniversalCommunication 0..1	ram:CIUniversalCommunicationType The email URI communication information for this CI trade contact.
URIID 0..1	udt:IDType The Uniform Resource Identifier (URI), such as a web or an email address, for this CI universal communication.
ChannelCode 0..1	udt:CodeType The code specifying the channel or manner in which a CI universal communication can be made, such as telephone or email.
CompleteNumber 0..1	udt:TextType The text string of characters that make up the complete number for this CI universal communication.
BuyerCITradeParty 0..1	ram:CITradePartyType The party that is the seller for this CIOH supply chain trade agreement.
ID 0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
GlobalID 0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
SpecifiedCILegalOrganization 0..1	ram:CILegalOrganizationType The legally constituted organization specified for this CI trade party.
LegalClassificationCode 0..1	udt:CodeType The code specifying the legal classification of this CI organization, such as Incorporated (Inc), Limited Liability Corporation (LLC) or non-profit.
Name 0..1	udt:TextType The name, expressed as text, of this CI legal organization.
ID 0..1	udt:IDType The unique identifier for this CI legal organization.
PostalCITradeAddress 0..1	ram:CITradeAddressType

Element/Attribute		Annotation
		The postal address for this CI legal organization.
– PostcodeCode	0..1	udt:CodeType The postcode of this CI trade address.
– PostOfficeBox	0..1	udt:TextType The identifier, expressed as text, of a post office box for this CI trade address.
– LineOne	0..1	udt:TextType The first free form line, expressed as text, of this CI trade address.
– LineTwo	0..1	udt:TextType The second free form line, expressed as text, of this CI trade address.
– CityName	0..1	udt:TextType The name, expressed as text, of the city, town or village of this CI trade address.
– CountryID	0..1	udt:IDType The unique identifier of the country for this CI trade address.
– CountrySubDivisionID	0..1	udt:IDType The unique identifier of the sub-division of the country for this CI trade address.
– AuthorizedCILEgalRegistration	0..unbounded	ram:CILEgalRegistrationType A legal registration authorized for this CI legal organization.
– TypeCode	0..1	udt:CodeType The code specifying the type of this CI legal registration.
– ID	0..1	udt:IDType The unique identifier for this CI legal registration.
– DefinedCITradeContact	0..unbounded	ram:CITradeContactType A trade contact defined for this CI trade party.
– PersonName	0..1	udt:TextType The name, expressed as text, of this CI trade contact person.
– DepartmentName	0..1	udt:TextType The name, expressed as text, of the department which is this CI trade contact.
– TypeCode	0..1	udt:CodeType The code specifying the type of CI trade contact.
– TelephoneCIUniversalCommunication	0..1	ram:CIUniversalCommunicationType The telephone communication information for this CI trade contact.
– URIID	0..1	udt:IDType The Uniform Resource Identifier (URI), such as a web or an email address, for this CI universal communication.
– ChannelCode	0..1	udt:CodeType The code specifying the channel or manner in which a CI universal communication can be made, such as telephone or email.
– CompleteNumber	0..1	udt:TextType The text string of characters that make up the complete number for this CI universal communication.
– FaxCIUniversalCommunication	0..1	ram:CIUniversalCommunicationType The fax communication information for this CI trade contact.
– URIID	0..1	udt:IDType The Uniform Resource Identifier (URI), such as a web or an email address, for this CI universal

Element/Attribute		Annotation
		communication.
ChannelCode	0..1	udt:CodeType The code specifying the channel or manner in which a CI universal communication can be made, such as telephone or email.
CompleteNumber	0..1	udt:TextType The text string of characters that make up the complete number for this CI universal communication.
EmailURICIUiversalCommunication	0..1	ram:CIUniversalCommunicationType The email URI communication information for this CI trade contact.
URIID	0..1	udt:IDType The Uniform Resource Identifier (URI), such as a web or an email address, for this CI universal communication.
ChannelCode	0..1	udt:CodeType The code specifying the channel or manner in which a CI universal communication can be made, such as telephone or email.
CompleteNumber	0..1	udt:TextType The text string of characters that make up the complete number for this CI universal communication.
QuotationReferencedCIReferencedDocument	0..1	ram:CIReferencedDocumentType The quotation document referenced in this CIOH supply chain trade agreement.
IssuerAssignedID	0..1	udt:IDType The issuer assigned identifier for this CI referenced document.
IssueDateTime	0..1	qdt>DateMandatoryDateTimeType The date or date time for the issuance of this CI referenced document.
LineID	0..1	udt:IDType The unique identifier of a line in this CI referenced document.
ReferenceTypeCode	0..1	qdt:ReferenceCodeType The code specifying the reference type of this CI referenced document.
IssuerCITradeParty	0..1	ram:CITradePartyType The trade party that issued this CI referenced document.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
OriginalOrderReferencedCIReferencedDocument	0..1	ram:CIReferencedDocumentType The original order document referenced in this CIOH supply chain trade agreement.
IssuerAssignedID	0..1	udt:IDType The issuer assigned identifier for this CI referenced document.
IssueDateTime	0..1	qdt>DateMandatoryDateTimeType The date or date time for the issuance of this CI

Element/Attribute		Annotation
LineID	0..1	referenced document.
		udt:IDType The unique identifier of a line in this CI referenced document.
ReferenceTypeCode	0..1	qdt:ReferenceCodeType The code specifying the reference type of this CI referenced document.
IssuerCITradeParty	0..1	ram:CITradePartyType The trade party that issued this CI referenced document.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
		GlobalID
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
AdditionalReferencedCIReferencedDocument	0..unbounded	ram:CITReferencedDocumentType An additional document referenced in this CIOH supply chain trade agreement.
IssuerAssignedID	0..1	udt:IDType The issuer assigned identifier for this CI referenced document.
IssueDateTime	0..1	qdt:DateMandatoryDateTimeType The date or date time for the issuance of this CI referenced document.
LineID	0..1	udt:IDType The unique identifier of a line in this CI referenced document.
		ReferenceTypeCode
ReferenceTypeCode	0..1	qdt:ReferenceCodeType The code specifying the reference type of this CI referenced document.
IssuerCITradeParty	0..1	ram:CITradePartyType The trade party that issued this CI referenced document.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
		GlobalID
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
ApplicableCIOHSupplyChainTradeDelivery	1..1	ram:CIOHSupplyChainTradeDeliveryType The trade delivery applicable to this CIOH supply chain trade transaction.
ShipToCITradeParty	0..1	ram:CITradePartyType The ship to party for this CIOH supply chain trade delivery.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.

Element/Attribute		Annotation
GlobalID	0..1	<p>qdt:GLNIDType length 13 .. 13</p> <p>The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.</p>
Name	0..1	<p>udt:TextType</p> <p>The name, expressed as text, for this CI trade party.</p>
PostalCITradeAddress	0..1	<p>ram:CITradeAddressType</p> <p>The postal address for this CI trade party.</p>
PostcodeCode	0..1	<p>udt:CodeType</p> <p>The postcode of this CI trade address.</p>
PostOfficeBox	0..1	<p>udt:TextType</p> <p>The identifier, expressed as text, of a post office box for this CI trade address.</p>
LineOne	0..1	<p>udt:TextType</p> <p>The first free form line, expressed as text, of this CI trade address.</p>
LineTwo	0..1	<p>udt:TextType</p> <p>The second free form line, expressed as text, of this CI trade address.</p>
CityName	0..1	<p>udt:TextType</p> <p>The name, expressed as text, of the city, town or village of this CI trade address.</p>
CountryID	0..1	<p>udt:IDType</p> <p>The unique identifier of the country for this CI trade address.</p>
CountrySubDivisionID	0..1	<p>udt:IDType</p> <p>The unique identifier of the sub-division of the country for this CI trade address.</p>
ShipFromCITradeParty	0..1	<p>ram:CITradePartyType</p> <p>The ship from party for this CIOH supply chain trade delivery.</p>
ID	0..unbounded	<p>udt:IDType</p> <p>Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.</p>
GlobalID	0..1	<p>qdt:GLNIDType length 13 .. 13</p> <p>The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.</p>
DeliveryCIDeliveryInstructions	0..1	<p>ram:CIDeliveryInstructionsType</p> <p>The delivery instructions for this CIOH supply chain trade delivery.</p>
HandlingCode	0..unbounded	<p>udt:CodeType</p> <p>A code specifying CI delivery handling instructions.</p>
Handling	0..unbounded	<p>udt:TextType</p> <p>CI delivery handling instructions expressed as text.</p>
PlannedDespatchCISupplyChainEvent	0..1	<p>ram:CISupplyChainEventType</p> <p>The despatch event planned for this CIOH supply chain trade delivery.</p>
OccurrenceDateTime	0..1	<p>udt:DateTimeType</p> <p>The date, time, date time, or other date time value of an occurrence of this CI supply chain event.</p>
OccurrenceCISpecifiedPeriod	0..1	<p>ram:CISpecifiedPeriodType</p> <p>The specified period of time during which this CI supply chain event occurs.</p>

Element/Attribute		Annotation
StartDateTime	0..1	udt:DateTimeType The date, time, date time or other date time value for the start of this CI specified period of time.
EndDateTime	0..1	udt:DateTimeType The date, time, date time or other date time value for the end of this CI specified period of time.
PlannedReleaseCISupplyChainEvent	0..1	ram:CISupplyChainEventType The release event planned for this CIOH supply chain trade delivery.
OccurrenceDateTime	0..1	udt:DateTimeType The date, time, date time, or other date time value of an occurrence of this CI supply chain event.
PlannedDeliveryCISupplyChainEvent	0..1	ram:CISupplyChainEventType The delivery event planned for this CIOH supply chain trade delivery.
OccurrenceDateTime	0..1	udt:DateTimeType The date, time, date time, or other date time value of an occurrence of this CI supply chain event.
OccurrenceCISpecifiedPeriod	0..1	ram:CISpecifiedPeriodType The specified period of time during which this CI supply chain event occurs.
StartDateTime	0..1	udt:DateTimeType The date, time, date time or other date time value for the start of this CI specified period of time.
EndDateTime	0..1	udt:DateTimeType The date, time, date time or other date time value for the end of this CI specified period of time.
OccurrenceCILogisticsLocation	0..1	ram:CILogisticsLocationType The logistics location where this CI supply chain event occurs.
ID	0..1	udt:IDType The unique identifier for this CI logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).
TypeCode	0..1	udt:CodeType The code specifying the type of this CI logistics related location.
Description	0..unbounded	udt:TextType A textual description of this CI logistics related location.
PostalCITradeAddress	0..1	ram:CITradeAddressType The postal trade address information for this CI logistics related location.
PostcodeCode	0..1	udt:CodeType The postcode of this CI trade address.
PostOfficeBox	0..1	udt:TextType The identifier, expressed as text, of a post office box for this CI trade address.
LineOne	0..1	udt:TextType The first free form line, expressed as text, of this CI trade address.
LineTwo	0..1	udt:TextType The second free form line, expressed as text, of this CI trade address.
CityName	0..1	udt:TextType The name, expressed as text, of the city, town or village of this CI trade address.
CountryID	0..1	udt:IDType The unique identifier of the country for this CI trade

Element/Attribute		Annotation
		address.
CountrySubDivisionID	0..1	udt:IDType The unique identifier of the sub-division of the country for this CI trade address.
PlannedCISupplyChainConsignment	0..unbounded	ram:CISupplyChainConsignmentType A consignment planned for this CIOH supply chain trade delivery.
GrossWeightMeasure	0..unbounded	qdt:WeightMeasureType A measure of the gross weight (mass) of this CI supply chain consignment which includes the weight of packaging but which excludes the weight of any transport equipment.
NetWeightMeasure	0..unbounded	qdt:WeightMeasureType A measure of the net weight (mass) of this CI supply chain consignment which excludes the weight of packaging of this supply chain consignment and that of any transport equipment.
GrossVolumeMeasure	0..unbounded	qdt:VolumeMeasureType A measure of the gross volume of this CI supply chain consignment.
SpecifiedCILogisticsTransportMovement	0..unbounded	ram:CILogisticsTransportMovementType A logistics transport movement specified for this CI supply chain consignment.
ModeCode	0..1	qdt:TransportModeCodeType The code specifying the mode, such as by air, sea, rail, road or inland waterway, for this CI logistics transport movement.
UsedCILogisticsTransportMeans	0..1	ram:CILogisticsTransportMeansType The means of transport used for this CI logistics transport movement.
TypeCode	0..1	qdt:TransportMeansTypeCodeType The code specifying the type of CI logistics means of transport (Reference UNECE Recommendation 28).
ID	0..1	udt:IDType The unique identifier of this CI logistics means of transport, such as the International Maritime Organization number of a vessel.
CarrierCITradeParty	0..1	ram:CITradePartyType The carrier party for this CI supply chain consignment.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
SpecifiedCILegalOrganization	0..1	ram:CILegalOrganizationType The legally constituted organization specified for this CI trade party.
LegalClassificationCode	0..1	udt:CodeType The code specifying the legal classification of this CI organization, such as Incorporated (Inc), Limited Liability Corporation (LLC) or non-profit.
Name	0..1	udt:TextType The name, expressed as text, of this CI legal organization.
ID	0..1	udt:IDType

Element/Attribute			Annotation
			The unique identifier for this CI legal organization.
	PostalCITradeAddress	0..1	ram:CITradeAddressType The postal address for this CI legal organization.
	PostcodeCode	0..1	udt:CodeType The postcode of this CI trade address.
	PostOfficeBox	0..1	udt:TextType The identifier, expressed as text, of a post office box for this CI trade address.
	LineOne	0..1	udt:TextType The first free form line, expressed as text, of this CI trade address.
	LineTwo	0..1	udt:TextType The second free form line, expressed as text, of this CI trade address.
	CityName	0..1	udt:TextType The name, expressed as text, of the city, town or village of this CI trade address.
	CountryID	0..1	udt:IDType The unique identifier of the country for this CI trade address.
	CountrySubDivisionID	0..1	udt:IDType The unique identifier of the sub-division of the country for this CI trade address.
	AuthorizedCILegalRegistration	0..unbounded	ram:CILegalRegistrationType A legal registration authorized for this CI legal organization.
	TypeCode	0..1	udt:CodeType The code specifying the type of this CI legal registration.
	ID	0..1	udt:IDType The unique identifier for this CI legal registration.
	DefinedCITradeContact	0..unbounded	ram:CITradeContactType A trade contact defined for this CI trade party.
	PersonName	0..1	udt:TextType The name, expressed as text, of this CI trade contact person.
	DepartmentName	0..1	udt:TextType The name, expressed as text, of the department which is this CI trade contact.
	TypeCode	0..1	udt:CodeType The code specifying the type of CI trade contact.
	TelephoneCIUniversalCommunication	0..1	ram:CIUniversalCommunicationType The telephone communication information for this CI trade contact.
	URIID	0..1	udt:IDType The Uniform Resource Identifier (URI), such as a web or an email address, for this CI universal communication.
	ChannelCode	0..1	udt:CodeType The code specifying the channel or manner in which a CI universal communication can be made, such as telephone or email.
	CompleteNumber	0..1	udt:TextType The text string of characters that make up the complete number for this CI universal communication.
	FaxCIUniversalCommunication	0..1	ram:CIUniversalCommunicationType The fax communication information for this CI trade contact.
	URIID	0..1	udt:IDType

Element/Attribute	Annotation
	The Uniform Resource Identifier (URI), such as a web or an email address, for this CI universal communication.
ChannelCode 0..1	udt:CodeType The code specifying the channel or manner in which a CI universal communication can be made, such as telephone or email.
CompleteNumber 0..1	udt:TextType The text string of characters that make up the complete number for this CI universal communication.
EmailURICIUniversalCommunication 0..1	ram:CIUniversalCommunicationType The email URI communication information for this CI trade contact.
URIID 0..1	udt:IDType The Uniform Resource Identifier (URI), such as a web or an email address, for this CI universal communication.
ChannelCode 0..1	udt:CodeType The code specifying the channel or manner in which a CI universal communication can be made, such as telephone or email.
CompleteNumber 0..1	udt:TextType The text string of characters that make up the complete number for this CI universal communication.
PostalCITradeAddress 0..1	ram:CITradeAddressType The postal address for this CI trade party.
PostcodeCode 0..1	udt:CodeType The postcode of this CI trade address.
PostOfficeBox 0..1	udt:TextType The identifier, expressed as text, of a post office box for this CI trade address.
LineOne 0..1	udt:TextType The first free form line, expressed as text, of this CI trade address.
LineTwo 0..1	udt:TextType The second free form line, expressed as text, of this CI trade address.
CityName 0..1	udt:TextType The name, expressed as text, of the city, town or village of this CI trade address.
CountryID 0..1	udt:IDType The unique identifier of the country for this CI trade address.
CountrySubDivisionID 0..1	udt:IDType The unique identifier of the sub-division of the country for this CI trade address.
UtilizedCILogisticsTransportEquipment 0..unbounded	ram:CILogisticsTransportEquipmentType A piece of logistics transport equipment utilized for this CI supply chain consignment.
ID 0..1	udt:IDType The unique identifier of this piece of CI logistics transport equipment.
CategoryCode 0..1	qdt:TransportEquipmentCategoryCodeType The code specifying the category for this piece of CI logistics transport equipment, such as container or trailer.
ApplicableCIOHSupplyChainTradeSettlement 1..1	ram:CIOHSupplyChainTradeSettlementType The trade settlement applicable to this CIOH supply

Element/Attribute		Annotation
		chain trade transaction.
InvoiceeCITradeParty	0..1	ram:CITradePartyType The party to whom an invoice is issued for this CIOH supply chain trade settlement.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
OrderApplicableCITradeCurrencyExchange	0..1	ram:CITradeCurrencyExchangeType The currency exchange applicable to the order currency in this CIOH supply chain trade settlement.
SourceCurrencyCode	1..1	qdt:CurrencyCodeType The code specifying the source currency of a CI trade currency conversion.
TargetCurrencyCode	1..1	qdt:CurrencyCodeType The code specifying the target currency of a CI trade currency conversion.
ConversionRate	1..1	udt:RateType The rate used for conversion from the source currency to the target currency for CI trade purposes.
ConversionRateDateTime	0..1	udt:DateTimeType The date, time, date time or other date time value of the conversion rate for this CI trade currency exchange.
SpecifiedCITradeSettlementPaymentMeans	0..1	ram:CITradeSettlementPaymentMeansType The payment means specified for this CIOH supply chain trade settlement.
PaymentChannelCode	0..1	qdt:PaymentMeansChannelCodeType The code specifying the payment channel through which this CI trade settlement payment means is to be processed (Reference United Nations Code List (UNCL) 4435).
TypeCode	0..1	udt:CodeType The code specifying the type of CI trade settlement payment means, such as cash or cheque.
PaymentMethodCode	0..1	qdt:PaymentMethodCodeType The code specifying the method by which a payment may be made for this CI trade settlement payment means.
PayerPartyCIBdebtorFinancialAccount	0..1	ram:CIBdebtorFinancialAccountType The debtor financial account of the payer party for this CI trade settlement payment means.
IBANID	0..1	udt:IDType The unique International Bank Account Number (IBAN) identifier for this CI debtor financial account.
AccountName	0..1	udt:TextType The account name, expressed as text, of this CI debtor financial account.
ProprietaryID	0..1	udt:IDType The unique proprietary identifier for this CI debtor financial account.
PayeePartyCICreditorFinancialAccount	0..1	ram:CICreditorFinancialAccountType

Element/Attribute		Annotation
		The creditor financial account of the payee party for this CI trade settlement payment means.
IBANID	0..1	udt:IDType The unique International Bank Account Number (IBAN) identifier for this CI creditor financial account.
AccountName	0..1	udt:TextType The account name, expressed as text, of this CI creditor financial account.
ProprietaryID	0..1	udt:IDType The unique proprietary identifier for this CI creditor financial account.
PayerSpecifiedCIBdebtorFinancialInstitution	0..1	ram:CIBdebtorFinancialInstitutionType The debtor financial institution of the payer party specified for this CI trade settlement payment means.
BICID	0..1	udt:IDType The unique Bank Identification Code (BIC) as defined in ISO 9362 for this CI debtor financial institution.
Name	0..1	udt:TextType The name, expressed as text, for this CI debtor financial institution.
LocationFinancialInstitutionAddress	0..1	ram:FinancialInstitutionAddressType The location address for this CI debtor financial institution.
PostcodeCode	0..1	udt:CodeType The code specifying the postcode for this financial institution address.
BuildingNumber	0..1	udt:TextType The number, expressed as text, of the building on a street for this financial institution address.
LineOne	0..1	udt:TextType The first free form line, expressed as text, of this financial institution address.
LineTwo	0..1	udt:TextType The second free form line, expressed as text, of this financial institution address.
LineThree	0..1	udt:TextType The third free form line, expressed as text, of this financial institution address.
LineFour	0..1	udt:TextType The fourth free form line, expressed as text, of this financial institution address.
LineFive	0..1	udt:TextType The fifth free form line, expressed as text, of this financial institution address.
StreetName	0..1	udt:TextType The name, expressed as text, of the street or thoroughfare for this financial institution address.
CityName	0..1	udt:TextType The name, expressed as text, of the city, town or village of this financial institution address.
CountrySubDivisionID	0..1	udt:IDType The unique identifier of a country sub-division for this financial institution address (Reference ISO 3166 and UN/ECE Rec 3).
CountryID	0..1	udt:IDType The unique identifier of a country for this financial institution address (Reference ISO 3166 and UN/ECE Rec 3).

Element/Attribute		Annotation
TypeCode	0..1	udt:CodeType The code specifying the type of financial institution address.
DepartmentName	0..1	udt:TextType The name, expressed as text, of a department within this financial institution address.
PostOfficeBox	0..1	udt:TextType The post office box, expressed as text, for this financial institution address.
CityID	0..1	udt:IDType The unique identifier of the city for this financial institution address, such as United Nations Location Code (UNLOCODE).
CountrySubDivisionName	0..1	udt:TextType The name, expressed as text, of a country sub-division within this financial institution address.
CountryName	0..1	udt:TextType The name, expressed as text, of the country within this financial institution address.
SubDivisionBranchFinancialInstitution	0..1	ram:BranchFinancialInstitutionType The sub-division (branch) financial institution for this CI debtor financial institution.
ID	0..1	udt:IDType The unique identifier for this branch of a financial institution.
Name	0..1	udt:TextType The name, expressed as text, for this branch of a financial institution.
LocationFinancialInstitutionAddress	0..1	ram:FinancialInstitutionAddressType The location address for this branch of a financial institution.
PostcodeCode	0..1	udt:CodeType The code specifying the postcode for this financial institution address.
BuildingNumber	0..1	udt:TextType The number, expressed as text, of the building on a street for this financial institution address.
LineOne	0..1	udt:TextType The first free form line, expressed as text, of this financial institution address.
LineTwo	0..1	udt:TextType The second free form line, expressed as text, of this financial institution address.
LineThree	0..1	udt:TextType The third free form line, expressed as text, of this financial institution address.
LineFour	0..1	udt:TextType The fourth free form line, expressed as text, of this financial institution address.
LineFive	0..1	udt:TextType The fifth free form line, expressed as text, of this financial institution address.
StreetName	0..1	udt:TextType The name, expressed as text, of the street or thoroughfare for this financial institution address.
CityName	0..1	udt:TextType The name, expressed as text, of the city, town or village of this financial institution address.
CountrySubDivisionID	0..1	udt:IDType

Element/Attribute	Annotation
CountryID	0..1 udt:IDType The unique identifier of a country sub-division for this financial institution address (Reference ISO 3166 and UN/ECE Rec 3).
TypeCode	0..1 udt:CodeType The unique identifier of a country for this financial institution address (Reference ISO 3166 and UN/ECE Rec 3).
DepartmentName	0..1 udt:TextType The code specifying the type of financial institution address.
PostOfficeBox	0..1 udt:TextType The name, expressed as text, of a department within this financial institution address.
CityID	0..1 udt:IDType The post office box, expressed as text, for this financial institution address.
CountrySubDivisionName	0..1 udt:TextType The unique identifier of the city for this financial institution address, such as United Nations Location Code (UNLOCODE).
CountryName	0..1 udt:TextType The name, expressed as text, of a country sub-division within this financial institution address.
PayeeSpecifiedCICreditorFinancialInstitution	0..1 ram:CICreditorFinancialInstitutionType The name, expressed as text, of the country within this financial institution address.
BICID	0..1 udt:IDType The creditor financial institution of the payee party specified for this CI trade settlement payment means.
Name	0..1 udt:TextType The unique Bank Identification Code (BIC) as defined in ISO 9362 for this CI creditor financial institution.
LocationFinancialInstitutionAddress	0..1 ram:FinancialInstitutionAddressType The name, expressed as text, for this CI creditor financial institution.
PostcodeCode	0..1 udt:CodeType The location address for this CI creditor financial institution.
BuildingNumber	0..1 udt:TextType The code specifying the postcode for this financial institution address.
LineOne	0..1 udt:TextType The number, expressed as text, of the building on a street for this financial institution address.
LineTwo	0..1 udt:TextType The first free form line, expressed as text, of this financial institution address.
LineThree	0..1 udt:TextType The second free form line, expressed as text, of this financial institution address.
LineFour	0..1 udt:TextType The third free form line, expressed as text, of this financial institution address.
LineFive	0..1 udt:TextType The fourth free form line, expressed as text, of this financial institution address.
	0..1 udt:TextType The fifth free form line, expressed as text, of this

Element/Attribute	Annotation
	financial institution address.
– StreetName 0..1	udt:TextType The name, expressed as text, of the street or thoroughfare for this financial institution address.
– CityName 0..1	udt:TextType The name, expressed as text, of the city, town or village of this financial institution address.
– CountrySubDivisionID 0..1	udt:IDType The unique identifier of a country sub-division for this financial institution address (Reference ISO 3166 and UNECE Rec 3).
– CountryID 0..1	udt:IDType The unique identifier of a country for this financial institution address (Reference ISO 3166 and UNECE Rec 3).
– TypeCode 0..1	udt:CodeType The code specifying the type of financial institution address.
– DepartmentName 0..1	udt:TextType The name, expressed as text, of a department within this financial institution address.
– PostOfficeBox 0..1	udt:TextType The post office box, expressed as text, for this financial institution address.
– CityID 0..1	udt:IDType The unique identifier of the city for this financial institution address, such as United Nations Location Code (UNLOCODE).
– CountrySubDivisionName 0..1	udt:TextType The name, expressed as text, of a country sub-division within this financial institution address.
– CountryName 0..1	udt:TextType The name, expressed as text, of the country within this financial institution address.
– SubDivisionBranchFinancialInstitution 0..1	ram:BranchFinancialInstitutionType The sub-division (branch) financial institution for this CI creditor financial institution.
– ID 0..1	udt:IDType The unique identifier for this branch of a financial institution.
– Name 0..1	udt:TextType The name, expressed as text, for this branch of a financial institution.
– LocationFinancialInstitutionAddress 0..1	ram:FinancialInstitutionAddressType The location address for this branch of a financial institution.
– PostcodeCode 0..1	udt:CodeType The code specifying the postcode for this financial institution address.
– BuildingNumber 0..1	udt:TextType The number, expressed as text, of the building on a street for this financial institution address.
– LineOne 0..1	udt:TextType The first free form line, expressed as text, of this financial institution address.
– LineTwo 0..1	udt:TextType The second free form line, expressed as text, of this financial institution address.
– LineThree 0..1	udt:TextType

Element/Attribute		Annotation
		The third free form line, expressed as text, of this financial institution address.
LineFour	0..1	udt:TextType The fourth free form line, expressed as text, of this financial institution address.
LineFive	0..1	udt:TextType The fifth free form line, expressed as text, of this financial institution address.
StreetName	0..1	udt:TextType The name, expressed as text, of the street or thoroughfare for this financial institution address.
CityName	0..1	udt:TextType The name, expressed as text, of the city, town or village of this financial institution address.
CountrySubDivisionID	0..1	udt:IDType The unique identifier of a country sub-division for this financial institution address (Reference ISO 3166 and UNECE Rec 3).
CountryID	0..1	udt:IDType The unique identifier of a country for this financial institution address (Reference ISO 3166 and UNECE Rec 3).
TypeCode	0..1	udt:CodeType The code specifying the type of financial institution address.
DepartmentName	0..1	udt:TextType The name, expressed as text, of a department within this financial institution address.
PostOfficeBox	0..1	udt:TextType The post office box, expressed as text, for this financial institution address.
CityID	0..1	udt:IDType The unique identifier of the city for this financial institution address, such as United Nations Location Code (UNLOCODE).
CountrySubDivisionName	0..1	udt:TextType The name, expressed as text, of a country sub-division within this financial institution address.
CountryName	0..1	udt:TextType The name, expressed as text, of the country within this financial institution address.
ApplicableTradeSettlementFinancialCard	0..1	ram:TradeSettlementFinancialCardType The trade settlement financial card applicable to this CI trade settlement payment means.
MicrochipIndicator	0..1	udt:IndicatorType pattern false true The indication of whether or not this trade settlement financial card has a microchip.
ID	0..1	udt:IDType The unique identifier, commonly known as the card number, of this trade settlement financial card.
TypeCode	0..1	udt:CodeType The code specifying the type of this trade settlement financial card, such as debit or credit.
CardholderName	0..1	udt:TextType The cardholder name as it appears on this trade settlement financial card. This may include both an individual authorized to use the card as well as the organization that owns the card.

Element/Attribute		Annotation
ExpiryDate	0..1	udt:DateType The date of expiry up to which this trade settlement financial card is valid.
VerificationNumeric	0..1	udt:NumericType The unique card verification number for security purposes to help verify the card user is in actual possession of this trade settlement financial card.
ValidFromDateTime	0..1	udt:DateTimeType The date from which this trade settlement financial card is valid.
CreditLimitAmount	0..unbounded	udt:AmountType A monetary value of the credit limit for this trade settlement financial card.
CreditAvailableAmount	0..unbounded	udt:AmountType A monetary value of the credit available for this trade settlement financial card.
InterestRatePercent	0..1	udt:PercentType The interest rate expressed as a percentage for this trade settlement financial card.
ApplicableCITradeTax	0..unbounded	ram:CITradeTaxType A tax applicable to this CIOH supply chain trade settlement.
TypeCode	0..1	qdt:TaxTypeCodeType The code specifying the type of CI trade related tax, levy or duty, such as a code for a Value Added Tax (VAT).
CategoryCode	0..1	qdt:GSTaxCategoryCodeType The code specifying the category to which this CI trade related tax, levy or duty applies, such as codes for "Exempt from Tax", "Standard Rate", "Free Export Item - Tax Not Charged" .
CurrencyCode	0..1	qdt:CurrencyCodeType The code specifying the currency for this CI trade related tax, levy or duty.
ExemptionReasonCode	0..1	qdt:TaxExemptionReasonCodeType The code specifying a reason for exemption from this CI trade related tax, levy or duty.
DueDateTypeCode	0..1	udt:CodeType The code specifying a type of due date for this CI trade tax.
ServiceSupplyCITradeCountry	0..1	ram:CITradeCountryType The country where a service was supplied for this CI trade tax.
ID	0..1	udt:IDType The unique identifier for this CI trade country.
Name	0..unbounded	udt:TextType A name, expressed as text, for this CI trade country.
SubordinateCITradeCountrySubDivision	0..unbounded	ram:CITradeCountrySubDivisionType A sub-division that is subordinate to this CI trade country, such as a state, a county, a canton, a province.
ID	0..1	udt:IDType The unique identifier for this CI trade country sub-division.
Name	0..unbounded	udt:TextType A name, expressed as text, of this CI trade country sub-division.
SpecifiedCITradeAllowanceCharge	0..unbounded	ram:CITradeAllowanceChargeType An allowance or charge specified for this CIOH supply

Element/Attribute		Annotation
		chain trade settlement.
ChargeIndicator	0..1	udt:IndicatorType pattern false true The indication of whether or not this CI trade allowance charge is a charge.
SequenceNumeric	0..1	udt:NumericType The sequence number for applying this CI trade allowance charge.
CalculationPercent	0..1	udt:PercentType The percentage applied to calculate this CI trade allowance charge.
BasisQuantity	0..1	udt:QuantityType The quantity on which this CI trade allowance charge is based.
ActualAmount	0..unbounded	udt:AmountType An actual monetary value of this CI trade allowance charge.
ReasonCode	0..1	qdt:GSAAdjustmentReasonCodeType The code specifying the reason for this CI trade allowance charge.
Reason	0..1	udt:TextType The reason, expressed as text, for this CI trade allowance charge.
SpecifiedCITradePaymentTerms	0..1	ram:CITradePaymentTermsType The payment terms specified for this CIOH supply chain trade settlement.
FromEventCode	0..1	qdt:GSPaymentTermsEventTimeReferenceCodeType The code specifying the event from which these CI trade payment terms apply.
SettlementPeriodMeasure	0..1	udt:MeasureType The measure of the settlement period for these CI trade payment terms.
DueDateDateTime	0..1	udt:DateTimeType The date, time, date time, or other date time value of the due date specified by these CI trade payment terms.
InstructionTypeCode	0..1	udt:CodeType The code specifying the type of instruction for these CI trade payment terms.
PartialPaymentPercent	0..1	udt:PercentType The partial payment, expressed as a percentage, in these CI trade payment terms.
ApplicableCITradePaymentDiscountTerms	0..1	ram:CITradePaymentDiscountTermsType Trade payment discount terms applicable to these CI trade payment terms.
BasisDateTime	0..1	udt:DateTimeType The date, time, date time, or other date time value used as the basis to calculate the discount in these CI trade payment discount terms.
BasisPeriodMeasure	0..1	udt:MeasureType The measure of the basis period for these CI trade payment discount terms.
BasisAmount	0..1	udt:AmountType The monetary value used as a basis to calculate the discount in these CI trade payment discount terms.
CalculationPercent	0..1	udt:PercentType The percent used to calculate the discount in these CI

Element/Attribute		Annotation
ActualDiscountAmount	0..1	trade payment discount terms. udt:AmountType The monetary value of the actual discount in these CI trade payment discount terms.
SpecifiedCIOHTradeSettlementMonetarySummation	0..1	ram:CIOHTradeSettlementMonetarySummationType The monetary summation totals specified for this CIOH supply chain trade settlement.
TaxTotalAmount	0..unbounded	udt:AmountType A monetary value of the total of all tax amounts being reported in this CIOH trade settlement monetary summation.
GrandTotalAmount	0..unbounded	udt:AmountType A monetary value of the grand total of this CIOH trade settlement monetary summation, to include addition and subtraction of individual summation amounts.
IncludedCIOLSupplyChainTradeLineItem	1..unbounded	ram:CIOLSupplyChainTradeLineItemType A Cross Industry Ordering Line (CIOL) supply chain trade line item included in this CIOH supply chain trade transaction.
AssociatedCIOLDocumentLineDocument	1..1	ram:CIOLDocumentLineDocumentType The document line associated with this CIOL supply chain trade line item.
LineID	1..1	udt:IDType The identifier of this CIOL document line.
LineStatusCode	0..1	qdt:GSLineItemActionCodeType The code specifying the status of this CIOL document line. Applicable Codes 23 Added In addition to. 24 Deducted A deduction from. 95 Unchanged Unaltered.
LineStatusReasonCode	0..1	udt:CodeType The code specifying the line status reason for this CIOL document line.
IncludedCINote	0..unbounded	ram:CINoteType A note included in this CIOL document line.
Subject	0..1	udt:TextType The subject, expressed as text, of this CI note.
Content	0..unbounded	udt:TextType Content, expressed as text, of this CI note.
SubjectCode	0..1	udt:CodeType The code specifying the subject of this CI note.
SpecifiedCIOLSupplyChainTradeAgreement	0..1	ram:CIOLSupplyChainTradeAgreementType The trade agreement specified for this CIOL supply chain trade line item.
ContractReferencedCIReferencedDocument	0..1	ram:CIReferencedDocumentType The contract document referenced by this CIOL supply chain trade agreement.
IssuerAssignedID	0..1	udt:IDType The issuer assigned identifier for this CI referenced document.

Element/Attribute		Annotation
IssueDateTime	0..1	qdt:DateMandatoryDateTimeType The date or date time for the issuance of this CI referenced document.
LineID	0..1	udt:IDType The unique identifier of a line in this CI referenced document.
ReferenceTypeCode	0..1	qdt:ReferenceCodeType The code specifying the reference type of this CI referenced document.
IssuerCITradeParty	0..1	ram:CITradePartyType The trade party that issued this CI referenced document.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
OriginalOrderReferencedCIReferencedDocument	0..1	ram:CITReferencedDocumentType The original order document referenced by this CIOL supply chain trade agreement.
IssuerAssignedID	0..1	udt:IDType The issuer assigned identifier for this CI referenced document.
IssueDateTime	0..1	qdt:DateMandatoryDateTimeType The date or date time for the issuance of this CI referenced document.
LineID	0..1	udt:IDType The unique identifier of a line in this CI referenced document.
ReferenceTypeCode	0..1	qdt:ReferenceCodeType The code specifying the reference type of this CI referenced document.
IssuerCITradeParty	0..1	ram:CITradePartyType The trade party that issued this CI referenced document.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
AdditionalReferencedCIReferencedDocument	0..unbounded	ram:CITReferencedDocumentType An additional document referenced by this CIOL supply chain trade agreement.
IssuerAssignedID	0..1	udt:IDType The issuer assigned identifier for this CI referenced document.
IssueDateTime	0..1	qdt:DateMandatoryDateTimeType The date or date time for the issuance of this CI

Element/Attribute		Annotation
LineID	0..1	<p>referenced document.</p> <p>udt:IDType</p> <p>The unique identifier of a line in this CI referenced document.</p>
ReferenceTypeCode	0..1	<p>qdt:ReferenceCodeType</p> <p>The code specifying the reference type of this CI referenced document.</p>
IssuerCITradeParty	0..1	<p>ram:CITradePartyType</p> <p>The trade party that issued this CI referenced document.</p>
ID	0..unbounded	<p>udt:IDType</p> <p>Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.</p>
GlobalID	0..1	<p>qdt:GLNIDType length 13 .. 13</p> <p>The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.</p>
NetPriceProductCITradePrice	0..1	<p>ram:CITradePriceType</p> <p>The net price for the product in this CIOL supply chain trade agreement.</p>
TypeCode	0..1	<p>qdt:PriceTypeCodeType</p> <p>The code specifying the type of CI trade price.</p>
ChargeAmount	1..unbounded	<p>udt:AmountType</p> <p>A monetary value of this CI trade price charge.</p>
BasisQuantity	0..1	<p>udt:QuantityType</p> <p>The quantity on which this CI trade price is based.</p>
SpecifiedCIOLSupplyChainTradeDelivery	0..1	<p>ram:CIOLSupplyChainTradeDeliveryType</p> <p>The trade delivery specified for this CIOL supply chain trade line item.</p>
RequestedQuantity	0..1	<p>udt:QuantityType</p> <p>The requested quantity for this CIOL supply chain trade delivery.</p>
AgreedQuantity	0..1	<p>udt:QuantityType</p> <p>The agreed quantity for this CIOL supply chain trade delivery.</p>
PartialDeliveryAllowedIndicator	0..1	<p>udt:IndicatorType pattern false true</p> <p>The indication of whether or not partial delivery is allowed for this CIOL supply chain trade delivery.</p>
ShipToCITradeParty	0..1	<p>ram:CITradePartyType</p> <p>The ship to party for this CIOL supply chain trade delivery.</p>
ID	0..unbounded	<p>udt:IDType</p> <p>Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.</p>
GlobalID	0..1	<p>qdt:GLNIDType length 13 .. 13</p> <p>The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.</p>
Name	0..1	<p>udt:TextType</p> <p>The name, expressed as text, for this CI trade party.</p>
PostalCITradeAddress	0..1	<p>ram:CITradeAddressType</p> <p>The postal address for this CI trade party.</p>

Element/Attribute		Annotation	
–	PostcodeCode	0..1	udt:CodeType The postcode of this CI trade address.
–	PostOfficeBox	0..1	udt:TextType The identifier, expressed as text, of a post office box for this CI trade address.
–	LineOne	0..1	udt:TextType The first free form line, expressed as text, of this CI trade address.
–	LineTwo	0..1	udt:TextType The second free form line, expressed as text, of this CI trade address.
–	CityName	0..1	udt:TextType The name, expressed as text, of the city, town or village of this CI trade address.
–	CountryID	0..1	udt:IDType The unique identifier of the country for this CI trade address.
–	CountrySubDivisionID	0..1	udt:IDType The unique identifier of the sub-division of the country for this CI trade address.
–	ShipFromCITradeParty	0..1	ram:CITradePartyType The ship from party for this CIOL supply chain trade delivery.
–	ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
–	GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
–	DeliveryCIDeliveryInstructions	0..1	ram:CIDeliveryInstructionsType The delivery instructions for this CIOL supply chain trade delivery.
–	HandlingCode	0..unbounded	udt:CodeType A code specifying CI delivery handling instructions.
–	Handling	0..unbounded	udt:TextType CI delivery handling instructions expressed as text.
–	AdditionalReferencedCIReferencedDocument	0..unbounded	ram:CIReferencedDocumentType An additional referenced document, such as a delivery document, for this CIOL supply chain trade delivery.
–	IssuerAssignedID	0..1	udt:IDType The issuer assigned identifier for this CI referenced document.
–	IssueDateTime	0..1	qdt:DateMandatoryDateTimeType The date or date time for the issuance of this CI referenced document.
–	LineID	0..1	udt:IDType The unique identifier of a line in this CI referenced document.
–	ReferenceTypeCode	0..1	qdt:ReferenceCodeType The code specifying the reference type of this CI referenced document.
–	IssuerCITradeParty	0..1	ram:CITradePartyType The trade party that issued this CI referenced document.

Element/Attribute		Annotation	
└ ID	0..unbounded	udt:IDType	Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
└ GlobalID	0..1	qdt:GLNIDType length 13 .. 13	The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
└ PlannedCISupplyChainConsignment	0..1	ram:CISupplyChainConsignmentType	The consignment planned for this CIOL supply chain trade delivery.
└ CarrierCITradeParty	0..1	ram:CITradePartyType	The carrier party for this CI supply chain consignment.
└ ID	0..unbounded	udt:IDType	Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
└ GlobalID	0..1	qdt:GLNIDType length 13 .. 13	The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
└ RequestedDeliveryCISupplyChainEvent	0..1	ram:CISupplyChainEventType	The requested delivery event for this CIOL supply chain trade delivery.
└ OccurrenceDateTime	0..1	udt:DateTimeType	The date, time, date time, or other date time value of an occurrence of this CI supply chain event.
└ OccurrenceCISpecifiedPeriod	0..1	ram:CISpecifiedPeriodType	The specified period of time during which this CI supply chain event occurs.
└ StartDateTime	0..1	udt:DateTimeType	The date, time, date time or other date time value for the start of this CI specified period of time.
└ EndDateTime	0..1	udt:DateTimeType	The date, time, date time or other date time value for the end of this CI specified period of time.
└ OccurrenceCILogisticsLocation	0..1	ram:CILogisticsLocationType	The logistics location where this CI supply chain event occurs.
└ ID	0..1	udt:IDType	The unique identifier for this CI logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).
└ TypeCode	0..1	udt:CodeType	The code specifying the type of this CI logistics related location.
└ ProjectedCISupplyChainSupplyPlan	0..1	ram:CISupplyChainSupplyPlanType	The supply plan projected for this CIOL supply chain trade delivery.
└ PlannedQuantity	0..1	udt:QuantityType	The planned quantity in this CI supply chain supply plan.
└ DeliveryCISupplyChainEvent	0..unbounded	ram:CISupplyChainEventType	A delivery event for this CI supply chain supply plan.
└ OccurrenceDateTime	0..1	udt:DateTimeType	The date, time, date time, or other date time value of

Element/Attribute		Annotation
		an occurrence of this CI supply chain event.
–	TypeCode 0..1	udt:CodeType The code specifying the type of CI supply chain event.
–	UnitQuantity 0..1	udt:QuantityType The number of units for this CI supply chain event.
–	OccurrenceCISpecifiedPeriod 0..1	ram:CISpecifiedPeriodType The specified period of time during which this CI supply chain event occurs.
–	StartDateTime 0..1	udt:DateTimeType The date, time, date time or other date time value for the start of this CI specified period of time.
–	EndDateTime 0..1	udt:DateTimeType The date, time, date time or other date time value for the end of this CI specified period of time.
–	OccurrenceCILogisticsLocation 0..1	ram:CILogisticsLocationType The logistics location where this CI supply chain event occurs.
–	ID 0..1	udt:IDType The unique identifier for this CI logistics related location, such as a United Nations Location Code (UNLOCODE) or GS1 Global Location Number (GLN).
–	TypeCode 0..1	udt:CodeType The code specifying the type of this CI logistics related location.
–	Description 0..unbounded	udt:TextType A textual description of this CI logistics related location.
–	PostalCITradeAddress 0..1	ram:CITradeAddressType The postal trade address information for this CI logistics related location.
–	PostcodeCode 0..1	udt:CodeType The postcode of this CI trade address.
–	PostOfficeBox 0..1	udt:TextType The identifier, expressed as text, of a post office box for this CI trade address.
–	LineOne 0..1	udt:TextType The first free form line, expressed as text, of this CI trade address.
–	LineTwo 0..1	udt:TextType The second free form line, expressed as text, of this CI trade address.
–	CityName 0..1	udt:TextType The name, expressed as text, of the city, town or village of this CI trade address.
–	CountryID 0..1	udt:IDType The unique identifier of the country for this CI trade address.
–	CountrySubDivisionID 0..1	udt:IDType The unique identifier of the sub-division of the country for this CI trade address.
–	ContractReferencedCIReferencedDocument 0..unbounded	ram:CIReferencedDocumentType A referenced contract document for this CI supply chain supply plan.
–	IssuerAssignedID 0..1	udt:IDType The issuer assigned identifier for this CI referenced document.
–	IssueDateTime 0..1	qdt:DateMandatoryDateTimeType The date or date time for the issuance of this CI

Element/Attribute		Annotation
		referenced document.
LineID	0..1	udt:IDType The unique identifier of a line in this CI referenced document.
ReferenceTypeCode	0..1	qdt:ReferenceCodeType The code specifying the reference type of this CI referenced document.
IssuerCITradeParty	0..1	ram:CITradePartyType The trade party that issued this CI referenced document.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
ShipToCITradeParty	0..1	ram:CITradePartyType The ship to party for this CI supply chain supply plan.
ID	0..unbounded	udt:IDType Identification of a party by use of a code other than the Global Location Number. A unique identifier of this CI trade party.
GlobalID	0..1	qdt:GLNIDType length 13 .. 13 The Global Location Number (GLN) is the GS1 identification key of a physical location, legal or functional entity within an enterprise. A globally unique identifier of this CI trade party.
Name	0..1	udt:TextType The name, expressed as text, for this CI trade party.
PostalCITradeAddress	0..1	ram:CITradeAddressType The postal address for this CI trade party.
PostcodeCode	0..1	udt:CodeType The postcode of this CI trade address.
PostOfficeBox	0..1	udt:TextType The identifier, expressed as text, of a post office box for this CI trade address.
LineOne	0..1	udt:TextType The first free form line, expressed as text, of this CI trade address.
LineTwo	0..1	udt:TextType The second free form line, expressed as text, of this CI trade address.
CityName	0..1	udt:TextType The name, expressed as text, of the city, town or village of this CI trade address.
CountryID	0..1	udt:IDType The unique identifier of the country for this CI trade address.
CountrySubDivisionID	0..1	udt:IDType The unique identifier of the sub-division of the country for this CI trade address.
SpecifiedCIOLSupplyChainTradeSettlement	0..1	ram:CIOLSupplyChainTradeSettlementType The trade settlement specified for this CIOL supply chain trade line item.

Element/Attribute		Annotation
ApplicableCITradeTax	0..unbounded	<p>ram:CITradeTaxType</p> <p>A tax applicable to this CIOL supply chain trade settlement.</p>
CalculatedAmount	0..unbounded	<p>udt:AmountType</p> <p>A monetary value resulting from the calculation of this CI trade related tax, levy or duty.</p>
TypeCode	0..1	<p>qdt:TaxTypeCodeType</p> <p>The code specifying the type of CI trade related tax, levy or duty, such as a code for a Value Added Tax (VAT).</p>
CalculatedRate	0..1	<p>udt:RateType</p> <p>The rate used to calculate the amount of this CI trade related tax, levy or duty.</p>
SpecifiedCITradeAllowanceCharge	0..unbounded	<p>ram:CITradeAllowanceChargeType</p> <p>An allowance or charge specified for this CIOL supply chain trade settlement.</p>
ChargeIndicator	0..1	<p>udt:IndicatorType</p> <p>pattern false true</p> <p>The indication of whether or not this CI trade allowance charge is a charge.</p>
SequenceNumeric	0..1	<p>udt:NumericType</p> <p>The sequence number for applying this CI trade allowance charge.</p>
CalculationPercent	0..1	<p>udt:PercentType</p> <p>The percentage applied to calculate this CI trade allowance charge.</p>
BasisQuantity	0..1	<p>udt:QuantityType</p> <p>The quantity on which this CI trade allowance charge is based.</p>
ActualAmount	0..unbounded	<p>udt:AmountType</p> <p>An actual monetary value of this CI trade allowance charge.</p>
ReasonCode	0..1	<p>qdt:GSAAdjustmentReasonCodeType</p> <p>The code specifying the reason for this CI trade allowance charge.</p>
Reason	0..1	<p>udt:TextType</p> <p>The reason, expressed as text, for this CI trade allowance charge.</p>
SpecifiedCIOLTradeSettlementMonetarySummation	0..1	<p>ram:CIOLTradeSettlementMonetarySummationType</p> <p>The monetary summation specified for this CIOL supply chain trade settlement.</p>
LineTotalAmount	0..unbounded	<p>udt:AmountType</p> <p>A monetary value of the line amount total being reported in this CIOL trade settlement monetary summation.</p>
SpecifiedCITradeProduct	0..1	<p>ram:CITradeProductType</p> <p>The product specified for this CIOL supply chain trade line item.</p>
ID	0..1	<p>udt:IDType</p> <p>The unique identifier for this CI trade product.</p>
GlobalID	0..1	<p>qdt:GTINIDType</p> <p>length 14 .. 14</p> <p>The GS1 Identification Key used to identify trade items. A trade item is any trade item (trade item or service) upon which there is a need to retrieve pre-defined information and that may be planned, priced, ordered, delivered and or invoiced at any point in any supply chain. The key is comprised of a GS1 Company</p>

Element/Attribute		Annotation
		Prefix, Item Reference, and Check Digit. The unique global identifier for this CI trade product.
SellerAssignedID	0..1	udt:IDType The unique seller assigned identifier for this CI trade product.
BuyerAssignedID	0..1	udt:IDType The unique buyer assigned identifier for this CI trade product.
ManufacturerAssignedID	0..1	udt:IDType The unique manufacturer assigned identifier for this CI trade product.

6. Business Document Examples

6.1. Example A

The following is an example of the use of the Multi Shipment Order Message.

- The buyer identified by the GS1 Global Location Number **7594567000014** places an order to the supplier identified by the GS1 Global Location Number **8431472300015**.
- The order identification is **PO0222** and is placed on **21st of July 2004** at **10:00 AM**.
- Order Header Indicator.
 - Application Receipt Acknowledgement is required
 - Order is not free of excise tax duty.
- The buyer and supplier had prior discussions regarding the requirements for the order and a quote reference number to be used as references. In this case it relates to specific pricing and manufacturing requirements as it is not a standard stock item, the quote number is Q3391.
- The buyer is also requesting for line item **08431472300053** that they need to be pre-assembled and a note to this effect is included in the free text at line item level.
- The buyer is also requesting that everything ordered needs to be shrink wrapped to protect it from the elements and a note to this effect is included in the free text field at header level.
- The total monetary amount of the order as calculated by the Buyer is thought to be **\$5500.50** (excluding all taxes).
- The main distribution centre is identified by the GS1 Global Location Number **7594567000090** where the goods should be shipped to and delivered on **23rd July 2004** (if no other specification is given).

The buyer orders the following:

GS1Global Trade Item Number	Quantity	Location
08431472300053	25	7594567000090
08431472300053	14	7594567000083

6.2. Example B

The following is an example of the use of the Multi Shipment Order Message for Cross Docking Order with multiple cross docking destinations and multiple final destinations.

- The buyer identified by the GS1 Global Location Number **7704567000017** places an order to the supplier identified by the GS1 Global Location Number **8881472300018**.
- The order identification is PO0341 and is placed on **4th of March 2004** at **10:00 AM**.
- Order Header Indicator.
 - Application Receipt Acknowledgement is required
 - Order is not free of excise tax duty.
- The main distribution centre is identified by the GS1 Global Location Number **7704567000024** where the goods should be shipped to and delivered on **15th March 2004** (if no other specification is given).

The buyer orders the following:

GS1 Global Trade Item Number	Quantity	Warehouse	Store	Delivery Date
08881472300049	8	-	-	-
08881472300025	15	7704567000031	7704567000063	2004-03-12 (Store)
08881472300032	10	7704567000031	7704567000079	2004-03-13 (Store)

6.3. Example C

The following is an example of the use of the Multi Shipment Order Message with additional information used within the music industry.

- The buyer identified by the GS1 Global Location Number **0079452000319** places an order to the supplier identified by the GS1 Global Location Number **0074562000457**. The person responsible for issuing the order is Joe Smith.
- The order identification is PO00759, is placed on **3rd February 2005** at **10:00 AM** makes reference to the promotional deal number **AHK00765**.
- Order Header Indicator.
 - Application Receipt Acknowledgement is required
 - Order is not free of excise tax duty.
- The goods have to be shipped directly to the consumer by a carrier identified by the GS1 Global Location Number **0078245000635** by air (**4th February 2005**).

The buyer orders the following:

GS1 Global Trade Item Number	Quantity	Consumer information	Delivery Date
00074562000525	2	Carol Johnson 1900 NW 150 Ave Pembroke Pines FL 33028 US Telephone Number: 123.456.7890	2005-02-04

6.4. Example D

The following is an example of the use of the Multi Shipment Order Message between a manufacturer (Buyer) and his material supplier (Seller) (so the Upstream Supply Chain) with one ship to location and multiple inventory locations at this ship to location.

- The buyer, identified by the GS1 Global Location Number **8713145000034** places an order to the supplier is identified by the GS1 Global Location Number **8612423005669**.
- The order identification is **PO-FK23491** and is placed on **9th March 2005** at **10:30 AM**.
- Order Header Indicator.
 - Application Receipt Acknowledgement is required
 - Order is not free of excise tax duty.
- The reference to the purchase conditions is done by the number **CT2005-Q1**. The order contact is Mr. Order the goods requirements planner involved is Mr. Planner.

- The ship-to address which is the plant of the manufacturer is identified by the GS1 Global Location Number **8712423005778** where the 2 items should be delivered the **15th March 2004** at 2 specific inventory locations for storage. One of the items is specifically shipped from the materials supplier site **8612423005612** (ship-from).

The buyer orders the following:

Item GTIN	Ship From GLN	Quantity	Plant GLN	Inventory Location GLN
05411100203461	8612423005612	350 KGM	8712423005778	8712423000339
01234550123456		210 KGM	8712423005778	8712423000322

7. Implementation Considerations

Not Applicable

8. Testing

8.1. Pass / Fail Criteria

Not Applicable

8.2. Test Data

8.2.1. Business Document Example A

- <rsm:CrossIndustryOrder>
<rsm:CIExchangedDocumentContext />
- <rsm:CIOHExchangedDocument>
<ram:ID>PO0222</ram:ID>
<ram:IssueDateTime>2010-07-21T10:00:00</ram:IssueDateTime>
<ram:CopyIndicator>>false</ram:CopyIndicator>
</rsm:CIOHExchangedDocument>
- <rsm:CIOHSupplyChainTradeTransaction>
- <ram:ApplicableCIOHSupplyChainTradeAgreement>
- <ram:SellerCITradeParty>
<ram:GlobalID schemeID="GLN">8431472300015</ram:GlobalID>
</ram:SellerCITradeParty>
- <ram:BuyerCITradeParty>
<ram:GlobalID schemeID="GLN">7594567000014</ram:GlobalID>
</ram:BuyerCITradeParty>
- <ram:QuotationReferencedCIReferencedDocument>
<ram:IssuerAssignedID>Q3391</ram:IssuerAssignedID>
</ram:QuotationReferencedCIReferencedDocument>
</ram:ApplicableCIOHSupplyChainTradeAgreement>
- <ram:ApplicableCIOHSupplyChainTradeDelivery>
- <ram:ShipToCITradeParty>
<ram:GlobalID schemeID="GLN">7594567000090</ram:GlobalID>
</ram:ShipToCITradeParty>
- <ram:PlannedDeliveryCISupplyChainEvent>
<ram:OccurrenceDateTime>2010-07-23T00:00:00</ram:OccurrenceDateTime>
</ram:PlannedDeliveryCISupplyChainEvent>
</ram:ApplicableCIOHSupplyChainTradeDelivery>
- <ram:ApplicableCIOHSupplyChainTradeSettlement>

- <rsm:CrossIndustryOrder>
- <ram:SpecifiedCIOHTradeSettlementMonetarySummation>
<ram:GrandTotalAmount currencyID="USD">5500.50</ram:GrandTotalAmount>
</ram:SpecifiedCIOHTradeSettlementMonetarySummation>
</ram:ApplicableCIOHSupplyChainTradeSettlement>
- <ram:IncludedCIOLSupplyChainTradeLineItem>
- <ram:AssociatedCIOLDocumentLineDocument>
<ram:LineID>1</ram:LineID>
- <ram:IncludedCINote>
<ram:Content languageID="EN">Pre-assembly required</ram:Content>
</ram:IncludedCINote>
</ram:AssociatedCIOLDocumentLineDocument>
- <ram:SpecifiedCIOLSupplyChainTradeDelivery>
<ram:RequestedQuantity>39</ram:RequestedQuantity>
- <ram:ProjectedCISupplyChainSupplyPlan>
<ram:PlannedQuantity>25</ram:PlannedQuantity>
- <ram:ShipToCITradeParty>
<ram:GlobalID schemeID="GLN">7594567000090</ram:GlobalID>
</ram:ShipToCITradeParty>
</ram:ProjectedCISupplyChainSupplyPlan>
- <ram:ProjectedCISupplyChainSupplyPlan>
<ram:PlannedQuantity>14</ram:PlannedQuantity>
- <ram:ShipToCITradeParty>
<ram:GlobalID schemeID="GLN">7594567000083</ram:GlobalID>
</ram:ShipToCITradeParty>
</ram:ProjectedCISupplyChainSupplyPlan>
</ram:SpecifiedCIOLSupplyChainTradeDelivery>
- <ram:SpecifiedCITradeProduct>
<ram:GlobalID schemeID="GTIN">08431472300053</ram:GlobalID>
</ram:SpecifiedCITradeProduct>
</ram:IncludedCIOLSupplyChainTradeLineItem>
</rsm:CIOHSupplyChainTradeTransaction>
</rsm:CrossIndustryOrder>

9. Appendices

Not Applicable

10. Summary of Changes

Change	BSD Version	Associated CR Number