



# Business Message Standard (BMS) Shared Common Library

Release 3.1

18-Nov-2014, Issue 1.4

## Document Summary

Document Item	Current Value
Document Title	Shared Common Library - Business Message Standard (BMS)
BMS Release	3.1
Document Version	Issue 1.3, 20-Aug-2014
Work Group Name	eCom SMG
BMS Template Version	2.3

## Work Request Reference

Date of WR Submission to GSMP	WR Submitter	Work Request (WR) Number
	GS1 Switzerland	11-265
	GS1 Australia	12-153
	GS1 Australia	12-155
	GS1 France	12-144
	GS1 Germany	12-209

## Document Change History

Date of Change	Version	Changed By	Reason for Change	Summary of Change
October 13, 2011	BMS 3.0 issue 1.0.0	Eric Kauz	Publication Clean-up	Noted in summary of changes.
January 2, 2012	BMS 3.0.1 issue 1.0.1	Eric Kauz	Increment 1 Release	Noted in summary of changes.
May 1, 2013	BMS 3.1 Issue 1	Coen Janssen	Publication version 3.1	See summary of changes section.
Sept 24, 2013	BMS Issue 1.1	Eric Kauz	Publication version 3.1 GDSN Errata	See summary of changes section
Jan 20 2014	BMS Issue 1.2	Eric Kauz	GDSN ECL	See summary of changes section
Sept 14 2014	BMS Issue 1.3	Eric Kauz	GDSN ECL and Phase 3 Feedback	See summary of changes section
Nov 18 2014	BMS Issue 1.4	Eric Kauz	GDSN ECL and Phase 3 Feedback	See summary of changes section

## Disclaimer

WHILST EVERY EFFORT HAS BEEN MADE TO ENSURE THAT THE GUIDELINES TO USE THE GS1 STANDARDS CONTAINED IN THE DOCUMENT ARE CORRECT, GS1 AND ANY OTHER PARTY INVOLVED IN THE CREATION OF THE DOCUMENT HEREBY STATE THAT THE DOCUMENT IS PROVIDED WITHOUT WARRANTY, EITHER EXPRESSED OR IMPLIED, REGARDING ANY MATTER, INCLUDING BUT NOT LIMITED TO THE OF ACCURACY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND HEREBY DISCLAIM ANY AND ALL LIABILITY, DIRECT OR INDIRECT, FOR ANY DAMAGES OR LOSS RELATING TO OR RESULTING FROM THE USE OF THE DOCUMENT. THE DOCUMENT MAY BE MODIFIED, SUBJECT TO DEVELOPMENTS IN TECHNOLOGY, CHANGES TO THE STANDARDS, OR NEW LEGAL REQUIREMENTS. SEVERAL PRODUCTS AND COMPANY NAMES MENTIONED



HEREIN MAY BE TRADEMARKS AND/OR REGISTERED TRADEMARKS OF THEIR RESPECTIVE COMPANIES. GS1 IS A REGISTERED TRADEMARK OF GS1 AISBL.



# Table of Contents

- 1. Business Domain View ..... 7**
  - 1.1. Problem Statement / Business Need ..... 7
  - 1.2. Objective ..... 7
  - 1.3. Audience ..... 7
  - 1.4. References ..... 7
  - 1.5. Acknowledgements ..... 7
    - 1.5.1. GDSN SMG ..... 8
    - 1.5.2. eCom SMG ..... 12
    - 1.5.3. Development Team Members ..... 14
  
- 2. Business Context ..... 15**
  
- 3. Business Transaction View ..... 15**
  
- 4. Information Model (Including GDD)..... 16**
  - 4.1. Primitive Types ..... 16
    - 4.1.1. Constrained Strings ..... 19
  - 4.2. Business Data Types ..... 20
    - 4.2.1. Identifier Data Type ..... 20
    - 4.2.2. GS1 Key Data Types ..... 22
    - 4.2.3. Additional Key Data Types ..... 25
    - 4.2.4. Amount Data Type ..... 28
    - 4.2.5. Description Data Types ..... 30
    - 4.2.6. Measurement and Quantity Data Types ..... 33
  - 4.3. Code Data Types ..... 35
    - 4.3.1. Code and GS1 Code Data Types ..... 35
    - 4.3.2. Additional Identification Code Data Types ..... 37
    - 4.3.3. GS1 Code Data Types ..... 39
    - 4.3.4. Enumerations ..... 42
    - 4.3.5. ISO Code Data Types ..... 43
    - 4.3.6. UN Code Data Types ..... 44
    - 4.3.7. Additional Trade Item Classification Code ..... 46
    - 4.3.8. Colour Code ..... 47
    - 4.3.9. Responsible Agency Code ..... 48
    - 4.3.10. Size Code ..... 49
  - 4.4. Components ..... 51
    - 4.4.1. GS1 Identification Components ..... 51
    - 4.4.2. Range components ..... 54
    - 4.4.3. Address ..... 57
    - 4.4.4. Colour ..... 59
    - 4.4.5. Communication Channel ..... 59
    - 4.4.6. Contact ..... 60

4.4.7.	Currency Exchange Rate Information .....	61
4.4.8.	Date Optional Time .....	62
4.4.9.	Dimension.....	63
4.4.10.	Document .....	64
4.4.11.	Document Reference .....	65
4.4.12.	Entity Identification .....	66
4.4.13.	Financial Account .....	67
4.4.14.	Geographical Coordinates.....	67
4.4.15.	Multi Description 70.....	68
4.4.16.	Payment Time Period.....	69
4.4.17.	Financial Routing Number.....	69
4.4.18.	Size.....	70
4.4.19.	Target Market .....	71
4.4.20.	Trade Item Classification.....	72
4.4.21.	Typed Entity Identification .....	73
<b>5.</b>	<b>Enumerations .....</b>	<b>75</b>
5.1.	AllowanceOrChargeEnumeration .....	75
5.2.	Document Action Enumeration .....	75
5.3.	Document Status Enumeration .....	75
5.4.	Day of the Week Enumeration .....	75
5.5.	Gender Enumeration.....	76
5.6.	NonBinary Logic Enumeration .....	76
5.7.	Response Status Enumeration .....	76
5.8.	Weekend Day Enumeration .....	76
<b>6.</b>	<b>Code Lists.....</b>	<b>77</b>
6.1.	Additional Consignment Identification Type Code .....	77
6.2.	Additional Individual Asset Identification Type Code .....	78
6.3.	Additional Logistic Unit Identification Type Code.....	79
6.4.	Additional Party Identification Type Code.....	80
6.5.	Additional Returnable Asset Identification Type Code.....	82
6.6.	Additional Service Relation Identification Type Code .....	82
6.7.	Additional Shipment Identification Type Code .....	82
6.8.	Additional Trade Item Classification Code List Code.....	83
6.9.	Additional Trade Item Identification Type Code .....	87
6.10.	AllowanceChargeTypeCode .....	91
6.11.	Bar Code Type Code .....	94
6.12.	Colour Code List Code.....	96
6.13.	Communication Channel Code .....	97
6.14.	Contact Type Code .....	98
6.15.	Country Code .....	100
6.16.	Country Subdivision Code.....	100
6.17.	Currency Code .....	100
6.18.	Date Format Code.....	101

6.19.	Entity Type Code.....	102
6.20.	Financial Account Number Type Code .....	105
6.21.	Financial Routing Number Type Code.....	106
6.22.	Incoterms Code .....	107
6.23.	Language Code.....	108
6.24.	Measurement Unit Code .....	108
6.25.	Nutrient Type Code.....	109
6.26.	Party Role Code.....	110
6.27.	Payment Method Code .....	114
6.28.	Payment Terms Type Code .....	115
6.29.	Responsible Agency Code.....	116
6.30.	Size Code List Code .....	119
6.31.	Tax Category Code.....	120
6.32.	Temperature Measurement Unit Code .....	121
6.33.	Time Measurement Unit Code .....	122
<b>7.</b>	<b>Business Message Examples .....</b>	<b>123</b>
<b>8.</b>	<b>Implementation Considerations .....</b>	<b>123</b>
<b>9.</b>	<b>Appendices .....</b>	<b>123</b>
<b>10.</b>	<b>Summary of Changes.....</b>	<b>123</b>
10.1.	BMS release 3.0.....	123
10.2.	BMS release 3.1.....	123

# 1. Business Domain View

## 1.1. Problem Statement / Business Need

Not Applicable

## 1.2. Objective

The objective is to document the components that are shared by GS1 BMS Standards in order to promote interoperability across GS1 domains (e.g. GDSN, eCom). This document contains only components that are determined to be foundational to all domains within GS1.

Shared components are used to enforce GS1 Architectural Principles (e.g. keys, message structure) or have common requirements across all contexts and include.

- GS1 Keys (e.g. Party Identification)
- Document Components (Document, Response)
- Common based on “global” concepts (e.g. Contact, Currency Exchange, Name and Address).

Universal components are defined as those that can be used in all domains without context specific requirements or are built around a static concept that does not change per context (e.g. postal address, geographical coordinate, dimension).

Shared components will be contained in a separate package and will be carefully managed to ensure that any changes that are made to any component do not have a negative impact across GS1 domains. A process will be in place to move components into the shared common if necessary. This will involve approvals across GS1 domains.

## 1.3. Audience

The primary audience for this document are individuals assigned as GS1 Business Process Analysts, Business Requirements Groups Managers, GDD Managers, and XML System Developers who are responsible for the completion and delivery of the Business Message Standards.

## 1.4. References

Reference Name	Description
GS1 Modeling Best Practices Version 0.6.0 for Publication 2.0	GS1 Modeling Best Practices Version 0.6.0 for Publication 2.0
eb Methodology	eb Methodology

## 1.5. Acknowledgements

The following is a list of individuals (and their companies) who participated in the creation, review and approval of this BMS.

### 1.5.1. GDSN SMG

Function	Name	Company / organisation
Work Group Member	Arseneau Craig	Commport Communications Int'l Inc.
Work Group Member	Atkins Mickey	Ahold (USA)
Work Group Member	Ausili Andrea	GS1 Italy
Work Group Member	Bellosta Carreras Santiago	EDICOM
Work Group Member	Biffi Giovanni	GS1 Colombia
Work Group Member	Bohning Joseph	Nestle Purina PetCare
Work Group Member	Brown Scott	GS1 US
Work Group Member	Cashman Stacy	Johnson & Johnson
Work Group Member	Colglazier Scott	Procter & Gamble Co.
Work Group Member	Davies Tracey	GXS (UK)
Work Group Member	Depke Braden	Abbott Laboratories Inc.
Work Group Member	Doering JoAnne	Abbott Laboratories Inc.
Work Group Member	Feuerstein Véra	Nestle
Work Group Member	Fortier Mitch	GS1 Australia
Work Group Member	Fremont Frederique	C.H.I Robert Ballanger
Work Group Member	Garbett Alasdair	WDFG UK LTD
Work Group Member	Gathmann Stefan	GS1 Ireland
Work Group Member	Ginsburg Eric	HJ Heinz
Work Group Member	Gray Neil	GS1 UK
Work Group Member	Gupta Sudu	ITradeNetwork.com, Inc.
Work Group Member	Gyuris János	GS1 Hungary
Work Group Member	Hoffman Rob	Hershey Company (The)
Work Group Member	Ichihara Hideki	GS1 Japan
Work Group Member	Jaworski Jan	Wilton Industries, Inc.
Work Group Member	Jesus Ed	Chep
Work Group Member	Jönsson Peter	GS1 Sweden
Work Group Member	Kaerner Juliane	GS1 Germany
Work Group Member	Kasper Sascha	1WorldSync Holdings, Inc.
Work Group Member	Kernan Brendan	GS1 Ireland
Work Group Member	Kidd Robin	Nestle
Work Group Member	Koch Phyllis	The Schwan Food Company
Work Group Member	Kolb Werner	Unilever N.V.
Work Group Member	Kolwane Leppie	GS1 South Africa / Consumer Goods Council of South Africa
Work Group Member	Lai Kristel	GS1 Canada
Work Group Member	Laskero Nancy	Sears, Roebuck and Co.





Function	Name	Company / organisation
Work Group Member	Laur Rita	GS1 Canada
Work Group Member	Lavik Jason	Target Corporation
Work Group Member	Laxdal Jason	GS1 Canada
Work Group Member	Leblond Jean-Luc	GS1 France
Work Group Member	Lekwana Pedro	GS1 South Africa / Consumer Goods Council of South Africa
Work Group Member	Li Daoyi	GS1 China
Work Group Member	Little Pebbles	Charlotte Pipe and Foundry Company
Work Group Member	Massimino Damián	Eway S.A.
Work Group Member	Middleton Justin	GS1 Australia
Work Group Member	Mittersteiner Federico	GS1 Italy
Work Group Member	Naal Doug	Kraft Foods, Inc.
Work Group Member	Nunez Katrin	Summa Technology Group
Work Group Member	Nye Christine	Hershey Company (The)
Work Group Member	Olsson Staffan	GS1 Sweden
Work Group Member	ONeill Ted	ITradeNetwork.com, Inc.
Work Group Member	Ovuc Selcuk	1WorldSync Holdings, Inc.
Work Group Member	Pelekies Andreas	GS1 Germany
Work Group Member	Pujol Xavier	GS1 Spain
Work Group Member	Radomski Nadine	Dean Foods Company
Work Group Member	Reichen Thanh	GS1 Switzerland
Work Group Member	Reissmann Hajo	Universitaetsklinikum Schleswig-Holstein
Work Group Member	Richard Ryan	Mondelez International, Inc.
Work Group Member	Robba Steven	1WorldSync Holdings, Inc.
Work Group Member	Rubio Alegren Sylvia	ICA AB
Work Group Member	Santonja Francisco	EDICOM
Work Group Member	Sato Craig	ITradeNetwork.com, Inc.
Work Group Member	Savatic Nada	Abbott Laboratories Inc.
Work Group Member	Schins Armand	Ahold (Europe)
Work Group Member	Schmidt Tom Eric	August Storck KG
Work Group Member	Schneck Joy	General Mills, Inc.
Work Group Member	Schneider Christian	GS1 Switzerland
Work Group Member	Segovic Damir	GS1 Croatia
Work Group Member	Siow Andy	GS1 Singapore
Work Group Member	Sobrino Gabriel	GS1 Netherlands
Work Group Member	Soegaard Erik	GS1 Denmark
Work Group Member	Stafeev Maxim	SKB Kontur



Function	Name	Company / organisation
Work Group Member	Stewart Jo Anna	GXS (US)
Work Group Member	Strouse Owen	FSE, Inc.
Work Group Member	Tan Milton	GS1 Malaysia
Work Group Member	Thomsen Tanja	GS1 Germany
Work Group Member	Tomassi Gina	PepsiCo, Inc.
Work Group Member	Tyson Betty	Knouse Foods Cooperative, Inc
Work Group Member	Utkovic Mirna	GS1 Australia
Work Group Member	Vatai Krisztina	GS1 Hungary
Work Group Member	Welch Shan	GS1 UK
Work Group Member	Werthwine Thomas	Johnson & Johnson
Work Group Member	Wiggins Audrey	Wal-Mart Stores, Inc.
Work Group Member	Wijnker Stephan	GS1 Australia
Work Group Member	Windsperger Bekki	Best Buy Co., Inc.
Work Group Member	Wissel Maureen	Best Buy Co., Inc.
Work Group Member	Zhang Tony	FSE, Inc.
Work Group Member	Arseneau Craig	Commport Communications Int'l Inc.
Work Group Member	Atkins Mickey	Ahold (USA)
Work Group Member	Ausili Andrea	GS1 Italy
Work Group Member	Bellosta Carreras Santiago	EDICOM
Work Group Member	Biffi Giovanni	GS1 Colombia
Work Group Member	Bohning Joseph	Nestle Purina PetCare
Work Group Member	Brown Scott	GS1 US
Work Group Member	Cashman Stacy	Johnson & Johnson
Work Group Member	Colglazier Scott	Procter & Gamble Co.
Work Group Member	Davies Tracey	GXS (UK)
Work Group Member	Depke Braden	Abbott Laboratories Inc.
Work Group Member	Doering JoAnne	Abbott Laboratories Inc.
Work Group Member	Feuerstein Véra	Nestle
Work Group Member	Fortier Mitch	GS1 Australia
Work Group Member	Fremont Frederique	C.H.I Robert Ballanger
Work Group Member	Garbett Alasdair	WDFG UK LTD
Work Group Member	Gathmann Stefan	GS1 Ireland
Work Group Member	Ginsburg Eric	HJ Heinz
Work Group Member	Gray Neil	GS1 UK
Work Group Member	Gupta Sudu	ITradeNetwork.com, Inc.
Work Group Member	Gyuris János	GS1 Hungary
Work Group Member	Hoffman Rob	Hershey Company (The)



Function	Name	Company / organisation
Work Group Member	Ichihara Hideki	GS1 Japan
Work Group Member	Jaworski Jan	Wilton Industries, Inc.
Work Group Member	Jesus Ed	Chep
Work Group Member	Jönsson Peter	GS1 Sweden
Work Group Member	Kaerner Juliane	GS1 Germany
Work Group Member	Kasper Sascha	1WorldSync Holdings, Inc.
Work Group Member	Kernan Brendan	GS1 Ireland
Work Group Member	Kidd Robin	Nestle
Work Group Member	Koch Phyllis	The Schwan Food Company
Work Group Member	Kolb Werner	Unilever N.V.
Work Group Member	Kolwane Leppie	GS1 South Africa / Consumer Goods Council of South Africa
Work Group Member	Lai Kristel	GS1 Canada
Work Group Member	Laskero Nancy	Sears, Roebuck and Co.
Work Group Member	Laur Rita	GS1 Canada
Work Group Member	Lavik Jason	Target Corporation
Work Group Member	Laxdal Jason	GS1 Canada
Work Group Member	Leblond Jean-Luc	GS1 France
Work Group Member	Lekwana Pedro	GS1 South Africa / Consumer Goods Council of South Africa
Work Group Member	Li Daoyi	GS1 China
Work Group Member	Little Pebbles	Charlotte Pipe and Foundry Company
Work Group Member	Massimino Damián	Eway S.A.
Work Group Member	Middleton Justin	GS1 Australia
Work Group Member	Mittersteiner Federico	GS1 Italy
Work Group Member	Naal Doug	Kraft Foods, Inc.
Work Group Member	Nunez Katrin	Summa Technology Group
Work Group Member	Nye Christine	Hershey Company (The)
Work Group Member	Olsson Staffan	GS1 Sweden
Work Group Member	ONeill Ted	ITradeNetwork.com, Inc.
Work Group Member	Ovuc Selcuk	1WorldSync Holdings, Inc.
Work Group Member	Pelekies Andreas	GS1 Germany
Work Group Member	Pujol Xavier	GS1 Spain
Work Group Member	Radomski Nadine	Dean Foods Company
Work Group Member	Reichen Thanh	GS1 Switzerland
Work Group Member	Reissmann Hajo	Universitaetsklinikum Schleswig-Holstein
Work Group Member	Richard Ryan	Mondelez International, Inc.
Work Group Member	Robba Steven	1WorldSync Holdings, Inc.

Function	Name	Company / organisation
Work Group Member	Rubio Alegren Sylvia	ICA AB
Work Group Member	Santonja Francisco	EDICOM
Work Group Member	Sato Craig	ITradeNetwork.com, Inc.
Work Group Member	Savatic Nada	Abbott Laboratories Inc.
Work Group Member	Schins Armand	Ahold (Europe)
Work Group Member	Schmidt Tom Eric	August Storck KG
Work Group Member	Schneck Joy	General Mills, Inc.
Work Group Member	Schneider Christian	GS1 Switzerland
Work Group Member	Segovic Damir	GS1 Croatia
Work Group Member	Siow Andy	GS1 Singapore
Work Group Member	Sobrino Gabriel	GS1 Netherlands
Work Group Member	Soegaard Erik	GS1 Denmark
Work Group Member	Stafeev Maxim	SKB Kontur
Work Group Member	Stewart Jo Anna	GXS (US)
Work Group Member	Strouse Owen	FSE, Inc.
Work Group Member	Tan Milton	GS1 Malaysia
Work Group Member	Thomsen Tanja	GS1 Germany
Work Group Member	Tomassi Gina	PepsiCo, Inc.
Work Group Member	Tyson Betty	Knouse Foods Cooperative, Inc
Work Group Member	Utkovic Mirna	GS1 Australia
Work Group Member	Vatai Krisztina	GS1 Hungary
Work Group Member	Welch Shan	GS1 UK
Work Group Member	Werthwine Thomas	Johnson & Johnson
Work Group Member	Wiggins Audrey	Wal-Mart Stores, Inc.
Work Group Member	Wijnker Stephan	GS1 Australia
Work Group Member	Windsperger Bekki	Best Buy Co., Inc.
Work Group Member	Wissel Maureen	Best Buy Co., Inc.
Work Group Member	Zhang Tony	FSE, Inc.

### 1.5.2. eCom SMG

Function	Name	Company / organisation
Co-chair	Rosner (Pottier), Natascha	GS1 France
Co-chair	Schmidt, Tom Eric	August Storck KG
Member	Bemrose, Jonathan	R&R Ice Cream
Member	Bodemer, Petra	dm-drogerie markt GmbH + Co. KG



Function	Name	Company / organisation
Member	Boikanyo, Rebone	GS1 South Africa / Consumer Goods Council of South Africa
Member	Canada, ON	M3B 3L1
Member	Carlson, Jim	General Mills, Inc.
Member	Chresta, Richard	GS1 Switzerland
Member	Cook, Don	Wal-Mart Stores, Inc.
Member	Cox, Marc	Philips Electronics N.V.
Member	Darnell, David	Systrends
Member	De Flou, Nele	GS1 Belgium & Luxembourg
Member	Dicks, Arne	GS1 Germany
Member	Duvinger, Karina	GS1 Sweden
Member	Foerderer, Klaus	GS1 Germany
Member	Gathmann, Stefan	GS1 Ireland
Member	Grangard, Anders	GS1 Global Office
Member	Harpell, Eileen	GS1 Community Room Staff
Member	Herregodts, Kurt	GS1 Belgium & Luxembourg
Member	Kempkes, Fred	Unilever N.V.
Member	Kernan, Brendan	GS1 Ireland
Member	Kidd, Robin	Nestle
Member	Krid, Anne-Claire	GS1 France
Member	Lanoue, Tom	General Mills, Inc.
Member	Laur, Rita	GS1 Canada
Member	Lenman, Mia	GS1 Sweden
Member	Lerch, Hanjoerg	METRO Group
Member	Moberg, Dale	Axway
Member	Montes de Oca, Alejandra	GS1 Mexico
Member	Ng, Ella	GS1 Australia
Member	Peelen, Esther	GS1 Netherlands
Member	Pelekies, Andreas	GS1 Germany
Member	Perrier, Patricia	GS1 France
Member	Przybilla, Christian	GS1 Germany
Member	Pujol, Xavier	GS1 Spain
Member	Racek, Greg	Wal-Mart Stores, Inc.
Member	Repetto, Mirko	GS1 Italy
Member	Robba, Steven	1WorldSync Holdings, Inc.
Member	Rosell, Pere	GS1 Spain
Member	Rosenberg, Steven	GS1 US

Function	Name	Company / organisation
Member	Schmid, Sue	GS1 Australia
Member	Schneider, Christian	GS1 Switzerland
Member	Sehorz, Eugen	GS1 Austria
Member	Sharma, Vishal	General Mills, Inc.
Member	Shimazaki, Ayako	GS1 Japan
Member	Sion, Emilie	GS1 France
Member	Souza, Nadia	GS1 Brasil
Member	Strand, Roman	GS1 Germany
Member	Tan, Milton	GS1 Malaysia
Member	Tompsett, Simon	Waitrose
Member	Trelle, Ute	1WorldSync Holdings, Inc.
Member	Tse, Steve	GS1 Hong Kong
Member	Tyson, Betty	Knouse Foods Cooperative, Inc
Member	Van den Bergh, Senne	GS1 Belgium & Luxembourg
Member	Van der Eijk, Pim	OASIS - Sonnenglanz Consulting BV
Member	Veldhuis, Saskia	Procter & Gamble Co.
Member	Welch, Shan	GS1 UK
Member	Westerkamp, Jan	GS1 Netherlands
Member	Wilson, Mary	GS1 US
Member	Windsperger, Bekki	Best Buy Co., Inc.
Member	Yang, Shaopeng	GS1 China
Member	Yusdiar, Dani	GS1 Indonesia
Member	Zwanziger, Greg	SUPERVALU

### 1.5.3. Development Team Members

Function	Name	Organisation
GSMP Process Lead	Jean-Luc Champion, Justin Childs	GS1 Global Office
Standards Content Lead	Eric Kauz, Mark Van Eeghem, Coen Janssen	GS1 Global Office
Technical Development Lead	Ewa Iwicka	GS1 Global Office
Peer Review	Eric Kauz, Mark Van Eeghem, Coen Janssen	GS1 Global Office

## 2. Business Context

Context Category	Value(s)
Industry	All
Geopolitical	All
Product	All
Process	All
System Capabilities	All
Official Constraints	None


## 3. Business Transaction View

Not Applicable

## 4. Information Model (Including GDD)

### 4.1. Primitive Types

#### Class Diagram






## GDD report


Data Type	W3C Definition
anyURI	anyURI represents a Uniform Resource Identifier Reference (URI). An anyURI value can be absolute or relative, and may have an optional fragment identifier (i.e., it may be a URI Reference).
base64Binary	Represents Base64-encoded arbitrary binary data.
boolean	Support the mathematical concept of binary-valued logic: {true, false}.
decimal	A subset of the real numbers, which can be represented by decimal numerals. decimal has a lexical representation consisting of a finite-length sequence of decimal digits (#x30-#x39) separated by a period as a decimal indicator. An optional leading sign is allowed.
dateTime	Objects with integer-valued year, month, day, hour and minute properties, a decimal-valued second property, and a boolean time zoned property.
date	Intervals of exactly one day in length on the timelines of dateTime, beginning on the beginning moment of each day (in each time zone), i.e. '00:00:00', up to but not including '24:00:00' (which is identical with '00:00:00' of the next day).
duration	A duration of time. The lexical representation for duration is the [ISO 8601] extended format PnYn MnDTnH nMnS, where nY represents the number of years, nM the number of months, nD the number of days, 'T' is the date/time separator, nH the number of hours, nM the number of minutes and nS the number of seconds. The number of seconds can include decimal digits to arbitrary precision.
extension	The data type Extension corresponds to the XML Schema 'ExtensionType' which contains the 'xsd:any namespace="##any"' element to allow for adding extensions.
Float	Float consists of the values $m \times 2^e$ , where m is an integer whose absolute value is less than $2^{24}$ , and e is an integer between -149 and 104, inclusive.
gYearMonth	gYearMonth represents a specific Gregorian month in a specific Gregorian year. The lexical representation for gYearMonth is the reduced (right truncated) lexical representation for dateTime: CCYY-MM.
gMonthDay	gMonthDay is a Gregorian date that recurs, specifically a day of the year such as the third of May. The lexical representation for gMonthDay is the left truncated lexical representation for date: --MM-DD.
gMonth	gMonth is a Gregorian month that recurs every year. The lexical representation for gMonth is the left and right truncated lexical representation for date: --MM.
gDay	gDay is a Gregorian day that recurs, specifically a day of the month such as the 5th of the month. The lexical representation for gDay is the left truncated lexical representation for date: ---DD .
gYear	gYear represents a Gregorian calendar year (e.g. 1999)
hexBinary	hexBinary represents arbitrary hex-encoded binary data.
integer	integer is derived from decimal by fixing the value of fractionDigits to be 0 and disallowing the trailing decimal point.

Data Type	W3C Definition
negativeInteger	negativeInteger is <i>derived</i> from nonPositiveInteger by setting the value of <i>maxInclusive</i> to be -1.
nonPositiveInteger	nonPositiveInteger is <i>derived</i> from integer by setting the value of <i>maxInclusive</i> to be 0.
nonNegativeInteger	nonNegativeInteger is <i>derived</i> from integer by setting the value of <i>minInclusive</i> to be 0.
positiveInteger	Derived from nonNegativeInteger by setting the value of <i>minInclusive</i> to be 1.
string	Represents character strings in XML
time	An instant of time that recurs every day.
unsignedInteger	unsignedInt is <i>derived</i> from unsignedLong by setting the value of <i>maxInclusive</i> to be 4294967295.


**Note:** Source is XML Schema Part 2: Datatypes Second Edition, W3C Recommendation 28 October 2004. More details are available at the following link: <http://www.w3.org/TR/xmlschema-2/>

### 4.1.1. Constrained Strings

#### Class diagram




#### GDD report

Not applicable, these types were included for technical reasons.

## 4.2. Business Data Types

### 4.2.1. Identifier Data Type

#### Class Diagram



#### GDD Report


Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>Identifier</b>				A value used to identify and distinguish uniquely, one instance of an object in an identification scheme from all other objects in the same scheme.	
Generalization		String80			
Attribute	identificationSchemeAgencyCode	string	0..1	The identification of the agency that maintains the identification scheme.	
Attribute	identificationSchemeAgencyCodeCode	string	0..1	The version of the code list of agency code lists.	



Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
	ListVersion				
Attribute	identificationSchemeAgencyName	string	0..1	The name of the agency that maintains the identification scheme.	
Attribute	identificationSchemeName	string	0..1	The name of the identification scheme.	

### 4.2.2. GS1 Key Data Types

#### Class Diagram



## Patterns

Key	Pattern	Description
GIAI	<code>[!%&amp;'()*+,-/0-9;=&lt;=&gt;?A-Z_a-z]{4,30}</code>	Minimum 4, Maximum 30 alphanumeric characters restricted to A-Z (uppercase), a-z (lowercase), 0-9, and the special characters listed (e.g. %, &, etc..) <sup>Note 1</sup>
SSCC	<code>\d{18}</code>	Exactly 18 numeric digits
GTIN	<code>\d{14}</code>	Exactly 14 numeric digits
GLN	<code>\d{13}</code>	Exactly 13 numeric digits
GSIN	<code>\d{17}</code>	Exactly 17 numeric digits
GINC	<code>[!%&amp;'()*+,-/0-9;=&lt;=&gt;?A-Z_a-z]{4,30}</code>	Minimum 4, Maximum 30 alphanumeric characters restricted to A-Z (uppercase), a-z (lowercase), 0-9, and the special characters listed (e.g. %, &, etc..) <sup>Note 1</sup>
GRAI	<code>\d{14}[!%&amp;'()*+,-/0-9;=&lt;=&gt;?A-Z_a-z]{0,16}</code>	Exactly 14 numeric digits, followed by Minimum 0, Maximum 16 alphanumeric characters restricted to A-Z (uppercase), a-z (lowercase), 0-9, and the special characters listed (e.g. %, &, etc..) <sup>Note 1</sup>
GSRN	<code>\d{18}</code>	Exactly 18 numeric digits



**Note 1:** The patterns limit constraints to the character set defined in the General Specification, which is a subset of ISO/IEC 646.

## GDD Report

Content	Attribute / Role	Datatype class / Secondary	Multiplicity	Definition	Requirements
<b>GIAI</b>				The GS1 Identification Key used to identify an Individual Asset. The key comprises a GS1 Company Prefix and Individual Asset Reference.	
Generalization		string			
<b>GINC</b>				The GS1 Identification Key used to identify a logical grouping of logistic or transport units that are assembled to be transported under one transport document (e.g. HWB). The key comprises a GS1 Company Prefix and the Freight Forwarder's or Carrier's transport reference.	
Generalization		string			




Content	Attribute / Role	Datatype / Secondary class	Multiplicity	Definition	Requirements
<b>GLN</b>				The Global Location Number (GLN) is the GS1 Identification Key used to identify physical locations or parties. The key is comprised of a GS1 Company Prefix, Location Reference, and Check Digit.	
Generalization		string			
<b>GRAI</b>				The GS1 Identification Key used to identify Returnable Assets. The key comprises a GS1 Company Prefix, Asset Type, Check Digit, and optional serial number.	
Generalization		string			
<b>GSIN</b>				The GS1 Identification Key used to identify a logical grouping of logistic or transport units that are assembled by the consignor (seller) for a transport Shipment from that consignor to one consignee (buyer) referencing a despatch advice and/or BOL. The key comprises a GS1 Company Prefix, Shipper Reference and Check Digit.	
Generalization		string			
<b>GSRN</b>				The GS1 Identification Key used to identify the relationship between a service provider and service recipient. The key comprises a GS1 Company Prefix, Service Reference, and Check Digit.	
Generalization		string			
<b>GTIN</b>				The GS1 Identification Key used to identify trade items. The key comprises a GS1 Company Prefix, an Item Reference and Check Digit.	
Generalization		string			
<b>SSCC</b>				The GS1 Identification Key used to identify logistics units. The key comprises an Extension digit, GS1 Company Prefix, Serial Reference, and Check Digit.	
Generalization		string			



### 4.2.3. Additional Key Data Types

#### Class Diagram



#### GDD Report: Additional Key Data Types

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>AdditionalConsignmentIdentification</b>				Additional identification for a consignment.	
Generalization		String80		The identification value.	
Attribute	additionalConsignmentIdentificationTypeCode	string	1..1	The type of additional identification for a consignment.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain	


Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
				point in time.	
<b>AdditionalIndividualAssetIdentification</b>				Additional identification for an individual asset.	
Generalization		String80		The identification value.	
Attribute	additionalIndividualAssetIdentificatonTypeCode	string	1..1	The type of additional identification for an individual asset.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
<b>AdditionalLogisticUnitIdentification</b>				Additional (non-SSCC) identification attached to a shipping container or shipping package and used for logistical and traceability purposes.	
Generalization		String80		The identification value.	
Attribute	additionalLogisticUnitIdentificationTypeCode	string	1..1	Additional (non-SSCC) identification attached to a shipping container or shipping package and used for logistical and traceability purposes.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
<b>AdditionalPartyIdentification</b>				A party identifier that is in addition to the GLN.	
Generalization		String80		The identification value	
Attribute	additionalPartyIdentificationTypeCode	string	1..1	Identification of a party by use of a code in addition to the Global Location Number.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
<b>AdditionalReturnableAssetIdentification</b>				An identifier in addition to the GS1 identifier for a reusable entity owned by a company that is used for transport and storage of goods.	
Generalization		String80		The identification value.	

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Attribute	additionalReturnableAssetIdentificatonTypeCode	string	1..1	An identifier in addition to the GS1 identifier for a reusable entity owned by a company that is used for transport and storage of goods.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
<b>AdditionalServiceRelationIdentification</b>				An identifier in addition to the GS1 identification used to identify the recipient of services in the context of a service relationship.	
Generalization		String80		The identification value.	
Attribute	additionalServiceRelationIdentificationTypeCode	string	1..1	TBD by workgroup	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
<b>AdditionalShipmentIdentification</b>				An identification in addition to the GS1 identification used to identify a logical grouping of logistic or transport units that are assembled by the consignor (seller) for a transport shipment from that consignor to one consignee (buyer).	
Generalization		String80		The identification value.	
Attribute	additionalShipmentIdentificatonTypeCode	string	1..1	An identification in addition to the GS1 identification used to identify a logical grouping of logistic or transport units that are assembled by the consignor (seller) for a transport shipment from that consignor to one consignee (buyer).	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
<b>AdditionalTradeItemIdentification</b>				Additional Trade Item Identification Data type	
Generalization		String80		The identification value.	
Attribute	additionalTradeItemIdentificationTypeCode	string	1..1	This code will be used to cross-reference	

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
				the Vendors internal trade item number to the GTIN in a one to one relationship.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	

### 4.2.4. Amount Data Type

#### Class Diagram



#### GDD Report


Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>Amount</b>				A monetary amount with an associated currency code.	
Generalization		float		The amount value	
Attribute	currencyCode	string	1..1	A code representing the currency of a particular country or group of	



				countries.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	

### 4.2.5. Description Data Types

#### Class Diagram



### GDD Report


Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Description1000				A string of no more than 1000 characters in a specified language.	
Generalization		String1000		The description value	
Attribute	languageCode	string	1..1	A code representing the language used in the description.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
Description200				A string of no more than 200 characters in a specified language.	
Generalization		String200		The description value	
Attribute	languageCode	string	1..1	A code representing the language used in the description.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
Description2500				A string of no more than 2500 characters in a specified language.	
Generalization		String2500		The description value	
Attribute	languageCode	string	1..1	A code representing the language used in the description.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
Description35				A string of no more than 35 characters in a specified language.	
Generalization		String35		The description value	
Attribute	languageCode	string	1..1	A code representing the language used in the description.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
Description500				A string of no more than 500 characters in a specified language.	
Generalization		String500		The description value	
Attribute	languageCode	string	1..1	A code representing the language used in the description.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
Description5000				A string of no more than 5000 characters in a specified language.	
Generalization		String5000		The description value.	
Attribute	languageCode	string	1..1	A code representing the language used in the description.	

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
Description70				A string of no more than 70 characters in a specified language.	
Generalization		String70		The description value	
Attribute	languageCode	string	1..1	A code representing the language used in the description.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
Description80				A string of no more than 80 characters in a specified language.	
Generalization		String80		The description value	
Attribute	languageCode	string	1..1	A code representing the language used in the description.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	



### 4.2.6. Measurement and Quantity Data Types

#### Class Diagram



#### GDD Report


Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Measurement				Provides measurement value and an associated unit of	

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
				measure code.	
Generalization		decimal		The Measurement Value.	
Attribute	measurementUnitCode	string	1..1	Any standardized, reproducible unit that can be used to measure any physical property.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
<b>Quantity</b>				Provides quantity value and an associated unit of measure code.	
Generalization		decimal		The Quantity Value.	
Attribute	measurementUnitCode	string	0..1	Any standardized, reproducible unit that can be used to measure any physical property.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
<b>TemperatureMeasurement</b>				Provides temperature measurement value and associated unit of measure code.	
Generalization		decimal		The Temperature Measurement Value	
Attribute	temperatureMeasurementUnitCode	string	1..1	Any standardized, reproducible unit that can be used to measure any physical property.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
<b>TimeMeasurement</b>				Provides time measurement value and an associated unit of measure code.	
Generalization		decimal		The Time Measurement Value	
Attribute	timeMeasurementUnitCode	string	1..1	Any standardized, reproducible unit that can be used to measure any physical property.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	

## 4.3. Code Data Types

### 4.3.1. Code and GS1 Code Data Types

#### Class Diagram




### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Code				Generic code data type not linked to a specific code list. Besides the code value the code data type allows to specify additional information such as the responsible code list agency and the code list identification.	
Generalization		String80			
Attribute	codeDescription	string	0..1	A description for the code value provided.	
Attribute	codeListAgencyCode	string	0..1	A code representing the agency which manages the code list for example 5 for ISO.	
Attribute	codeListAgencyCodeListVersion	string	0..1	The snapshot of the Code List Agency code list at a certain point in time.	
Attribute	codeListAgencyName	string	0..1	A name of the agency which manages the code list for example ISO.	
Attribute	codeListName	string	0..1	The name of the code list which provides the code value.	
Attribute	codeListURI	string	0..1	A string that refers to the location of the code list which provides the code value.	
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	
GS1Code				Generic code data type not linked to a specific code list. Besides the code value the GS1 code data type allows to specify the code list version.	
Generalization		String80			
Dependency		Code			
Attribute	codeListVersion	string	0..1	The snapshot of the code list at a certain point in time.	

### 4.3.2. Additional Identification Code Data Types

#### Class Diagram




### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
AdditionalConsignmentIdentificationTypeCode				Code specifying an additional consignment identification type. Allowed code values are specified in GS1 Code List AdditionalConsignmentIdentificationTypeCode.	
Generalization		GS1Code			
AdditionalDocumentIdentificationTypeCode				Code specifying an additional document identification type. Allowed code values are specified in GS1 Code List AdditionalDocumentIdentificationTypeCode.	
AdditionalIndividualAssetIdentificationTypeCode				Code specifying an additional individual asset identification type. Allowed code values are specified in GS1 Code List AdditionalIndividualAssetIdentificationTypeCode.	
Generalization		GS1Code			
AdditionalLogisticUnitIdentificationTypeCode				Code specifying a additional logistic unit identification type. Allowed code values are specified in GS1 Code List AdditionalLogisticUnitIdentificationTypeCode.	
Generalization		GS1Code			
AdditionalPartyIdentificationTypeCode				Code specifying a additional party identification type. Allowed code values are specified in GS1 Code List AdditionalPartyIdentificationTypeCode.	
Generalization		GS1Code			
AdditionalReturnableAssetIdentificationTypeCode				Code specifying an additional returnable asset identification type. Allowed code values are specified in GS1 Code List AdditionalReturnableAssetIdentificationTypeCode.	
Generalization		GS1Code			
AdditionalServiceRelationIdentificationTypeCode				Code specifying an additional individual service relation identification type. Allowed code values are specified in GS1 Code List AdditionalServiceRelationIdentificationTypeCode.	
Generalization		GS1Code			
AdditionalShipmentIdentificationTypeCode				Code specifying an additional shipment identification type. Allowed code values are specified in GS1 Code List AdditionalShipmentIdentificationTypeCode.	
Generalization		GS1Code			

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
AdditionalTradeItemIdentificationTypeCode				Code specifying an additional trade item identification type. Allowed code values are specified in GS1 Code List AdditionalTradeItemIdentificationTypeCode.	
Generalization		GS1Code			

### 4.3.3. GS1 Code Data Types

#### Class Diagram



**GDD Report**


Content	Attribute / Role	Datatype /Secondary class	Multiplcity	Definition	Requirements
AllowanceChargeTypeCode				Code specifying a type of allowance or charge. Allowed code values are specified in GS1 Code List AllowanceChargeTypeCode.	
Generalization		GS1Code			
BarCodeTypeCode				Code specifying a bar code type. Allowed code values are specified in GS1 Code List BarCodeTypeCode.	
Generalization		GS1Code			
CommunicationChannelCode				Code specifying a communication channel. Allowed code values are specified in GS1 Code List CommunicationChannelCode.	
Generalization		GS1Code			
ContactTypeCode				Code specifying a contact type. Allowed code values are specified in GS1 Code List ContactTypeCode.	
Generalization		GS1Code			
DateFormatCode				Code specifying a date format. Allowed code values are specified in GS1 Code List DateFormatCode.	
Generalization		GS1Code			
EntityTypeCode				Code specifying an entity type. Allowed code values are specified in GS1 Code List EntityTypeCode.	
Generalization		GS1Code			
FinancialAccountNumberTypeCode				Code specifying a financial account number type. Allowed code values are specified in GS1 Code List FinancialAccountNumberTypeCode.	
Generalization		GS1Code			



Content	Attribute / Role	Datatype /Secondary class	Multiplcity	Definition	Requirements
FinancialRoutingNumberTypeCode				Code specifying a financial routing number type. Allowed code values are specified in GS1 Code List FinancialRoutingNumberTypeCode.	
Generalization		GS1Code			
IncotermsCode				Code specifying delivery terms in accordance with the Internal Commercial Terms (Incoterms). Allowed code values are specified in GS1 Code List IncotermsCode.	
Generalization		GS1Code			
PaymentTermsTypeCode				Code specifying a payment terms type. Allowed code values are specified in GS1 Code List PaymentTermsTypeCode.	
Generalization		GS1Code			
TaxCategoryCode				Code specifying a tax category. Allowed code values are specified in GS1 Code List TaxCategoryCode.	
Generalization		GS1Code			
PaymentMethodCode				Code specifying a payment method. Allowed code values are specified in GS1 Code List Payment MethodCode.	
Generalization		GS1Code			
PartyRoleCode				Code specifying a party role. Allowed code values are specified in GS1 Code List PartyroleCode.	
Generalization		GS1Code			


### 4.3.4. Enumerations

#### Class Diagram



### 4.3.5. ISO Code Data Types

#### Class Diagram




#### GDD report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
CountryCode				Code specifying a country. Allowed code values are specified in GS1 Code List CountryCode.	
Generalization		GS1Code			
CountrySubdivisionCode				Code specifying a country subdivision. Allowed code values are specified in GS1 Code List CountrySubdivisionCode.	

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Generalization		GS1Code			
CurrencyCode				Code specifying a currency. Allowed code values are specified in GS1 Code List CurrencyCode.	
Generalization		GS1Code			
LanguageCode				Code specifying a language. Allowed code values are specified in GS1 Code List LanguageCode.	
Generalization		GS1Code			

### 4.3.6. UN Code Data Types

#### Class Diagram




**GDD report**

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
MeasurementUnitCode				Code specifying a unit of measure. Allowed code values are specified in GS1 Code List MeasurementUnitCode.	
Generalization		GS1Code			
TemperatureMeasurementUnitCode				Code specifying a temperature unit of measure. Allowed code values are specified in GS1 Code List TemperatureMeasurementUnitCode.	
Generalization		GS1Code			
TimeMeasurementUnitCode				Code specifying a time unit of measure. Allowed code values are specified in GS1 Code List TimeMeasurementUnitCode.	
Generalization		GS1Code			
NutrientTypeCode				Code specifying a nutrient type. Allowed code values are specified in GS1 Code List NutrientTypeCode.	
Generalization		GS1Code			

### 4.3.7. Additional Trade Item Classification Code

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multipl icity	Definition	Requiremen ts
AdditionalTradeItemClassificationCode				Code specifying an additional trade item classification other than the GS1 Global Product Classification. The applied classification scheme is specified as additional information together with the classification value.	
Generalization		String80		Category code based on additional classification scheme provided in addition to Global Product Classification	
Attribute	additionalTradeItemClassificationCodeListCode	string	1..1	Code specifying the applied additional trade item classification scheme. Allowed values are specified in GS1 code list AdditionalTradeItemClassificationCodeListCode.	
Attribute	additionalTradeItemClassificationCodeListVersion	string	0..1	The version number of the GS1 code list AdditionalTradeItemClassificationCodeListCode.	
Attribute	codeDescription	string	0..1	A description for the code value provide by GS1.	
Attribute	codeListVersion	string	0..1	The version of the applied additional trade item classification scheme.	

### 4.3.8. Colour Code

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
ColourCode				A code depicting the colour of an object according to a specific code list. The applied code list is specified as additional information together with the colour code.	
Generalization		String80			
Attribute	colourCodeListCode	string	1..1	Code specifying a colour code list. Allowed code values are specified in GS1 Code List ColourCodeListCode.	

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Attribute	colourCodeListDescription	string	0..1	A description of the colour code list used to populate the colour code, for example National Retail Federation – Standard Colour & Size Codes.	
Attribute	codeListVersion	string	0..1	The version of the applied colour code list.	
Attribute	colourCodeListVersion	string	0..1	The version of the ColourCodeListCode code list.	

### 4.3.9. Responsible Agency Code

#### Class Diagram






### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
ResponsibleAgencyCode				Code specifying a responsible agency. Allowed code values are specified in GS1 Code List ResponsibleAgencyCode.	
Generalization		String80			
Attribute	codeDescription	string	0..1	A description of the code.	
Attribute	codeListVersion	string	0..1	The version of the code list.	

### 4.3.10. Size Code

#### Class Diagram




**GDD Report**

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
SizeCode				A code depicting the size of an object according to a specific code list. The applied code list is specified as additional information together with the size code.	
Generalization		String80		A code depicting the size of an object according to a specified list of code	
Attribute	sizeCodeListCode	string	1..1	Code specifying a size code list. Allowed code values are specified in GS1 Code List SizeCodeListCode.	
Attribute	sizeCodeListDescription	string	0..1	A description of the size code list used to populate the size code for example National Retail Federation – Standard Colour & Size Codes	
Attribute	codeListVersion	string	0..1	The version of the applied size code list.	
Attribute	sizeCodeListVersion	string	0..1	The version of the SizeCodeListCode code list.	

## 4.4. Components

### 4.4.1. GS1 Identification Components

#### Class Diagram



#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
---------	------------------	---------------------------	--------------	------------	--------------




Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>ConsignmenIdentification</b>				Information used to identify a consignment.	
Attribute	ginc	GINC	1..1	Global Identification Number for Consignment (GINC), the GS1 key used for the identification of consignments.	
Attribute	additionalConsignmenIdentification	AdditionalConsignmenIdentification	0..*	Additional identification key used to identify a consignment.	
<b>IndividualAssetIdentification</b>				Information used to identify an asset.	
Attribute	giai	GIAI	1..1	Global Individual Asset Identifier (GIAI), the GS1 key used for the identification of individual assets.	
Attribute	additionalIndividualAssetIdentification	AdditionalIndividualAssetIdentification	0..*	Identifier of the asset, specified in addition to the GIAI.	
<b>LogisticUnitIdentification</b>				The globally unique identification attached to a shipping container or shipping package and used for logistical and traceability purposes.	
Attribute	sscc	SSCC	1..1	Serial Shipping Container Code (SSCC), the GS1 key used for the identification of logistic units.	
Attribute	additionalLogisticUnitIdentification	AdditionalLogisticUnitIdentification	0..*	Additional (non-SSCC) identification attached to a shipping container or shipping package and used for logistical and traceability purposes.	
<b>PartyIdentification</b>				Information used to identify a party or location.	
Attribute	gln	GLN	1..1	Global Location Number (GLN), the GS1 key used for the identification of parties and locations.	
Attribute	additionalPartyIdentification	AdditionalPartyIdentification	0..*	Identifier of the party or location, specified in addition to the GLN.	
<b>ReturnableAssetIdentification</b>				Information used to identify a	



Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
				returnable asset.	
Attribute	grai	GRAI	1..1	Global Returnable Asset Identifier (GRAI), the GS1 key used for the identification of returnable assets.	
Attribute	additionalReturnableAssetIdentification	AdditionalReturnableAssetIdentification	0..*	The additional identification Key used to identify returnable assets.	
<b>ServiceRelationIdentification</b>				Information used to identify a service relation.	
Attribute	gsm	GSRN	1..1	Global Service Relation Number (GSRN), the GS1 key used for the identification of relationships between service providers and service recipients.	
Attribute	additionalServiceRelationIdentification	AdditionalServiceRelationIdentification	0..*	The additional key used to identify the relationship between a service provider and service recipient.	
<b>ShipmentIdentification</b>				Information used to identify a shipment.	
Attribute	gsin	GSIN	1..1	Global Shipment Identification Number (GSIN), the GS1 key used for the identification of shipments.	
Attribute	additionalShipmentIdentification	AdditionalShipmentIdentification	0..*	Additional identification key used to identify a shipment.	
<b>TradeItemIdentification</b>				Provides the GTIN as the unique identifier for the item and optionally additional formats of non GTIN identifiers for the item.	
Attribute	gtin	GTIN	1..1	Global Trade Item Number (GTIN), the GS1 key used for the identification of trade items.	
Attribute	additionalTradeItemIdentification	AdditionalTradeItemIdentification	0..*	Alternative means to the Global Trade Item Number to identify a trade item.	

### 4.4.2. Range components

#### Class Diagram



#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multipli city	Definition	Requirements
AmountRange				Provides the difference or interval between the minimum and maximum value amount including the	

Content	Attribute / Role	Datatype /Secondary class	Multiplcity	Definition	Requirements
				associated currency.	
Attribute	maximumAmount	Amount	0..1	Defines the upper limit required to qualify for the amount.	
Attribute	minimumAmount	Amount	0..1	Defines the lower limit required to qualify for the amount.	
<b>DateTimeRange</b>				Provides the difference or interval between the begin date/time and end date/time.	
Attribute	beginDate	date	0..1	Date specifying the first day for the date time range.	
Attribute	beginTime	time	0..1	Time specifying the start time for the date time range.	
Attribute	endDate	date	0..1	Date specifying the last day for the date time range.	
Attribute	endTime	time	0..1	Time specifying the end time for the date time range.	
<b>MeasurementRange</b>				Provides the difference or interval between the minimum and maximum measurement including the associated unit of measure.	
Attribute	maximumMeasurement	Measurement	0..1	Specifies the upper limit of the measurement range.	
Attribute	minimumMeasurement	Measurement	0..1	Specifies the lower limit of the measurement range.	
<b>QuantityRange</b>				Provides the difference or interval between the minimum and maximum value which may include the associated unit of measure.	
Attribute	maximumQuantity	Quantity	0..1	Specifies the upper limit of the quantity range.	
Attribute	minimumQuantity	Quantity	0..1	Specifies the lower limit of the quantity range.	
<b>Range</b>				Provides the difference or interval between the minimum and maximum value.	
Attribute	maximum	float	0..1	Specifies the upper limit of the quantity range.	
Attribute	maximumType	string	0..1	Identifies the type of measurement the range is expressed in.	
Attribute	minimum	float	0..1	Specifies the lower limit of the quantity range.	
Attribute	minimumType	string	0..1	A code that identifies the unit of measure of the range lower limit.	
<b>StringRange</b>				Provides the difference or interval between a minimum and maximum text value.	
Attribute	maximumValue	string	0..1	Specifies the upper limit of the string range.	
Attribute	minimumValue	string	0..1	Specifies the lower limit of the string range.	




Content	Attribute / Role	Datatype /Secondary class	Multipli city	Definition	Requirements
<b>TemperatureRange</b>				Provides the difference or interval between the minimum and maximum temperature.	
Attribute	maximumTemperature	TemperatureMeasurement	0..1	Specifies the upper limit of the temperature range.	
Attribute	minimumTemperature	TemperatureMeasurement	0..1	Specifies the lower limit of the temperature range.	



### 4.4.3. Address

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multipl city	Definition	Requirements
Address				The location at which a particular organization or person may be found or reached.	

Content	Attribute / Role	Datatype /Secondary class	Multipli city	Definition	Requirements
Association	□	GeographicalCoordinates □	0..1	Geographical coordinates for the address.	
Attribute	city □	string□	0..1	Text specifying the name of the city.	
Attribute	cityCode □	string□	0..1	Identifier for a city, expressed as a short code rather than the full name	
Attribute	countryCode □	CountryCode□	0..1	Code specifying the country for the address.	
Attribute	countyCode □	string□	0..1	A code that identifies a county. A county is a territorial division in some countries, forming the chief unit of local administration. In the US, a county is a political and administrative division of a state. □	
Attribute	crossStreet □	string□	0..1	A street intersecting a main street (usually at right angles) and continuing on both sides of it □	
Attribute	currencyOfPartyCode □	CurrencyCode□	0..1	Code specifying the currency of an addressed party.	
Attribute	languageOfThePartyCode □	LanguageCode□	0..1	Code specifying the language of an addressed party.	
Attribute	name □	string□	0..1	The name of the party expressed in text. □	
Attribute	pOBoxNumber □	string□	0..1	The number that identifies a PO box. A PO box is a box in a post office or other postal service location assigned to an organization where postal items may be kept. □	
Attribute	postalCode □	string□	0..1	Text specifying the postal code for an address.	
Attribute	provinceCode □	string□	0..1	Text specifying a province in abbreviated format.	
Attribute	state □	string□	0..1	One of the constituent units of a nation having a federal government. □	
Attribute	streetAddressOne □	string□	0..1	The first free form line of an address, This first part is printed on paper as the first line below the name. For example, the name of the street and the number in the street or the name of a building. □	
Attribute	streetAddressTwo □	string□	0..1	The second free form line of an address, This second part is printed on paper as the second line below the name. The second free form line complements the first free form line to locate the party e.g. floor number, name of a building, suite number.□	
Attribute	streetAddressThree	string	0..1	The third free form line of an address. This third part is printed on paper as the third line below the name. The third free form line complements the first and second free form lines where necessary.	

### 4.4.4. Colour

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Colour				Information specifying a colour in text and / or coded format.	
Attribute	colourCode □	ColourCode□	0..1	Information specifying a colour in text and / or coded format.	
Attribute	colourDescription □	Description80□	0..*	A description of a colour of an object.	

### 4.4.5. Communication Channel

#### Class Diagram




### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>CommunicationChannel</b>				The channel or manner in which a communication can be made, such as telephone or email.	
Attribute	communicationChannelCode	CommunicationChannelCode	1..1	Code specifying the type of communication channel, for example TELEPHONE.	
Attribute	communicationValue	string	1..1	Text identifying the endpoint for the communication channel, for example a telephone number or an e-mail address.	
Attribute	communicationChannelName	string	0..1	The name of a specific communication channel for example Facebook, Twitter, etc.	

### 4.4.6. Contact

#### Class Diagram




### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>Contact</b>				Information on an individual or department acting as point of contact for an organisation.	
Association		CommunicationChannel	0..*	The channel or manner in which a communication can be made with the contact, such as telephone or email.	

Association	afterHoursCommunicationChannel	CommunicationChannel	0..*	The channel or manner in which a communication can be made with the contact after regular office hours.	
Attribute	contactTypeCode	ContactTypeCode	0..1	A code determining the role of the contact for example Dangerous Goods 24 Hour Contact.	
Attribute	personName	string	0..1	The name of the individual that can be contacted to provide additional information	
Attribute	departmentName	string	0..1	The name of the department that can be contacted to provide additional information	
Attribute	jobTitle	string	0..1	The job title of the person that can be contacted	
Attribute	responsibility	Description70	0..*	Text further specifying the area of responsibility of the trade contact	

### 4.4.7. Currency Exchange Rate Information

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>CurrencyExchangeRateInformation</b>				Provides the currency exchange rate information. Rate at which one currency may be converted into another. Generally, one unit of the home currency is expressed in terms of another currency. For example, a North American bank may quote the exchange rate between the dollar and the Euro as the number of	

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
				dollars needed to buy one Euro.	
Attribute	currencyConversionFromCode	CurrencyCode	1..1	ISO Code for the currency from which an amount is converted	
Attribute	currencyConversionToCode	CurrencyCode	1..1	ISO Code for the currency to which an amount is converted	
Attribute	exchangeRate	float	0..1	The price of one currency in terms of another, that is, the number of units of one currency that may be exchanged for one unit of another currency.	
Attribute	exchangeRateDateTime	dateTime	0..1	The date as of which the currency exchange rate is valid.	

### 4.4.8. Date Optional Time

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
DateOptionalTime				Provides a date with the optional ability to provide a time.	
Attribute	date	date	1..1	The specification of a day as calendar date.	
Attribute	time	time	0..1	The specification of a point in time during the day.	

## 4.4.9. Dimension

### Class Diagram




### Dimension

Content	Attribute / Role	Datatype /Secondary class	Multipl city	Definition	Requirements
Dimension				Provides the length, width, and depth of an item with their associated unit of measure.	
Attribute	depth	Measurement	1..1	Measurement of the distance between the front and the back.	
Attribute	height	Measurement	1..1	The vertical dimension from the lowest extremity to the highest extremity.	
Attribute	width	Measurement	1..1	The measurement of the extent of something from side to side. Width is the measurement from left to right.	

### 4.4.10. Document

#### Class Diagram



#### GDD Report


Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
Document				Used to specify basic information about the content of the message including version number, creation date and time.	
Attribute	creationDateTime	dateTime	1..1	Date and time when the document was created.	
Attribute	documentStatusCode	DocumentStatusEnumeration	1..1	Indicates if the document is a copy or an original.	
Attribute	documentActionCode	DocumentActionEnumeration	0..1	Code specifying the action to be taken in the system of the recipient using the information in the document.	
Attribute	documentStructureVersion	string	0..1	Specification of the version of the standard on which the structure of the document is based, for example 3.0.	
Attribute	lastUpdateDateTime	dateTime	0..1	Date and time when the document was last updated.	
Attribute	revisionNumber	positiveInteger	0..1	Number to be used for identification and referencing of subsequent updates to a business document.	WR 12-153
Association	documentEffectiveDate	DateOptionalTime	0..1	The date that the document becomes effective from commercial or legal point of view.	WR 12-265
Extension		extension	0..1	Extension point for inclusion of additional information	



				through an extension to the document.	
--	--	--	--	---------------------------------------	--

### 4.4.11. Document Reference

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
DocumentReference				Information identifying a document and potentially a line within the document for referencing purposes.	
Generalization		EntityIdentification		Identification of the referenced business document.	
Attribute	creationDateTime	dateTime	0..1	Date and time of creation of the referenced document.	
Attribute	revisionNumber	positiveInteger	0..1	Number to be used for identification and referencing of subsequent updates to a business document.	WR 12-153
Attribute	lineItemNumber	positiveInteger	0..1	Number specifying a line in the referenced document.	

## 4.4.12. Entity Identification

### Class Diagram




### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
EntityIdentification				Information identifying a piece of information, such as an object or document.	
Association	contentOwner	PartyIdentification	0..1	Uniquely identifies the creator of a piece of information.	
Attribute	entityIdentification	string	1..1	The unique identifier of the piece of information, such as the object identification or the document identification.	

### 4.4.13. Financial Account

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>FinancialAccount</b>				Information identifying a client's financial account with a financial institution.	
Attribute	financialAccountNumber	string	1..1	Text specifying the number of the financial account.	
Attribute	financialAccountNumberTypeCode	FinancialAccountNumberTypeCode	1..1	Identifies the type of financial account number.	
Attribute	financialAccountName	string	0..1	Text specifying the name of the financial account.	

### 4.4.14. Geographical Coordinates

#### Class Diagram




### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>GeographicalCoordinates</b>				The longitude and latitude of a geographical location.	
Attribute	latitude	string	1..1	Angular distance North or South from the earth's equator measured through 90 degrees.	
Attribute	longitude	string	1..1	The arc or portion of the earth's equator intersected between the meridian of a given place and the prime meridian and expressed either in degrees or in time	

### 4.4.15. Multi Description 70

#### Class Diagram




### GDD Report

Content	Attribute / Role	Datatype class /Secondary	Multiplicity	Definition	Requirements
<b>MultiDescription70</b>				Provides multiple iterations of descriptive text with a maximum length of 70 and an associated language code.	
Attribute	description	Description70	1..*	Text content of the description.	

### 4.4.16. Payment Time Period

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
PaymentTimePeriod				Provides the payment time period information.	
Attribute	dateDue	date	0..1	Calendar date specifying when the payment is due.	
Attribute	dayOfMonthDue	gDay	0..1	The time at which a payment is due, expressed as a day of the month.	
Attribute	timePeriodDue	TimeMeasurement	0..1	Measurement specifying the duration of the period within which the payment in due, for example within 10 days.	

### 4.4.17. Financial Routing Number

#### Class Diagram




### GDD Report

Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
<b>FinancialRoutingNumber</b>				Provides the routing information regarding the routing number and routing number type.	
Attribute	financialRoutingNumber	string	1..1	Number assigned to a transaction in financial routing between parties.	
Attribute	financialRoutingNumber TypeCode	FinancialRoutingNumberTypeCode	1..1	Code specifying the type of financial routing, e.g. SWIFT.	

### 4.4.18. Size

#### Class Diagram




### GDD Report

Content	Attribute / Role	Datatype class /Secondary	Multiplicity	Definition	Requirements
<b>Size</b>				The physical dimensions or proportions of an object depicted as a code or a description.	
Attribute	descriptiveSize	Description80	0..1	A description of the size of an object.	
Attribute	sizeCode	SizeCode	0..1	Code specifying the size of an object and the size coding system being applied, for example L (buyer assigned).	

### 4.4.19. Target Market

#### Class Diagram




#### GDD Report

Content	Attribute / Role	Datatype class /Secondary	Multiplicity	Definition	Requirements
<b>TargetMarket</b>				Information specifying the geographical area where a trade item is intended to be sold.	
Attribute	targetMarketCountryCode	CountryCode	1..1	The code that identifies the target market. The target market is at country level or higher geographical definition and is where a trade-item is intended to be sold.	
Attribute	targetMarketSubdivisionCode	CountrySubdivisionCode	0..1	The Code for country sub-division definition used to indicate the geo-political subdivision of the target market (=country ).	

## 4.4.20. Trade Item Classification

### Class Diagram



### GDD Report


Content	Attribute / Role	Datatype /Secondary class	Multiplicity	Definition	Requirements
TradeItemClassification				Information specifying the product class to which a trade item belongs and the classification system being applied.	
Association		GPCAttribute	0..*	Contains information which identifies the GPC classification attribute for a trade item.	
Attribute	gpcCategoryCode	string	1..1	Code specifying a product category according to the GS1 Global Product Classification (GPC) standard.	
Attribute	additionalTradeItemClassificationCode	AdditionalTradeItemClassificationCode	0..*	Category code based on alternate classification schema chosen in addition to the Global Product Classification (GPC).	



Attribute	gpcCategoryName	string	0..1	Name associated with the specified Global Product Classification (GPC) category code.
<b>GPCAttribute</b>				Information on the type and value of a Global Product Classification (GPC) attribute.
Attribute	gpcAttributeTypeCode	string	1..1	Code specifying the type of the Global Product Classification (GPC) attribute, for example 20000081 - Grape Variety.
Attribute	gpcAttributeValueCode	string	1..1	The GS1 provided code which identifies the Global Product Classification Attribute Value.
Attribute	gpcAttributeName	string	0..1	The GS1 provided text equivalent of the Global Product Classification Attribute Code.
Attribute	gpcAttributeValueName	string	0..1	The GS1 provided text equivalent of the Global Product Classification Attribute Value Code.

### 4.4.21. Typed Entity Identification

#### Class Diagram



#### GDD Report

Content	Attribute / Role	Datatype	/	Multiplicity	Definition	Requirements
---------	------------------	----------	---	--------------	------------	--------------


Secondary class					
<b>TypedEntityIdentification</b>				Information identifying a piece of information such as an object or document, also specifying the type of information.	
Generalization		EntityIdentification		This information on EntityIdentification for TypedEntityIdentification.	
Attribute	entityTypeCode	EntityTypeCode	1..1	Code specifying the type of information being identified, for example a Despatch Advice.	

## 5. Enumerations

### 5.1. AllowanceOrChargeEnumeration

Code Value	Code Definition
ALLOWANCE	Not Available
CHARGE	Not Available

### 5.2. Document Action Enumeration

-  **Note:** The command layer was removed from the eCom Message Architecture for 3.0. At the same time, there were some use cases that required the ability to send what actions were being performed on a business document. As a result, documentActionCode was added to the Document class to handle this need. The Document Action Code List is based on the Document Command Code List, but does not contain the value CORRECT since this applies to GDSN only.

Code Value	Code Definition
ADD	The creation of a new document.
CHANGE_BY_REFRESH	A change on a previously sent document by sending the entire updated document.
DELETE	The deletion of a previously sent document.

### 5.3. Document Status Enumeration

Code Value	Code Definition
ADDITIONAL_TRANSMISSION	Message already transmitted via another communication channel. This transmission provides electronically processable data only. The French tax authorities ask to distinguish the different transmission modes for the invoices in case of control
COPY	A copy of the original document issued by the sender.
ORIGINAL	The original document issued by the sender.

### 5.4. Day of the Week Enumeration

Code Value	Code Definition
FRIDAY	Not Available
MONDAY	Not Available
SATURDAY	Not Available
SUNDAY	Not Available
THURSDAY	Not Available
TUESDAY	Not Available
WEDNESDAY	Not Available

## 5.5. Gender Enumeration

Code Value	Code Definition
FEMALE	Female
MALE	Male

## 5.6. NonBinary Logic Enumeration

Code Value	Code Definition
FALSE	Negative value.
NOT_APPLICABLE	A statement that an affirmative or negative response is not required for the attribute.
TRUE	Affirmative value.
UNSPECIFIED	Value not stated.

## 5.7. Response Status Enumeration

Code Value	Code Definition
ACCEPTED	Designates a positive response from the recipient.
REJECTED	Designates a negative response from the recipient.
MODIFIED	Designates a positive response from the recipient with modification.
NO_ACTION	This line item is not affected by the actual message.

## 5.8. Weekend Day Enumeration

Code Value	Code Definition
SATURDAY	Not Available
SUNDAY	Not Available

## 6. Code Lists



**Note:** The most current version of the GS1 External Code Lists will be available in the GDD. The following section details these values as of release 3.0.0

### 6.1. Additional Consignment Identification Type Code

<b>GS1 Code List</b>	<b>AdditionalConsignmentIdentificationTypeCode</b>
<b>GS1 Code List Version</b>	1 (September 2011)
<b>Managing Agency</b>	GS1
<b>Based on Code List</b>	n/a
<b>Type Of Management</b>	n/a

Code Value	Code Name	Code Definition
CARRIER_ASSIGNED	Carrier assigned	An internal identifier assigned by the carrier.
CONSIGNEE_ASSIGNED	Consignee assigned	An internal identifier assigned by the consignee.
CONSIGNOR_ASSIGNED	Consignor assigned	An internal identifier assigned by the consignor.
FREIGHT_FORWARDER_ASSIGNED	Freight forwarder assigned	An internal identifier assigned by the freight forwarder.

## 6.2. Additional Individual Asset Identification Type Code

<b>GS1 Code List</b>	<b>AdditionalIndividualAssetIdentificationTypeCode</b>
<b>GS1 Code List Version</b>	1 (September 2011)
<b>Managing Agency</b>	GS1
<b>Based on Code List</b>	n/a
<b>Type Of Management</b>	n/a

Code Value	Code Name	Code Definition
INDUSTRY_ASSIGNED	Industry assigned	An identifier assigned by a sector specific agency for the individual asset.
OWNER_ASSIGNED	Owner assigned	An internal identifier assigned by the party that owns the asset.

### 6.3. Additional Logistic Unit Identification Type Code

<b>GS1 Code List</b>	<b>AdditionalLogisticUnitIdentificationTypeCode</b>
<b>GS1 Code List Version</b>	1 (September 2011)
<b>Managing Agency</b>	GS1
<b>Based on Code List</b>	n/a
<b>Type Of Management</b>	n/a

<b>Code Value</b>	<b>Code Name</b>	<b>Code Definition</b>
SHIPPER_ASSIGNED	Shipper assigned	An internal identifier assigned by the shipper.
LOGISTICS_SERVICE_PROVIDER_ASSIGNED	Logistics service provider assigned	An internal identifier assigned by the logistics service provider.
GOODS_RECEIVER_ASSIGNED	Goods receiver assigned	An internal identifier assigned by the receiver of the goods.

## 6.4. Additional Party Identification Type Code

<b>GS1 Code List</b>	<b>AdditionalPartyIdentificationTypeCode</b>
<b>GS1 Code List Version</b>	<b>3 (August 2014)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Name	Code Definition
BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY	Buyer assigned identifier for a party	An internal identifier assigned by a buyer, used to identify each trading partner with whom they engage in a commercial relationship.
CASHSSP	CASHSSP	Identifier assigned by the Cash Single Shared Platform, a cash distribution platform currently applied by several national central banks in Europe. Release notes: New in version 2.
DEA_DRUG_ENFORCEMENT_AGENCY	DEA	United States official Drug Enforcement Agency database of persons and organizations certified to handle controlled substances under the Controlled Substances Act.
DUNS	DUNS	Data Universal Numbering System. It is a nine-digit numbering system which uniquely identifies an individual business. The DUNS number is a nine-digit number issued by Dun & Bradstreet assigned to each business location in the D&B database having a unique, separate, and distinct operation for the purpose of identifying them. A DUNS number is also a way in which separate corporate entities, having no official relationship, can be branded as one by sharing one DUNS number among the affiliated companies.
DUNS_PLUS_FOUR	DUNS+4	The DUNS+4 refers to the DUNS number assigned by Dun and Bradstreet, plus a 4-character suffix that is assigned by the vendor to establish additional Central Contractor Registration (CCR) database records for identifying alternative electronic funds transfer (EFT) accounts for the same vendor located at the same physical address. Dun and Bradstreet has no affiliation with the 4-character suffix.
FOR_INTERNAL_USE_1	For internal use 1	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_10	For internal use 10	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_11	For internal use 11	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_12	For internal use 12	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_13	For internal use 13	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_14	For internal use 14	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_15	For internal use 15	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_16	For internal use 16	Identification used for internal mapping purposes.



Code Value	Code Name	Code Definition
FOR_INTERNAL_USE_17	For internal use 17	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_18	For internal use 18	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_19	For internal use 19	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_2	For internal use 2	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_20	For internal use 20	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_3	For internal use 3	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_4	For internal use 4	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_5	For internal use 5	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_6	For internal use 6	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_7	For internal use 7	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_8	For internal use 8	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_9	For internal use 9	Identification used for internal mapping purposes.
HIN_CANADIAN_HEALTHCARE_IDENTIFICATION_NUMBER	HIN canadian healthcare identification number	Not Available
PARTITA_IVA	Agenzia delle Entrate	An identification number assigned to a party by the Italian "Agenzia delle Entrate" for fiscal purposes
SCAC	Standard Carrier Alpha Code	Standard Carrier Alpha Code, used for identifying truckers, railroads and other conveyors
SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY	Seller assigned identifier for a party	An internal identifier assigned by a seller, used to identify each trading partner with whom they engage in a commercial relationship.
SIRET	SIRET	The SIRET is a 14 digit number composed by the SIREN (9 digits) and an internal classification number of 5n (NIC) identifying the company location. This code value is applicable in the French context and SIRET stands for Système d'Identification du Répertoire des Etablissements
TD_LINK_TRADE_DIMENSIONS	TD link trade dimensions	Nielsen assigned party identifier that allows companies to link their party master files to a corresponding Nielsen TDLink Code. Nielsen TDLink creates a link file between each customer number and Nielsen TDLink Code, store to store and account to account.
UCC_COMMUNICATION_IDENTIFICATION	UCC Communication Identification	Definition unknown.
UNKNOWN	Unknown	Additional Party Identification is Unknown
UN_LOCATION_CODE	UN Location Code	Definition unknown.
USDA_ESTABLISHMENT_NUMBER	USDA establishment number	United States Department of Agriculture assigned identifier. All containers of meat, poultry, and egg products must be labeled with a USDA mark of inspection and establishment (EST number), which is assigned to the plant where the product was produced.

## 6.5. Additional Returnable Asset Identification Type Code

<b>GS1 Code List</b>	<b>AdditionalReturnableAssetIdentificationTypeCode</b>
<b>GS1 Code List Version</b>	1 (September 2011)
<b>Managing Agency</b>	GS1
<b>Based on Code List</b>	n/a
<b>Type Of Management</b>	n/a

Code Value	Code Name	Code Definition
INDUSTRY_ASSIGNED	Industry assigned	An identifier assigned by a sector specific agency for the returnable asset.
OWNER_ASSIGNED	Owner assigned	An internal identifier assigned by the party that owns the returnable asset.

## 6.6. Additional Service Relation Identification Type Code

<b>GS1 Code List</b>	<b>AdditionalServiceRelationIdentificationTypeCode</b>
<b>GS1 Code List Version</b>	1 (September 2011)
<b>Managing Agency</b>	GS1
<b>Based on Code List</b>	n/a
<b>Type Of Management</b>	n/a

Code Value	Code Name	Code Definition
INDUSTRY_ASSIGNED	Industry assigned	An identifier assigned by a sector specific agency for service.
SERVICE_PROVIDER_ASSIGNED	Service provider assigned	An internal identifier assigned by the party providing the service.

## 6.7. Additional Shipment Identification Type Code

<b>GS1 Code List</b>	<b>AdditionalShipmentIdentificationTypeCode</b>
<b>GS1 Code List Version</b>	1 (September 2011)
<b>Managing Agency</b>	GS1
<b>Based on Code List</b>	n/a
<b>Type Of Management</b>	n/a

Code Value	Code Name	Code Definition
GOODS_RECEIVER_ASSIGNED	Goods receiver assigned	An internal identifier assigned by the receiver of the goods.
LOGISTICS_SERVICE_PROVIDER_ASSIGNED	Logistics service provider assigned	An internal identifier assigned by the logistics service provider.
SHIPPER_ASSIGNED	Shipper assigned	An internal identifier assigned by the party sending the shipment.

## 6.8. Additional Trade Item Classification Code List Code

<b>GS1 Code List</b>	<b>AdditionalTradeItemClassificationCodeListCode</b>
<b>GS1 Code List Version</b>	<b>2 (December 2012)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Name	Code Definition
1	GXS	GXS Product Data Quality (Formerly UDEX LTD)
2	IRI	IRI
3	AC Nielsen	AC Nielsen
4	ECCC Interim Class Code	ECCC Interim Class Codes
5	UNSPSC	UNSPSC - United Nations Standard Products and Services Code
6	ECCMA	ECCMA - Electronic Commerce Code Management Association
7	EAN Norges Multibransje Varegruppestandard	EAN Norges Multibransje Varegruppestandard - The ENVA code is used for classification and categorising of goods and it is used as an alternative to the GPC codes in the Norwegian marketplace
8	Supplier Assigned	Supplier Assigned – A manufacturer's own codification system
9	AMECE	AMECE – Code system used in the GS1 Mexico market
10	CCG	CCG - Code system used in the GS1 Germany market
11	EANFIN	EANFIN - Code system used in the GS1 Finland market
13	IFLS5	IFLS5 - Code system used in the GS1 France market
14	CBL	CBL - Code system used in the GS1 Netherlands market
15	JICFS	Catalogue Item Information Service of Japan JICFS. Classification system maintained by GS1 Japan and used mainly on the Japanese market.
16	European Union	European Union. The economic association of over a dozen European countries which seek to create a unified, barrier-free market for products and services throughout the continent.  Category of product eligible for EU subsidy (applies for certain dairy products with specific level of fat content).
17	GS1 Spain	GS1 Spain. A product classification system maintained by GS1 Spain and used in the Spanish Market.
18	GS1 Poland	GS1 Poland. A product classification system maintained by GS1 Poland.
19	Federal Agency on Technical Regulating and Metrology	Federal Agency on Technical Regulating and Metrology of the Russia Federation: A Russian government agency that serves as a national standardization body of the Russian Federation.
20	ECR	Efficient Consumer Response (ECR) Austria
21	GS1 Italy	GS1 Italy
22	CPV	Common Procurement Vocabulary (CPV) was introduced in 1996 as a means of raising the level of transparency and efficiency in the field of public acquisition. The use of the standard names of the CPV facilitates the marking of the procurement contracts they are interested in. In addition, CPV facilitates the swift and exact translation of contract information for publication in the official EU Bulletin as well as the preparation of procurement statistics. The CPV code consists of eight characters as well as a control character. It is managed by the Office for Official Publications of the European Communities (OPOCE).
23	IFDA	International Foodservice Distributors Association (IFDA)

Code Value	Code Name	Code Definition
24	AHFS	American Hospital Formulary Service AHFS Pharmacologic - Therapeutic Classification© (AHFS)
25	ATC	Anatomical Therapeutic Chemical classification (ATC)
26	ClaDiMed	Classification des Dispositifs Médicaux (ClaDiMed)
27	CMDR	Canadian Medical Device Regulations (CMDR)
28	CND	Classificazione Nazionale dei Dispositivi Medici (CND)
30	UKDM&D	UK Dictionary of Medicines & Devices( DM&D) Standard Coding Scheme
31	eCI@ss	eCI@ss: Standardized Material and Service Classification and Dictionary
32	EDMA	Classification for in vitro diagnostics medical devices (EDMA)
33	EGAR	European Generic Article Register Classification (EGAR ) standard for medical devices
34	IMS	IMS Healthcare Generic Product Classification
35	GMDN	Global Medical Devices Nomenclature (GMDN)
36	GPI	Generic Product Identifier (GPI). A drug code list managed by Medi-Span.
37	HCPCS	Healthcare Common Procedure Coding System (HCPCS): Pronounced as Hick Picks.
38	ICPS	International Classification for Patient Safety (ICPS). For use in Field Testing in 2007-2008 (WHO).
39	MedDRA	Medical Dictionary for Regulatory Activities (MedDRA): An international terminology employed by the pharmaceutical industry, medical product industry and regulatory agencies throughout the entire drug development process and product post marketing activities. The current version of MedDRA (version 10.0) contains a total of 84,906 unique terms. MedDRA terminology was developed under the auspices of the International Conference on Harmonization (ICH) of Technical Requirements for Registration of Pharmaceuticals for Human Use and is a registered trademark of the International Federation of Pharmaceutical Manufacturers Associations (IFPMA).
40	Medical Columbus	Medical Columbus: German Medical classification system.
41	NAPCS	North American Classification System (NAPCS)
42	NHS-eClass	National Health Service (NHS) eClass: NHS-eClass is a bespoke classification system for products and services, owned by the English National Health Service (NHS). The purpose of NHS-eClass is to facilitate the accurate analysis of expenditure.
43	US FDA PCCD	US FDA Product Code Classification Database: The Product Classification Database contains medical device names and associated information developed by the Center for Devices and Radiological Health (CDRH) in support of its mission. This database contains device names and their associated product codes. The name and product code identify the generic category of a device for FDA. The Product Code assigned to a device is based upon the medical device product classification designated under 21 CFR Parts 862-892.
44	SHPA	The Society of Hospital Pharmacists of Australia (SHPA)
45	SNOMED CT	Systematized Nomenclature of Medicine-Clinical Terms ( SNOMED CT® )
46	UMDNS	Universal Medical Device Nomenclature System (UMDNS)
47	DTB	<u>DTB</u> (fashion) Dialog Textil – Bekleidung (DTB) a German group of companies who joined forces for the TC sector. The product classification can be found on their website <a href="http://www.dialog-dtb.de">http://www.dialog-dtb.de</a> if you are a member.
48	FEDAS	<u>FEDAS</u> (sport) FEDAS represents the trans-border interests of specialist sports retailers forming part of associations in European

Code Value	Code Name	Code Definition
		countries. It provides services for members and third parties and is a dialogue partner for all questions concerning specialist sports retailing in Europe zie
49	EAS	<u>EAS</u> (footwear) European Article System: A harmonised system to classify and process the characteristics of shoes across Europe.
50	Australian TGA Type	The Australian Therapeutic Goods Administration (TGA) classifies products it authorizes for sale in Australia. These items are considered either: Registered, Listed, Included or Classified as Other on the Australia Register of Therapeutic Goods (ARTG).
51	Australian Medicines and Poisons Schedule Code	An Australian classification and labelling of drugs and poisons named the <b>Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)</b> . This was created and is maintained by the National Drugs and Poisons Scheduling Committee (NDPSC) which operates under control of the Therapeutic Goods Administration (TGA). This standard contains a list of ' <b>Schedules</b> ', which are a way of grouping products together that may have similar regulatory controls over their availability. Criteria for scheduling may include such considerations as <i>the purpose of use, potential for abuse, safety of use and the level of need for it</i> .
52	Australian Pharmaceutical Benefits Scheme	In Australia, medicine may be subsidized by its Government via the Pharmaceutical Benefits Scheme (PBS). The PBS is a program available to all Australian residents covered under the public healthcare system (known as Medicare). The Pharmaceutical Benefits Schedule lists all drugs available under the scheme and the conditions under which it may be used. The PBS is a way of the Australian government subsidising the cost of particular medicines to make them more affordable for the community. E.g. A consumer is entitled to purchase 100 tablets of aspirin under the scheme, the retail cost is \$13.00, the government subsidizes \$9.50, so the consumer will pay the difference of \$3.50 for the medication. The Repatriation Pharmaceutical Benefits Scheme is effectively the same scheme, however, offered to eligible war veterans, war widows and their dependents.
53	Australian TGA Risk Classification	The Therapeutic Goods Administration (TGA) have their own classification system for medical devices within Healthcare. The purpose of this classification is to ascertain the potential risk of a device through analysing the intended purpose of the product and using a set of classification rules. This classification allows the regulator to determine how much intervention is required before the device becomes available on the market.
54	MIV-C	Milch Industrie Verband Cheese Class association of the German Dairy.
55	MIV-D	Milch Industrie Verband Milk Class (association of the German Dairy)
56	BTE	Bundesverband des Deutschen Textileinzelhandels a German Association of Textile Retailers. The product classification can be found on their website <a href="http://www.bte.de">http://www.bte.de</a> -
57	REV	REV – The Office of the Revenue Commissioners: The Irish Government agency responsible for customs, excise, taxation and related matters. The division "Customs" of this office assigns classification codes to Alcohol and Tobacco for excise duties.
58	FDA Premarket Submission Number	FDA Premarket Submission Number is a number associated with the regulatory decision regarding the applicant's legal right to market a medical device for the following submission types: 510(k), PMA, PDP, HDE, BLA, and NDA.

Code Value	Code Name	Code Definition
59	ETIM	ETIM - (Europees Technisch Informatie Model or European Technical Information Model in English) is an international organisation which develops, manages and publishes one European classification for technical products. More information: <a href="http://www.etim-international.com/">http://www.etim-international.com/</a> .
60	G-DRG	G-DRG (German - Diagnosis Related Groups). [DRG-Entgeltkatalog] List of fees for treatment in German hospitals. Includes flat fees for entire courses of treatment (DRG) as well as additional fees for supplementary treatment components. The national associations of health insurance, the Association of Private Health Insurance and the German Hospital Federation, founded the Institute for the Hospital Remuneration System (InEK GmbH). The Institute InEK GmbH operates on behalf of the shareholders of the GmbH, the German Hospital Association, the Association of Statutory Health Insurance Funds and the Association of private health insurance. <a href="http://www.g-drg.de/cms/">http://www.g-drg.de/cms/</a>
61	ICD-GM	ICD-GM (International Classification of Diseases – German Modification). [Diagnosen für Gesundheitsverwaltung] German modification of the International Classification of Diseases; official classification of diseases for ambulatory and stationary care in Germany. ICD was created by the World Health Organisation, and DIMDI (Deutsches Institut für Medizinische Dokumentation und Information) maintains the German modification to ICD <a href="http://www.dimdi.de/">http://www.dimdi.de/</a>
62	OPS-G	OPS-G [Operationen- und Prozedurenschlüssel] List of codes for surgical and other medical procedures, derived from the ICPM (International Classification of Procedures in Medicine), mandatory for procedure coding in hospitals and for ambulatory surgery in Germany. ICPM is maintained by the World Health Organisation, and DIMDI (Deutsches Institut für Medizinische Dokumentation und Information) maintains the German modification to it. <a href="http://www.dimdi.de/">http://www.dimdi.de/</a>
63	NCM	Mercosur/Mercosul Nomenclature (NCM): NCM is Nomenclatura Comum do MERCOSUL (MERCOSUR Common Nomenclature) Brazil, Argentina, Paraguay and Uruguay adopted the Mercosul Common Nomenclature (NCM), based on the Harmonized System Code. The eight numbers that is part of the NCM, uses the Harmonized System that forms the six first numbers, while the seventh and eighth numbers are used for specific within Mercosul. Harmonized System: The Harmonised Commodity Description and Coding System (HS) of tariff nomenclature is an internationally standardized system of names and numbers for classifying traded products developed and maintained by the World Customs Organization (WCO) (formerly the Customs Co-operation Council), an independent intergovernmental organization with over 170 member countries based in Brussels, Belgium. Example: 0104.10.11
64	CORE DIY	CORE DIY (Consumer Retail Classification for the Do-it-Yourself Industry) is a system for the classification of trade items with expanded product properties and specifications which provide the granularity needed for online consumer retail. CORE DIY has been developed by the do-it-yourself industry and is managed by GS1 Netherlands on behalf of the DIY user community.
65	FDA Preferred Term Code	FDA Preferred Term Code, Unique four-character value assigned by the FDA to indicate a GMDN Preferred Term without exposing the GMDN PT Code.
66	Medsafe Risk Classification	Medsafe Risk Classification, The New Zealand Medical Devices Safety Authority
67	Medsafe Regulatory Classification	Medsafe Regulatory Classification, The New Zealand Medicines Safety Authority

## 6.9. Additional Trade Item Identification Type Code

<b>GS1 Code List</b>	<b>AdditionalTradeItemIdentificationTypeCode</b>
<b>GS1 Code List Version</b>	2 (December 2012)
<b>Managing Agency</b>	GS1
<b>Based on Code List</b>	n/a
<b>Type Of Management</b>	n/a

Code Value	Code Name	Code Definition
ARTG_ID	Australian Register of Therapeutic Goods	The Australian Therapeutic Goods Administration (TGA) is a government organisation responsible for the regulation of therapeutic goods such as medicines and medical devices. Once a product is accepted for sale in Australia (via TGA approval) this item is listed on the Australian Register of Therapeutic Goods (ARTG). All goods within Australia, or to be exported from Australia, must be present on this list before they can be available. Information held in the database includes the name of the product, what it contains and manufacturer details.
AU_PROSTHESES_REBATE_CODE	Australian Prostheses Rebate Code	In Australia the federal government, through the Department of Health and Ageing, provide a rebate to private health hospitals or clinics to cover the cost of any prostheses that are fitted to a patient. This rebate is designed to cover the costs incurred by the provider.  Every product is given a 'billing code' from the Department of Health and Ageing.  This is used by the provider to communicate the rebate request to the government.
BUYER_ASSIGNED	Buyer Assigned	A proprietary internal identification number assigned by a data recipient, used to identify trade items purchased from each trading partner with whom they engage in a commercial relationship.
DIN	DIN	The Drug Identification Number: The number located on the label of prescription and over-the-counter drug products that have been evaluated by the Therapeutic Products Directorate (TPD) and approved for sale in Canada.
DIN_HM	DIN HM	Drug Identification Number – Homeopathic: This is the number located on the label of homeopathic drug products that have been approved for sale in Canada.
DISTRIBUTOR_ASSIGNED	Distributor Assigned	The additional Trade Item Identification value populated has been developed and assigned by an entity which purchases and takes title to goods which are then resold / redistributed elsewhere.
EPD	EPD	Elektronisk Produkt Database Identifier:
FDA_NDC_10	FDA NDC 10	The National Drug Code of the United States of America is a unique 10-digit, 3-segment number assigned to each medication listed under Section 510 of the U.S. Federal Food, Drug, and Cosmetic Act. The number identifies the labeller or vendor, product, and trade package size.
FDA_NDC_11	FDA NDC 11	The National Drug Code of the United States of America is a unique 11-digit, 3-segment number assigned to each medication listed under Section 510 of the U.S. Federal Food, Drug, and Cosmetic Act. The number identifies the labeller or vendor, product, and trade package size.



Code Value	Code Name	Code Definition
FOR_INTERNAL_USE_1	For internal use 1	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_10	For internal use 10	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_11	For internal use 11	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_12	For internal use 12	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_13	For internal use 13	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_14	For internal use 14	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_15	For internal use 15	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_16	For internal use 16	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_17	For internal use 17	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_18	For internal use 18	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_19	For internal use 19	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_2	For internal use 2	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_20	For internal use 20	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_3	For internal use 3	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_4	For internal use 4	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_5	For internal use 5	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_6	For internal use 6	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_7	For internal use 7	Identification used for internal mapping purposes.
FOR_INTERNAL_USE_8	For internal use 8	Internal identification used for mapping purposes.
FOR_INTERNAL_USE_9	For internal use 9	Internal identification used for mapping purposes.
GTIN_8	GTIN 8	The 8-digit GS1 Identification Key composed of a GS1-8 Prefix, Item Reference, and Check Digit used to identify trade items.
GTIN_12	GTIN 12	The 12-digit GS1 Identification Key composed of a U.P.C. Company Prefix, Item Reference, and Check Digit used to identify trade items.
GTIN_13	GTIN 13	The 13-digit GS1 Identification Key composed of a GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items.
GTIN_14	GTIN 14	The 14-digit GS1 Identification Key composed of an Indicator digit (1-9), GS1 Company Prefix, Item Reference, and Check Digit used to identify trade items.
HIBC	HIBC	Health Industry Business Communication Barcode: An alphanumeric identification number used as a common identifier within the healthcare industry across different locations. In the Netherlands, this code is managed by the European Health Industry Business Communications Council.
INVIMA	INVIMA	National Institute of Surveillance of Medications and Foods for Colombia. This organisation has developed a unique code of medications (CUM).
INDUSTRY_ASSIGNED	Industry Assigned	A unique proprietary identification number assigned by an industry sector association or other organization, used to identify each member company participating in the organization. Typically this association or organization provides the industry sector with a service for which this identification number is a key identifier.
ISBN_NUMBER	ISBN number	International Standard Book Number: A unique numeric commercial book identifier.



Code Value	Code Name	Code Definition
ISSN_NUMBER	ISSN number	International Standard Serial Number: unique eight-digit number used to identify a print or electronic periodical publication.
LOTTERY_GAME_NUMBER	Lottery Game Number	Unknown
LOTTERY_PACK_BOOK_NUMBER	Lottery pack book number	A unique identifier for a book of shrink-wrapped lottery game tickets.
MANUFACTURER_PART_NUMBER	Manufacturer part number	An identifier of a part used for an item. While the name implies that the number is assigned by the manufacturer, the part may be built by one manufacturer to apply to another manufacturer's item. In this case this number is the applicable part number from the item's manufacturer. The part manufacturer numbers would be found with the type of MODEL_NUMBER, SUPPLIER_ASSIGNED, or DISTRIBUTOR_ASSIGNED. For example, a 1957 car manufactured by Chevrolet has a part number AB123 which is the driver's door handle. A secondary manufacture produces an equivalent or Original Equipment Manufacturer (OEM) part with their number of 57-123CHEV. This value would be the AB123 to signify that it is that equivalent.
MDL	MDL	The Canadian Medical Device License (MDL) is required for companies which sell Class II, III, and IV medical devices in Canada. The MDL is a product approval and should not be confused with the MDEL which is a permit for the company/distributor itself.
MODEL_NUMBER	Model Number	An identification number which defines the configuration of the product in addition to the Item number. This is typically printed or otherwise attached to an item. In electronics, this number is typically found around or near a serial number.
NABCA_PRODUCT_CODE	NABCA product code	A product code issued by the National Alcohol Beverage Control Association in the United States.
NAN	NAN	Nordic Article Number is a 6 digit identification number needed on all human and veterinary pharmaceuticals licensed in Sweden. The number is unique for a certain packages. A NAN can be valid in one to five Nordic countries (Sweden, Denmark, Norway, Finland and Iceland) depending on if the package fulfils some basic criteria.
NDC	NDC (DEPRECATE)	National Drug Code: A unique product identifier used in the United States for drugs intended for human use.
NPN	NPN	The Natural Health Product Number: Identifies the trade item as a natural health product and the number is assigned by a regulatory health organization for example the Health Canada - Natural Health Products Directorate (Health Canada).
NSN	NSN	National Stock Number is a 13-digit number that the federal government assigns, for purposes of identification and inventory control, to every piece of supply, equipment and material that it uses and buys. In a typical NSN, the first four numbers are the Federal Supply Code (FSC), which places the item in a specific category. The second two numbers, identify the item. The next two numbers identify the country that buys the item; 00 or 01 is the code for the U.S. The remaining numbers of the NSN are referred to as the National Item Identification Number (NIIN) and are used to index NSN's

Code Value	Code Name	Code Definition
NUMERO_RDN	RDN	An identification number assigned by the Italian Ministry of Health to medical devices treated by the national health system
PLU	PLU	A number used to indicate a price look up for an existing random weight item. This is only used for items that have been assigned an industry PLU or proprietary PLU and that are utilized through a weighing system through the scales at the back or the front registers.
RVG	RVG	(Register Verpakte Geneesmiddelen): An identification number provided by the Institute for Drug Evaluation (College ter Beoordeling van Geneesmiddelen – CBG) in the Netherlands. This number is used as the main identification for all drugs that have been approved by the CBG for distribution within the Netherlands.
RVH	RVH	(Register Verpakte Homeopatische Geneesmiddelen): An identification number provided by the Institute for Drug Evaluation (College ter Beoordeling van Geneesmiddelen – CBG) in the Netherlands. This number is used as the main identification for all homeopathic drugs that have been approved by the CBG for distribution within the Netherlands.
SAN_4	SAN 4	A nationally set standard trade item number for a variable measure trade item. The SAN-4 is a four-digit number that uniquely identifies a weight trade item according to its country of origin. This short number is incorporated into the 13 digit GTIN symbol in combination with the weight, quantity or price.
SUPPLIER_ASSIGNED	Supplier Assigned	The additional Trade Item Identification value populated has been developed and assigned by the party which provides service(s) and/or manufactures or otherwise has possession of the goods and consigns or makes them available in trade. This number is a base model or style number assigned to the product and may be the same for several GTINs where they are variations of each other. For example a coffee mug with 3 GTINs one each for the brown mug, the white mug, and the black mug might all be the supplier assigned number of AB123. Use of this value is recommended in the absence of a Model Number or Manufacturer's Part Number.
Z_INDEX	Z INDEX	An additional identification number used to identify all medical supplies and drugs in the Netherlands when managing reimbursements for the items. The Z-Index number is assigned to every product by Z-Index, which is a regulatory body in the Netherlands for the healthcare industry.

## 6.10. AllowanceChargeTypeCode

<b>GS1 Code List</b>	<b>AllowanceChargeTypeCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>UN/ECE</b>
<b>Based on Code List</b>	<b>7161 Special Service Description Code 01B</b>
<b>Type Of Management</b>	<b>GS1 RESTRICTED + EXTENDED</b>

Code Value	Code Name	Code Definition
AA	Advertising allowance	Description to be provided.
AAB	Returned goods charges	Self-explanatory.
AAJ	Copper surcharge	Difference between current price and basic copper value contained in product price.
AAM	Rubber surcharge	Difference between current price and basic value contained in product price.
AAT	Rush delivery	Charge for increased delivery speed.
AAX	Wolfram surcharge	Difference between current price and basic value contained in product price.
AAY	Airport fee	Charge associated with usage of airport facilities.
ABA	Compulsory storage fee	Fee levied to cover the cost of carrying a certain amount of compulsory inventory (set by regulatory agency).
ABH	Throughput allowance	Allowance for reaching or exceeding an agreed throughput threshold.
ABL	Packaging surcharge	Additional charge for packaging of items.
ABZ	Miscellaneous rebate or discount	Non-defined rebate or discount.
ACQ	Royalty surcharge	Additional charge on an item's price for royalty.
ACY	Container deposit charge	The charge relating to the packaging of a product in a container when the container is expected to be returned and has value when empty.
ACZ	Damaged merchandise	The charge or credit relating to the circumstance of product being damaged and not saleable.
ADM	Binding services	A code indicating binding services.
AND	Repair or replacement of broken returnable package	The repair or replacement of a broken returnable package.
ADO	Efficient logistics	A code indicating efficient logistics services.
ADP	Merchandising	A code indicating that merchandising services are in operation.
ADQ	Product mix	A code indicating that product mixing services are in operation.
ADR	Other services	A code indicating that other non-specific services are in operation.
ADS	Full pallet ordering	Ordering of a full pallet of a product.
ADT	Pick-up	For the pick-up or collection of goods.
ADZ	Direct delivery	The specification of direct delivery as a special service.
AEK	Cash on delivery service	An allowance or charge related to the provision of a cash on delivery service.
AEM	Clerical or administrative services	The provision of clerical or administrative services.
AEN	Guarantee service	The provision of a guarantee service.
AEO	Collection and recycling service	The service of collection and recycling products.

AEP	Copyright fee collection services	The service of the collection of copyright fees.
AEQ	Charge for exceeding agreed ordered quantity	Charge applicable if the ordered quantity exceeds the quantity that has been agreed upon.
AES	Veterinary inspection service	Allowance or charge related to the service of veterinary inspection.
AEV	Environmental protection service	An allowance or charge related to a provision of an environmental protection service.
AEX	National cheque processing service outside account area	Service of processing a national cheque outside the ordering customer's bank trading area.
AEY	National payment service outside account area	Service of processing a national payment to a beneficiary holding an account outside the trading area of the ordering customer's bank.
AEZ	National payment service within account area	Service of processing a national payment to a beneficiary holding an account within the trading area of the ordering customer's bank.
AG	Silver surcharge	Difference between current price and basic value contained in product price.
AJ	Adjustments	Description to be provided.
ASS	Assortment allowance (GS1 Code)	Allowance given when a specific part of a suppliers assortment is purchased by the buyer.
CA	Cataloguing services	Description to be provided.
CAC	Cash discount	Discount incurring with cash payment.
CAG	Competitive allowance	Price adjustment allowed for market conditions or factors.
CAI	Cutting charge	Description to be provided.
CAL	Payroll payment service	Provision of a payroll payment service.
CAM	Cash transportation service	Provision of a cash transportation service.
CAN	Home banking service	Provision of a home banking service.
CAP	Insurance brokerage service	Provision of an insurance brokerage service.
CAQ	Cheque generation service	Provision of a cheque generation service.
CAR	Preferential merchandising location	Service of assigning a preferential location for merchandising.
CAS	Crane service	Provision of a crane service.
CAT	Special colour service	Providing a colour which is different from the default colour.
CP	Competitive price	Description to be provided.
DAE	Distributor discount/allowance	Specific discount/allowance for distributors.
DBD	Debtor bound (GS1 Code)	A special allowance or charge applicable to a specific debtor.
DDA	Dealer discount/allowance (GS1 Code)	A discount or allowance offered by a party dealing a certain brand or brands of products.
DI	Discount	A reduction from a usual or list price.
DTC	Discount transferable to the consumer (GS1 Code)	A discount given by the manufacturer which should be I to the consumer.
EAA	Early buy allowance	Allowance granted to customers buying early.
EAB	Early payment allowance	Allowance granted to customers paying early.
FA	Freight allowance	Description to be provided.
FC	Freight charge	Amount to be paid for moving goods, by whatever means, from one place to another, inclusive discounts, allowances, rebates, adjustment factors and additional cost relating to freight costs (UN/ECE Recommendation no 23).



FG	Free goods	Allowance or rebate granted by delivery of goods free of charge.
FI	Finance charge	Description to be provided.
FR	Flat Rate	Flat Rate
GRB	Growth of business(GS1 Code)	An allowance or charge related to the growth of business over a pre-determined period of time.
HD	Handling	Charge for handling of the item.
IN	Insurance	Charge for insurance.
INT	Introduction allowance (GS1 Code)	An allowance related to the introduction of a new product to the range of products traded by a retailer.
IS	Invoice services	Description to be provided.
LA	Labelling	Service of labelling items.
MAC	Minimum order/minimum billing charge	Description to be provided.
MB	Multi-buy promotion (GS1 Code)	A code indicating special conditions related to a multi-buy promotion.
MC	Material surcharge (special materials)	Description to be provided.
NAA	Non-returnable containers	Description to be provided.
PAD	Promotional allowance	Description to be provided.
PAE	Promotional discount	Description to be provided.
PAR	Partnership allowance (GS1 Code)	An allowance or charge related to the establishment and on-going maintenance of a partnership.
PC	Packing	Charge for packing.
PI	Pick-up allowance	Description to be provided.
PL	Palletizing	Description to be provided.
PN	Pallet charge	Description to be provided.
QAA	Quantity surcharge	Fee associated with providing goods outside "normal" quantity limits.
QD	Quantity discount	Description to be provided.
RAA	Rebate	Description to be provided.
RAD	Returnable container	Description to be provided.
RAE	Resellers discount	Description to be provided.
RCH	Return handling (GS1 Code)	An allowance or charge related to the handling of returns.
SER	Service charge (GS1 Code)	A charge related to the provision of a guarantee.
SH	Special handling service	Description to be provided.
SOR	Sorting (GS1 Code)	The provision of sorting services.
TAE	Truckload discount	Description to be provided.
TD	Trade discount	Description to be provided.
TX	Tax	Contribution levied by an authority.
TZ	Temporary allowance	Description to be provided.
VAB	Volume discount	Discount offered based on the amount of purchase.
WHE	Wholesaling discount (GS1 Code)	A special discount related to the purchase of products through a wholesaler.
X01	Allowance Global (GS1 Code)	Allowance Global
X02	Charge Global (GS1 Code)	Charge Global (GS1 Code)
X03	Consolidated (GS1 Code)	Consolidated (GS1 Code)
X04	Lump sum (GS1 Code)	Lump sum (GS1 Code)

X05	Markup for small volume purchases (GS1 Code)	Markup for small volume purchases (GS1 Code)
X21	Special agreement (GS1 Code)	Charge or allowance which relates to a special agreement.
X22	Bank charges information (GS1 Code)	Charges not included in the total charge amount.
X23	Transfer commission (GS1 Code)	Fee for the transfer of transferable documentary credits.
X29	Minimum order not fulfilled charge (GS1 Code)	Charge levied because the minimum order quantity could not be fulfilled.
X30	Point of sales allowance (GS1 Code)	Allowance for reaching or exceeding an agreed sales threshold at the point of sales.
X31	Remittance (GS1 Code)	Charge or allowance related to the service of a payment carried out with a cheque from a city different to the city where the beneficiary has the account.
X32	National consignment (GS1 Code)	Charge or allowance which relates to the service of a payment carried out outside the city where the account was opened.
X33	Local consignment (GS1 Code)	Charge or allowance which relates to the service of a payment carried out within the city where the account was opened.

## 6.11. Bar Code Type Code

<b>GS1 Code List</b>	<b>BarCodeTypeCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Definition
ITF_14	ITF-14 (A subset of Interleaved 2-of-5) Bar Codes carry GTINs only on trade items that are not expected to pass through the Point-of-Sale.
NO_BARCODE	Item packaging does not contain bar code.
GS1_DATABAR_OMNIDIRECTIONAL	A full height, two-row version of the GS1 DataBar Omnidirectional Bar Code that is designed to be read by an omnidirectional scanner, such as a retail slot scanner.
GS1_DATABAR_STACKED	The GS1 DataBar Stacked Bar Code is a reduced height two-row version of the GS1 DataBar Omnidirectional Bar Code that is designed for small items that will not need to be read by omnidirectional scanners.
GS1_DATABAR_STACKED_OMNIDIRECTIONAL	A full height, two-row version of the GS1 DataBar Omnidirectional Bar Code that is designed to be read by an omnidirectional scanner, such as a retail slot scanner.
GS1_DATABAR_TRUNCATED	A reduced height version of the GS1 DataBar Omnidirectional Bar Code that is designed for small items that will not need to be read by omnidirectional scanners.
GS1_DATABAR_EXPANDED	A bar code with a variable width (from 4 to 22 symbol characters, or a minimum of 102X wide and a maximum of 534X wide) and is 34X high (where X is the width of a module).
GS1_DATABAR_EXPANDED_STACKED	A multi-row stacked version of GS1 DataBar Expanded.
GS1_DATABAR_LIMITED	A bar code designed for small items that will not need to be read by omnidirectional Point-of-Sale (POS) scanners. Its dimensions are 74X wide, starting with a 1X space and ending with a 1X bar, by 10X high (where X is the width of a module).
GS1_128	A subset of Code 128 that is utilised exclusively for GS1 System data structures.
UPC_A	A bar code of the EAN/UPC Symbology that encodes GTIN-12, Coupon-12, RCN-12, and VMN-12.



Code Value	Code Definition
UPC_E	A bar code of the EAN/UPC Symbology representing a GTIN-12 in six explicitly encoded digits using zero-suppression techniques.
EAN_13	A bar code of the EAN/UPC Symbology that encodes GTIN-13, Coupon-13, RCN-13, and VMN-13.
EAN_13_COMPOSITE	An EAN-13 symbol with an additional CC-A or CC-B Composite symbol included at the top of the EAN-13 symbol
EAN_8	A bar code of the EAN/UPC Symbology that encodes GTIN-8 or RCN-8.
GS1_DATABAR_LIMITED_COMPOSITE	A GS1 DataBar Limited Symbol symbol with an additional CC-A or CC-B Composite symbol included at the top of theGS1 DataBar Limited symbol
UPC_A_WITH_TWO_DIGIT_ADD_ON	A UPC-A Symbol with with an additional two-digit symbol, called an Add-On Symbol that can be included on the item just to the right of the main bar code.
UPC_E_WITH_TWO_DIGIT_ADD_ON	A UPC-E Symbol with with an additional two-digit symbol, called an Add-On Symbol that can be included on the item just to the right of the main bar code.
EAN_13_WITH_FIVE_DIGIT_ADD_ON	An EAN-13 with an additional five-digit symbol, called an Add-On Symbol that can be included on the item just to the right of the main bar code.
EAN_13_WITH_TWO_DIGIT_ADD_ON	An EAN-13 with an additional two-digit symbol, called an Add-On Symbol that can be included on the item just to the right of the main bar code.
EAN_8_COMPOSITE	An EAN-8 symbol with an additional CC-A or CC-B symbol included at the top of the EAN-8 symbol
GS1_DATA_MATRIX	GS1 implementation specification for use of Data Matrix
GS1_DATABAR_EXPANDED_COMPOSITE	A GS1 DataBar Expanded symbol with an additional CC-A or CC-B Composite symbol included at the top of theGS1 DataBar Expanded symbol
GS1_DATABAR_EXPANDED_STACKED_COMPOSITE	A GS1 DataBar Expanded Stacked symbol with an additional CC-A or CC-B Composite symbol included at the top of the GS1 DataBar Expanded Stacked symbol
GS1_DATABAR_OMNIDIRECTIONAL_COMPOSITE	A GS1 DataBar Omnidirectional symbol with an additional CC-A or CC-B Composite symbol included at the top of the GS1 DataBar Omnidirectional Stacked symbol
GS1_DATABAR_STACKED_COMPOSITE	A GS1 DataBar Stacked symbol with an additional CC-A or CC-B Composite symbol included at the top of the GS1 DataBar Stacked symbol
GS1_DATABAR_STACKED_OMNIDIRECTIONAL_COMPOSITE	A GS1 DataBar Stacked Omnidirectional symbol with an additional CC-A or CC-B Composite symbol included at the top of the GS1 DataBar Stacked Omnidirectional symbol
GS1_DATABAR_TRUNCATED_COMPOSITE	A GS1 DataBar Truncated symbol with an additional CC-A or CC-B Composite symbol included at the top of the GS1 DataBar Truncated symbol
GS1_128_COMPOSITE	A GS1-128 symbol with an additional CC-A, CC-B or CC-C Composite symbol included at the top of the GS1-128 symbol
UPC_A_WITH_FIVE_DIGIT_ADD_ON	A UPC-A with an additional five-digit symbol, called an Add-On Symbol that can be included on the item just to the right of the main bar code.
UPC_A_COMPOSITE	A UPC-A symbol with an additional CC-A or CC-B Composite symbol included at the top of the UPC-A symbol
UPC_E_COMPOSITE	A UPC-E symbol with an additional CC-A or CC-B Composite symbol included at the top of the UPC-E symbol
UPC_E_FIVE_DIGIT_ADD_ON	A UPC-E with an additional five-digit symbol, called an Add-On Symbol that can be included on the item just to the right of the main bar code.



## 6.12. Colour Code List Code

<b>GS1 Code List</b>	<b>ColourCodeListCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Name	Code Definition
1	National Retail Federation	National Retail Federation – Standard Colour & Size Codes This handbook provides guidelines for use in retailers' and vendors' merchandising and communications systems.
2	PANTONE Matching System	PANTONE MATCHING SYSTEM: The definitive international reference for selecting, specifying, matching and controlling ink colours. The PANTONE formula guide, a three-guide set consisting of 1,114 solid PANTONE Colours on coated, uncoated and matte stock, shows corresponding printing ink formulas for each colour, and the three-book set of solid chips provides coated, uncoated and matte perforated tear-out chips that can be used for quality control. Pantone® Inc
3	PANTONE Process Colour System®	PANTONE Process Colour System® Provides a comprehensive palette of more than 3,000 colours achievable in four-color (CMYK) process printing. The PANTONE solid to process guide compares a solid PANTONE Colour to the closest possible match in CMYK four-color process that can be achieved on a computer monitor, output device or printing press. Other PANTONE Colour Reference Guides for the graphic arts include metallic, pastels, tints, duotones, film and foil. The PANTONE Hexachrome® Color System. Pantone® Inc
4	The PANTONE Hexachrome® Color System	The PANTONE Hexachrome® Color System: A six-colour ultra high quality printing process, reproduces a dynamic range of more brilliant continuous-tone images and simulates brighter, more vivid colours than standard four-color process printing. Pantone® Inc
5	PANTONE TEXTILE Colour System®	PANTONE TEXTILE Colour System® A vital tool for designers in the apparel, home furnishings and interior design industries for selecting and specifying colour used in the manufacture of textiles and fashion. The System - consisting of 1,932 colours in cotton or paper format - is ideal for assembling creative palettes and conceptual colour schemes, and for providing colour communication and control in the manufacturing process. In January of 2001 Pantone Inc. included the NRF Colour Codes into the PANTONE TEXTILE Color System. Pantone® Inc
6	Assigned by Buyer	Assigned by Buyer
7	Assigned by Seller	Assigned by Seller
8	WWS	WWS: (Waren Wirtschafts System): A colour code system used in Germany for the standardisation of colours within the fashion/apparel sector.
9	RAL	RAL: Farbsystem RAL colour system is an international colour standard for professional users of colours in industry, trade, architecture and design since 1927. RAL is an independent and neutral partner for industry and trade. <a href="http://www.ral.de">http://www.ral.de</a> .
10	NCS	NCS: Natural Colour System is a national standard for colour in Sweden, Norway, Spain and South Africa, has extensive international distribution. <a href="http://www.ncscolour.com">http://www.ncscolour.com</a>
11	IFPS	IFPS: The International Federation for Produce Standards. IFPS is composed of national produce associations from around the globe. The long term objective of the federation is to improve the supply chain efficiency of the fresh produce industry through developing, implementing and managing harmonized international standards. <a href="http://www.ifpsglobal.com/ProductIdentification.aspx">http://www.ifpsglobal.com/ProductIdentification.aspx</a>



### 6.13. Communication Channel Code

<b>GS1 Code List</b>	<b>Communication Channel Code</b>
<b>GS1 Code List Version</b>	2 (December 2012)
<b>Managing Agency</b>	GS1
<b>Based on Code List</b>	n/a
<b>Type Of Management</b>	n/a

Code Value	Code Name	Code Definition
EMAIL	email	Creating/sending/receiving of unstructured free text messages or documents using computer network, a mini-computer or an attached modem and regular telephone line or other electronic transmission media.
SOCIAL_MEDIA	Social Media	A social media address.
TELEFAX	Telefax	Device used for transmitting and reproducing fixed graphic material (as printing) by means of signals over telephone lines or other electronic transmission media.
TELEPHONE	Telephone	Voice/data transmission by telephone.
WEBSITE	Website	The identification of a world wide web address.

## 6.14. Contact Type Code

<b>GS1 Code List</b>	<b>ContactTypeCode</b>
<b>GS1 Code List Version</b>	<b>2 (December 2012)</b>
<b>Managing Agency</b>	<b>UN/ECE</b>
<b>Based on Code List</b>	<b>UN/EDIFACT 3139</b>
<b>Type Of Management</b>	<b>GS1 RESTRICTED AND EXTENDED</b>

Code Value	Code Name	Code Definition
AA	Insurance contact	Department/person to contact for matters regarding insurance.
AD	Accounting contact	The contact responsible for accounting matters.
AE	Contract contact	Department/person to contact for matters regarding contracts.
AM	Claims contact	Department/person to contact for matters regarding claims.
AP	Accounts payable contact	Department/person responsible for the accounts payable function within a corporation.
AR	Accounts receivable contact	Department/person responsible for the accounts receivable within a corporation.
BC	Banking contact	Contact person for bank.
BJ	Department or person responsible for processing purchase order	Identification of the department or person responsible for the processing of purchase orders.
BO	After business hours contact	Department/person to contact after normal working hours.
BVP	Production Facility (GS1 Code)	General description of the contact for the trade item for example Production Facility 3
BXA	Administrative (GS1 Code)	This code specifies that this contact is of the type "Administrative".
BYF	Financial (GS1 Code)	This code specifies that this contact is of the type "Financial".
BZL	Licensee Registrar (GS1 Code)	The party having legal responsibility for the product in the target market. This party is responsible for licensing and regulations within the target market and can be the manufacturer, importer, sales agent or broker.
CB	Changed by	Person who made the change.
CKE	Cook (GS1 Code)	Person responsible for cooking.
CP	Responsible person for computer data processing	Responsible person to contact for matters regarding computer data processing.
CR	Customer relations	Individual responsible for customer relations.
CXC	Consumer Support (GS1 Code)	The party which provides product support to the end user of a trade item or a service (GS1 Code)
CYC	Customer Support (GS1 Code)	The party which provides product support to the trading partner party to which merchandise is sold. (GS1 Code)
CZL	Logistics (GS1 Code)	This code specifies that this contact is of the type "Logistics".
DE	Department/employee to execute export procedures	Department/employee which/who executes export procedures.
DI	Department/employee to execute import procedures	Department/employee which/who executes import procedures.
DL	Delivery contact	Department/person responsible for delivery.
DMO	Operations (GS1 Code)	This code specifies that this contact is of the type "Operations".
DNR	Recall Support (GS1 Code)	The contact where information about recalls for the item can be obtained.
DOG	GDS Contact (GS1 Code)	The contact where information in relation to Data Synchronisation can be obtained.



Code Value	Code Name	Code Definition
DPP	Packaging engineer (GS1 Code)	The contact where information in relation to the packaging for the item can be obtained.
DQT	Target Market Information Provider (GS1 Code)	The contact information provider's business contact within the target market for the GTIN. This is a different GLN than the Information Provider of the item of record.
DSU	Unspecified (GS1 Code)	Value not stated.
ED	Engineering contact	Department/person to contact for matters regarding engineering.
GR	Goods receiving contact	Department/person responsible for receiving the goods at the place of delivery.
HE	Emergency dangerous goods contact	Party who is to be contacted to intervene in case of emergency.
HG	Dangerous goods contact	Department/person to be contacted for details about the transportation of dangerous goods/hazardous material.
IC	Information contact	Department/person to contact for questions regarding transactions.
LO	Place of collection contact	Department/employee to be contacted at the place of collection.
MGR	Manager (GS1 Code)	Person responsible for management within a department or company.
NT	Notification contact	Department/employee to be notified.
OC	Order contact	An individual to contact for questions regarding this order.
PD	Purchasing contact	Department/person responsible for issuing this purchase order.
PM	Product management contact	Department/person to contact for questions regarding this order.
PRC	Product Recall Contact (GS1 Code)	Contact responsible for creating, issuing and updating the product recall notification.
PRM	Product Recall Media Relation Contact (GS1 Code)	Contact who is responsible for providing information related to the product recall to media outlets.
PRO	Product Recall Consumer Contact (GS1 Code)	Contact who is responsible for providing information related to the product recall to consumers.
PRR	Product Removal Contact (GS1 Code)	Contact responsible for creating and issuing the product removal message to the product recall contact.
QC	Quality coordinator contact	Quality coordinator contact within an organization.
SA	Sales administration	Name of the sales administration contact within a corporation.
SD	Shipping contact	The shipping department contact within an organization.
SR	Sales representative or department	The sales representative or department contact within an organization.
TA	Traffic administrator	The traffic administrator contact within an organization.
TD	Test contact	Department/person responsible for testing contact.
TR	Transport contact	Department/person in charge of transportation.
WH	Warehouse	The warehouse contact within an organization.
ZZZ	Mutually Defined	A code assigned within a code list to be used on an interim basis and as defined among trading partners until a precise code can be assigned to the code list.

## 6.15. Country Code

<b>GS1 Code List</b>	<b>CountryCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>ISO</b>
<b>Based on Code List</b>	<b>ISO 3166-1</b>
<b>Type Of Management</b>	<b>FULLY ADOPTED</b>

GS1 uses the ISO 3166-1 Code List to populate Country Code. The use of either the alpha-2 codes (e.g. FR) or the ISO 3166-1 numeric (e.g. 250) is determined by implementation.

## 6.16. Country Subdivision Code

<b>GS1 Code List</b>	<b>CountrySubdivisionCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>ISO</b>
<b>Based on Code List</b>	<b>ISO 3166-2</b>
<b>Type Of Management</b>	<b>FULLY ADOPTED</b>

GS1 uses the ISO 3166-2 Code List to populate Country Subdivision Code. .

## 6.17. Currency Code

<b>GS1 Code List</b>	<b>CurrencyCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>ISO</b>
<b>Based on Code List</b>	<b>ISO 4217</b>
<b>Type Of Management</b>	<b>FULLY ADOPTED</b>

GS1 uses the ISO 4217 Code List to populate Currency Code.

## 6.18. Date Format Code

<b>GS1 Code List</b>	<b>DateFormatCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Name	Code Definition
CCYYMMDD		A date defined as follows: 20100127
DDMMCCYY		A date defined as follows: 27012010
DDMMMCCYY		A date defined as follows: 27OCT2010
MMDDCCYY		A date defined as follows: 01272010
MMMDDCCYY		A date defined as follows: OCT0272010
PERIOD_ID		Definition not available
XSD_DATE		A date as defined by the Gregorian calendar as specified in XML for example 2001-10-26
XSD_DATE_TIME		A date and time as defined by the Gregorian calendar as specified in XML for example 2001-10-26T21:32:52

## 6.19. Entity Type Code

<b>GS1 Code List</b>	<b>EntityTypeCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Name	Code Definition
1	Buyer Reconciliation Of Request For Payment	
3	Catalogue Item Confirmation	
4	Catalogue Item Link	
5	Catalogue Item Notification	
6	Catalogue Item Publication	
7	Catalogue Item Registration Response	
8	Catalogue Item Subscription	
9	Configure To Order	
10	Confirmation Of Settlement Instructions	
11	Control Total	
12	Data Synchronisation Data Pool Profile	
13	Data Synchronisation Error	
14	Debit Credit Advice	
15	Despatch Advice	
17	Event	
18	Exception Criteria	
19	Exception Notification	
20	Financial Institution Control Total	
21	Forecast	
22	Forecast Bulk Data	
23	Forecast Revision	
29	GDSN Exception	
30	Inventory Report	
35	Order	
36	Order Response	
37	Party Confirmation	
38	Party Document	
39	Party Notification	
40	Party Publication	
41	Party Registration	
42	Party Registration Response	
43	Party Subscription	
44	Performance History	
46	Price Bracket Document	
47	Price Document	

Code Value	Code Name	Code Definition
48	Product Activity	
49	Product Activity Bulk Data	
50	Receiving Advice	
51	Registry Catalogue Item	
52	Replenishment Proposal	
53	Replenishment Request	
54	Request For Catalogue Item Notification	
55	Request For Party Notification	
56	Request For Payment	
57	Retail Event	
58	Search Request	
59	Search Result	
60	Settlement	
66	Trade Item Document	
67	Trade Item Information Request	
68	Trade Item Location Profile	
69	Warehouse Shipping Order	
70	Performance Measurement	The Performance Measurement message allows trading partners to identify goals for the measures that they wish to share, as well as exchange the values for those measures. The scope of the message includes key measures of Sales, Operations, Supply Chain, and Data Accuracy performance.
71	Transport Instruction	
72	Transport Instruction Response	
73	Transport Status Request	
74	Transport Status Notification	
75	Transport Pick-up / Drop-off Request	
76	Transport Pick-up / Drop-off Confirmation	
77	Transport Capacity Requirements	
78	Transport Capacity Plan	
79	Transport Capacity Booking	
80	Transport Capacity Booking Response	
81	Artwork Content	
82	Artwork Content Response	
83	Basic Party Registration	A message used to register parties at the Global Registry.
84	Registry Party Data Dump	A message containing information on parties registered at the Global Registry.
85	Party Registration Response	A response message from the Global Registry regarding the status of a party registration.
86	Catalogue Item Authorisation	A document used to authorise or de-authorise an item for sale to one or many business locations.

Code Value	Code Name	Code Definition
87	Catalogue Item Authorisation Response	Response Document used to Accept or Reject a Catalogue Item Authorisation.
88	Catalogue Item Hierarchical Withdrawal	A business message used to transmit trade item information from a data source or a data pool to a data recipient with the Global Data Synchronisation Network with regards to a correction that is required to an item hierarchy that has already been synchronised.□
89	GS1 Response	The standard response sent within the GDSN.
90	Price Synchronisation Document	An electronic document used to synchronise pricing information including pricing relationship, pricing elements and item price depiction between trading partners in order to facilitate an invoice amount equal to the expected payment amount equal to the actual payment.
91	Price Synchronisation Confirmation	The electronic communication from the Data Recipient to the Data Source indicating what action has been taken on the price synchronisation relationship, condition or price segment.



## 6.20. Financial Account Number Type Code

<b>GS1 Code List</b>	<b>FinancialAccountNumberTypeCode</b>
<b>GS1 Code List Version</b>	<b>2 (December 2012)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Name	Code Definition
TIME_DEPOSIT	Time Deposit	<p>The resource value of a time deposit is the net amount due after penalties are imposed for early withdrawal. If the funds cannot be withdrawn before maturity, the time deposit is not a resource until it matures. Time deposits include but are not limited to certificates of deposit, savings certificates, and individual retirement accounts (IRAs).</p> <p>Release notes: Marked for deletion in version 2.</p>
CHECKING_ACCOUNT DEPOSIT	Checking Account	<p>US term corresponding to "current account" in the UK. A demand deposit account, withdrawals from which may be made by a written, negotiable instrument.</p> <p>Release notes: Marked for deletion in version 2.</p>
BUSINESS_ACCOUNT DEPOSIT	Business Account	<p>An identifying number or code assigned by issuing authorities to manage business activities. Note: 1. This code value will be removed effective with directory D.04A. (UN/CEFACT)</p> <p>Release notes: Marked for deletion in version 2.</p>
IBAN_IDENTIFICATION	IBAN Identification	<p>The International Bank Account Number (IBAN) is an internationally agreed means of identifying bank accounts across national borders.</p> <p>Release notes: New in version 2.</p>
BBAN_IDENTIFICATION	BBAN Identification	<p>Basic Bank Account Number (BBAN) is an internationally agreed means of identification bank accounts within a country.</p> <p>Release notes: New in version 2.</p>



**Note:** The code values TIME\_DEPOSIT, CHECKING\_ACCOUNT, BUSINESS\_ACCOUNT have been marked for deletion, which means they will be removed from the list in the next major release of the GS1 XML standards.

## 6.21. Financial Routing Number Type Code

<b>GS1 Code List</b>	<b>Financial Routing Number Type Code</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

<b>Code Value</b>	<b>Code Name</b>	<b>Code Definition</b>
ABA_TRANSIT_ROUTING_NUMBER	ABA Transit Routing Number	Routing (aka transit) number assigned by the American Bankers Association.
SWIFT_IDENTIFICATION	SWIFT Identification	Routing (aka transit) number assigned by SWIFT for International wires.
CHIPS	CHIPS	Routing (aka transit) number assigned by Clearing House Interbank Payments System.
CANADIAN_BANK	Canadian Bank	Routing (aka transit) number assigned by the Canadian Payments Association.

## 6.22. Incoterms Code

GS1 Code List	IncotermsCode
GS1 Code List Version	n/a
Managing Agency	UNECE
Based on Code List	UNECE recommendation 5 ( <a href="http://www.unece.org/cefact/recommendations/rec_index.html">http://www.unece.org/cefact/recommendations/rec_index.html</a> )
Type Of Management	FULLY ADOPTED



**Important:** It is recommended to use the latest published version of the Incoterms code list. The applied version may be specified in the message using the `codeListVersionAttribute`. The version numbering scheme applied by UNECE for this code list is CCYY, for example '2010'.

## 6.23. Language Code

GS1 Code List	LanguageCode
GS1 Code List Version	n/a
Managing Agency	ISO
Based on Code List	ISO 639-1
Type Of Management	FULLY ADOPTED

## 6.24. Measurement Unit Code

GS1 Code List	MeasurementUnitCode
GS1 Code List Version	n/a
Managing Agency	UN/ECE
Based on Code List	UN/ECE Recommendation 20 – revision 6
Type Of Management	FULLY ADOPTED



**Note:** Note: The complete Recommendation 20 will be used within eCom. Within GDSN there will be a subset based on the work done by the Code List Sub team within GDSN (CR 08-000013).

## 6.25. Nutrient Type Code

<b>GS1 Code List</b>	<b>NutrientTypeCode</b>
<b>GS1 Code List Version</b>	<b>3 (Jan 2013)</b>
<b>Managing Agency</b>	<b>Food and Agriculture Organisation of the United Nations</b>
<b>Based on Code List</b>	<b>UN INFOODS - June 2007 including 2008 and 2010 updates.</b>
<b>Type Of Management</b>	<b>GS1 EXTENDED</b>

The following GS1 extensions have been defined:

Code Value	Code Name	Code Definition
ENERSF	Calories From Saturated Fat	Calories From Saturated Fat(Temporary GS1 Code)
G_CMO	Carbon Monoxide	Carbon Monoxide(Temporary GS1 Code)
G_HC	Bicarbonate	Bicarbonate (or hydrogen carbonate) is an intermediate form in the deprotonation of carbonic acid. It is an anion with the chemical formula HCO <sub>3</sub> . Bicarbonate serves a crucial biochemical role in the physiological pH buffering system. Bicarbonate is a major element in our body, and is present in all body fluids and organs. Secreted by the stomach, it is necessary for digestion. When ingested, for example, with mineral water, it helps buffer lactic acid generated during exercise and also reduces the acidity of dietary components. Finally, it has a prevention effect on dental cavities.
G_NICT	Nicotine	Nicotine(Temporary GS1 Code)
G_NMES	Non-milk Extrinsic Sugars	Non-milk Extrinsic Sugars (Temporary GS1 Code)
G_TAR	Tar	Tar(Temporary GS1 Code)
GINSENG	Ginseng	Ginseng may be included in small doses in energy drinks or herbal teas, such as ginseng coffee. Ginseng is known to contain phytoestrogens. The ginseng root has been used in Asia for more than two millennia to enhance energy, support the immune system, and improve concentration. Ginseng is a mild stimulant.
HMB	Beta-hydroxy-beta-methylbutyrate	(beta-hydroxy-beta-methylbutyrate) - increases muscle mass and decrease muscle breakdown. (Temporary GS1 Code)
IODIZED_SALT	Iodized Salt	Table salt mixed with a minute amount of various iodine-containing salts (Temporary GS1 Code)
L_CARNITINE	Carnitine	Carnitine is a substance that helps the body turn fat into energy. Your body makes it in the liver and kidneys and stores it in the skeletal muscles, heart, brain, and sperm. Carnitine is available as a supplement in a variety of forms: <ul style="list-style-type: none"> <li>a. L-carnitine: the most widely available and least expensive</li> <li>b. Acetyl-L-carnitine: Often used in studies for Alzheimer's disease and other brain disorders</li> <li>c. Propionyl-L-carnitine: Often used in studies for heart disease and peripheral vascular disease</li> </ul> (Temporary GS1 Code)
NUCLEOTIDE	Nucleotide	Nucleotides are organic molecules composed of a nucleobase, a five-carbon sugar (ribose or deoxyribose) and at least one phosphate group.
SALTEQ	Salt Equivalent:	The calculated level of salt equal to Na (natrium (sodium)) x 2,5. (Temporary GS1 Code)

## 6.26. Party Role Code

<b>GS1 Code List</b>	<b>PartyRoleCode</b>
<b>GS1 Code List Version</b>	<b>2 (December 2012)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Name	Code Definition
ACCEPTING_PARTY		Party accepting goods, products, services etc.
BILL_OF_LADING_RECIPIENT		Party to receive Bill of Lading.
BILL_TO		Party which receives goods and invoice.
BRAND_OWNER		The organisation that owns the specifications of the Party regardless of where and by whom it is manufactured is normally responsible for the allocation of the Global Trade Item Number (GTIN).
BREEDER		The party which breeds the animal.
BROKER_AGENT		A person who buys or sells for another entity without having title to the property.
BUYER		Party to which merchandise are sold.
BUYERS_AGENT_REPRESENTATIVE		Third party who arranged the purchase of merchandise on behalf of the actual buyer.
CARRIER		A company, which physically transports goods from one place to another.
CENTRAL_PAYMENT_SERVICE		Master of the conveyance. A party providing central (or consolidated payment) services.
CHECKING_PARTY		Party or contact designated on behalf of carrier or his agent to establish the actual figures for quantities, weight, volume and/or (cube) measurements of goods or containers which are to appear in the transport contract and on which charges will be based
CHEQUE_ORDER		Party to which the cheque will be ordered, when different from the beneficiary.
CONSIGNEE		Party to which goods are consigned.
CONSOLIDATOR		Party consolidating various consignments, payments etc.
CONSUMER		The end user of a trade item or a service.
CORPORATE_IDENTITY		Identity of the party to whom all other parties of the same commercial organization are linked.
CUSTOMS		Identification of customs authority relevant to the transaction or shipment.
CUSTOMS_BROKER		Party responsible for the preparation of documents and/or electronic submissions, the calculation on behalf of the client of taxes, duties and excises, and facilitating communication between the importer/exporter and governmental

Code Value	Code Name	Code Definition
		authorities.
CUTTER		One engaged in carving meat (In EANCOM as Meat Cutter).
DECLARANTS_AGENT_REPRESENTATIVE		Any natural or legal person who makes a declaration to an official body on behalf of another natural or legal person, where legally permitted (CCC).
DELIVERY_PARTY		Party to which goods are delivered.
DESIGNER		A Party who designs.
DESPATCH_PARTY		Party where goods are collected or taken over by the carrier.
DISTRIBUTOR		Party distributing goods, financial payments or documents.
DOCK_DOOR		A door or collection of doors where trucks or rail cars are loaded (shipping) or unloaded (receiving). Used to load or unload trade items for logistics.
EMPTY_EQUIPMENT_DESPATCH_PARTY		Party from whose premises empty equipment will be or has been despatched.
EMPTY_EQUIPMENT_RETURN_PARTY		Party to whose premises empty equipment will be or has been returned.
EQUIPMENT_OWNER		Owner of equipment (container, etc.).
EXPORTER		Party who makes - or on whose behalf a Customs clearing agent or other authorized person makes - an export declaration. This may include a manufacturer, seller or other person. Within a Customs union, consignor may have the same meaning as exporter
FACTOR		A party that purchases financial receiving instruments e.g. invoices
FATTENER		The Party which fattens the animal.
FREIGHT_FORWARDER		A person or firm that arranges for a pick up or deliver goods by a carrier on instructions of a shipper or consignee from or to a point by various necessary conveyances and common carriers.
GOODS_OWNER		The party which owns the goods.
GROWER		A party which is responsible for the growth or production of the unit specifically refers to vegetation. This organization may or may not be a producer or packer.
HEAD_OFFICE		The executive or main office of an enterprise.
IMPORTER		Party who makes - or on whose behalf a Customs clearing agent or other authorized person makes - an import declaration. This may include a person who has possession of the goods or to whom the goods are consigned.
INFORMATION_PROVIDER		The Party providing the information contained in the document.
INSURER		A person or company offering insurance policies for premiums.
INTERMEDIARY_BANK_1		A financial institution between the ordered bank and the beneficiary's bank.

Code Value	Code Name	Code Definition
INTERMEDIARY_BANK_2		A financial institution between the ordered bank and the beneficiary's bank.
INVENTORY_CONTROLLER		To specifically identify the party in charge of inventory control.
INVENTORY_REPORTING_PARTY		Party reporting inventory information.
INVOICEE		Party issuing an invoice.
ISSUER_OF_INVOICE		Party which issues an invoice.
LOGISTICS_SERVICE_PROVIDER		An umbrella term for an entity, which provides a combination of many different logistics services for another entity.
MANUFACTURER_OF_GOODS		Party who manufactures the goods.
MANUFACTURING_PLANT		A physical location consisting of one or more buildings with facilities for manufacturing.
MARK_FOR		The ultimate destination of a unit load or transport package of goods where the Ship-To is a different location.
MESSAGE_FROM		Party where the message comes from.
MESSAGE_RECIPIENT		Party receiving the message.
MINCER		One engaged in the cutting or chopping of meat into very small pieces.
OPERATING_DIVISION		An entity that is part of another entity. For example, a Regional Marketing Office. Operating Divisions may have multiple days and times of operation.
OPERATOR		A person or persons who own or operate a business establishment, which services consumers directly. For example a restaurant owner as part of a chain or an independent operation.
ORDERING_PARTY		To be used only if ordering party and buyer are not identical.
OWNER_OF_EQUIPMENT		Party who owns equipment.
OWNER_OF_MEANS_OF_TRANSPORT		Party owning the means of transport. Not a synonym of carrier
PARTY_DECLARING_THE_VALUE_ADDED_TAX		A code to identify the party who is responsible for declaring the Value Added Tax (VAT) on the sale of goods or services.
PARTY_FOR_WHOM_ITEM_IS_ULTIMATELY_INTENDED		Party for whom item is ultimately intended.
PARTY_RECOVERING_THE_VALUE_ADDED_TAX		A code to identify the party who is eligible to recover the Value Added Tax (VAT) on the sale of goods or services.
PARTY_TO_RECEIVE_ALL_DOCUMENTS		A party which is named to be the recipient of all documents.
PARTY_TO_RECEIVE_COMMERCIAL_INVOICE		Party to whom payment for a commercial invoice or bill should be remitted.
PARTY_TO_RECEIVE_ELECTRONIC_MESSAGE_OF_INVOICE		Party being informed about invoice issue (via EDI).
PARTY_TO_RECEIVE_FREIGHT_BILL		Party to whom the freight bill should be sent.
PARTY_RECEIVING_PRIVATE_DATA		The party who is allowed access to master data information by the data owner when the data is viewed as private.



Code Value	Code Name	Code Definition
PARTY_TO_RECEIVE_REFUND		Party to whom a refund is given.
PAYEE		Party, which receives payment.
PAYER		Party which initiates payment.
POINT_OF_SALE		Refers to the retail type checkout where bar code symbols are normally scanned.
PRICE_LOCATION_PARTY		A party to which a price for a trade item is applicable. Within the context of GDSN Price Synchronization, it is also known as the 'Price Location' which is a GLN.
PROXY		A company that is selected by the Brand Owner to maintain their baseline attributes and Administrative Records in the GDSN.
PUBLIC_WAREHOUSE		A building, or a part of one, where storage space is offered to other companies for compensation (fee), for the storage of their goods, merchandise, etc.
PURCHASE_ORDER_RECEIVER		The party that receives the purchase order for the goods or services.
REGISTERED_AGENT		The party having legal responsibility for the product in the target market for example a company to which market authorization has been issued.
REMIT_TO		Party to whom funds are directed for payment of a commercial invoice.
RETURNABLE_ASSET_SERVICE_CENTRE		The location where a returnable asset is serviced.
SLAUGHTERER		The Party who has undertaken or will undertake a slaughter.
SELLER		Party which sells products or services to a buyer.
SERVICE_PROVIDER		A party providing services for another party (e.g. re- packing supplier's products).
SHIP_FROM		Party from where goods will be or have been shipped.
SHIP_TO		Party which receives goods and invoices.
STORE		A physical entity that sells trade items to a consumer.
SUBSTITUTE_SUPPLIER		Party which may be in a position to supply products or services should the main usual supplier be unable to do so.
SUPPLIER		A party that provides goods or services.
TRANSPORTATION_CARRIER		Party undertaking or arranging transport of goods between named points.
VISITING_ADDRESS		An enterprise's physical location where guests are received during set working hours
WAREHOUSE_AND_OR_DEPOT		Industrial department of a company equipped with appropriate equipment and fittings in which goods are stored in appropriate conditions.
WAREHOUSE_KEEPER		Party taking responsibility for goods entered into a warehouse.

Code Value	Code Name	Code Definition
WHOLESALE		Seller of articles, often in large quantities, to be retailed by others.

## 6.27. Payment Method Code

<b>GS1 Code List</b>	<b>PaymentMethodCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Name	Code Definition
BANK_CHEQUE		Payment by a pre-printed form, which has been completed by a financial institution, on which instructions are given to an account holder (a bank or building society) to pay a stated sum to a named recipient.
BANK_GIRO		The payment was originally made by bankgiro.
BANKERS_DRAFT		Issue of a banker's draft in payment of the funds.
BOOKENTRY_CREDIT		A credit entry between two accounts at the same bank branch. Synonym: house credit.
BOOKENTRY_DEBIT		A debit entry between two accounts at the same bank branch. Synonym: house debit.
BOP		Not Available
CASH		Payment by currency (including bills and coins) in circulation, including checking account deposits.
CERTIFIED_CHEQUE		Payment by a pre-printed form stamped with the paying bank's certification on which instructions are given to an account holder (a bank or building society) to pay a stated sum to a named recipient .
CHEQUE		Payment by a pre-printed form on which instructions are given to an account holder (a bank or building society) to pay a stated sum to a named recipient.
CREDIT_CARD		Payment by means of a card issued by a bank or other financial institution.
DEBIT_CARD		The amount is to be, or has been, directly debited to the customer's bank account through a bank card.
ELECTRONIC_CREDIT_ACH		A credit transaction made through the automated clearing house system
ELECTRONIC_DEBIT_ACH		A debit transaction made through the automated clearing house system.
FED_WIRE_NON_REPETITIVE		Fedwire is a real time gross settlement funds transfer system operated by the Federal Reserve Banks that enables financial institutions to electronically transfer funds between its participants.
FED_WIRE_REPETITIVE		Fedwire is a real time gross settlement

Code Value	Code Name	Code Definition
		funds transfer system operated by the Federal Reserve Banks that enables financial institutions to electronically transfer funds between its participants.
INTERNATIONAL_WIRE		Not Available
LETTER_OF_CREDIT		The financial operation is a letter of credit.
POSTGIRO		The financial operation has been done by postgiro.
WIRE_TRANSFER_CREDIT		Not Available
WIRE_TRANSFER_DEBIT		Not Available

## 6.28. Payment Terms Type Code

<b>GS1 Code List</b>	<b>PaymentTermsTypeCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>UN/ECE</b>
<b>Based on Code List</b>	<b>UN/EDIFACT 4279</b>
<b>Type Of Management</b>	<b>RESTRICTED</b>

Code Value	Code Name	Code Definition
1	Basic	Payment conditions normally applied.
2	End Of Month	Payment term is end of month.
3	Fixed Date	Payment term is fixed date.
4	Deferred	Payment term is deferred.
5	Discount Not Applicable	Payment term is discount not applicable.
6	Mixed	Different payment terms negotiated under a documentary credit.
7	Extended	Payment term is extended.
8	Basic Discount Offered	Payment term is basic discount offered.
9	Proximo	Payment term is in the next month after present.
10	Instant	Payment term is due on receipt of invoice.
11	Elective	Payment term is to be chosen by buyer (from options separately advised).
18	Previously Agreed Upon	Payment term is previously agreed upon.
20	Penalty Terms	Payment terms on which penalties apply. Penalty terms apply in case of non compliance to agreed payment terms.
21	Payment By Installment	Payment term is payment by installment.
22	Discount	Payment term is discount.
X11	Valuta	Value date, which is a prolongation of the terms for payment
X12	Discount After Deducting Freight	Payment term is discount after deducting freight. (New code)
X13	No Charge	There is no charge associated to the payment term. (New code)

## 6.29. Responsible Agency Code

<b>GS1 Code List</b>	<b>ResponsibleAgencyCode</b>
<b>GS1 Code List Version</b>	1 (September 2011)
<b>Managing Agency</b>	UN/ECE
<b>Based on Code List</b>	UN/EDIFACT 3055
<b>Type Of Management</b>	GS1 RESTRICTED AND EXTENDED

Code Value	Code Name	Code Definition
2	CEC	Commission of the European Communities
3	IATA	International Air Transport Association
5	ISO	International Organization for Standardization
6	UN/ECE	United Nations - Economic Commission for Europe
7	CEFIC	Conseil Europeen des Federations de l'Industrie Chimique
8	EDIFICE	EDI Forum for companies with Interest in Computing and Electronics (EDI project for EDP/ADP sector).
9	GS1	GS1 International
10	ODETTE	Organization for Data Exchange through Tele-Transmission in Europe (European automotive industry project).
17	S.W.I.F.T.	Society for Worldwide Interbank Financial Telecommunications s.c.
28	EDITEUR	Code identifying the pan European user group for the book industry as an organisation responsible for code values in the book industry.
60	Assigned by national trade agency	The code list is from a national agency
65	GS1 France	Organisation responsible for GS1 System in France.
68	GS1 Italy	Organisation responsible for GS1 System in Italy.
83	US, National Retail Federation	The National Retail Federation is the trade association for the general merchandise retailing industry. In addition to providing support and education services, they also maintain and publish standard colour and size codes for the retail industry.
84	DE, BRD	Gesetzgeber der Bundesrepublik Deutschland. German legislature.
86	Assigned by party originating the message	Codes assigned by the originating party of the message.
87	Assigned by carrier	Codes assigned by the carrier.
88	Assigned by owner of operation	Assigned by owner of operation (e.g. used in construction)
89	Assigned by distributor	Codes assigned by a distributor.
90	Assigned by manufacturer	Code assigned by the manufacturer.

Code Value	Code Name	Code Definition
91	Assigned by supplier or supplier's agent	Code assigned by the supplier or supplier's agent.
92	Assigned by buyer or buyer's agent	Codes assigned by a buyer or buyer's agent.
112	US, U.S. Census Bureau	The Bureau of the Census of the U.S. Dept. of Commerce.
113	GS1 US	Organisation responsible for GS1 System in the USA.
116	US, ANSI ASC X12	American National Standards Institute ASC X12
131	DE, German Bankers Association	German Bankers' Association.
136	GS1 UK	Organisation responsible for GS1 System in the UK.
174	DE, DIN (Deutsches Institut fuer Normung)	German standardization institute.
182	US, Standard Carrier Alpha Code (Motor)	Organisation maintaining the SCAC lists and transportation operating in North America.
200	GS1 Netherlands	Organisation responsible for GS1 System in the Netherlands.
245	GS1 Denmark	Organisation responsible for GS1 System in Denmark.
246	GS1 Germany	Organisation responsible for GS1 System in Germany.
260	Ediel Nordic forum	A code to identify Ediel Nordic forum, which is an organization standardizing the use of EDI between the participants in the Nordic power market.
281	GS1 Belgium & Luxembourg	Organisation responsible for GS1 System in Belgium & Luxembourg.
286	SE, TCO	The Swedish Confederation of Professional Employees.
294	GS1 Austria	Organisation responsible for the GS1 System in Austria.
298	GS1 Spain	Organisation responsible for the GS1 System in Spain.
316	GS1 Finland	Organisation responsible for the GS1 system in Finland.
317	GS1 Brazil	Organisation responsible for the GS1 system in Brazil.
324	GS1 Ireland	Organisation responsible for the GS1 system in Ireland.
325	GS1 Russia	Organisation responsible for the GS1 system in Russia.
326	GS1 Poland	Organisation responsible for the GS1 system in Poland.
327	GS1 Estonia	Organisation responsible for the GS1 system in Estonia
376	PANTONE	Color code controlling organisation

Code Value	Code Name	Code Definition
CEN	Comite European de Normalisation (GS1 Code)	Comite European de Normalisation.
PMS	Pantone Matching System (GS1 Code)	Pantone Matching System.
RAL	DE, Deutsches Institut fuer Guetesicherung und Kennzeichnung (GS1 Code)	
TGA	AU, Therapeutic Goods Administration (GS1 Code)	Australian administration responsible for the regulation of therapeutic goods in Australia.
X5	IT, Ufficio IVA (GS1 Code)	Ufficio responsabile gestione partite IVA, Italy (Italian Institute issuing VAT registration numbers).
X6	Assigned by logistics service provider (GS1 Code)	Codes assigned by the logistics service provider.
ZZZ	Mutually defined	A code assigned within a code list to be used on an interim basis and as defined among trading partners until a precise code can be assigned to the code list.

## 6.30. Size Code List Code

<b>GS1 Code List</b>	<b>SizeCodeListCode</b>
<b>GS1 Code List Version</b>	1 (September 2011)
<b>Managing Agency</b>	GS1
<b>Based on Code List</b>	n/a
<b>Type Of Management</b>	n/a

Code Value	Code Name	Code Definition
1		National Retail Federation – Standard Colour & Size Codes This handbook provides guidelines for use in retailers' and vendors' merchandising and communications systems.
2		Assigned by Buyer
3		Assigned by Seller
4		EU Nappy/Diaper Size

## 6.31. Tax Category Code

<b>GS1 Code List</b>	<b>TaxCategoryCode</b>
<b>GS1 Code List Version</b>	<b>2 (January 2014)</b>
<b>Managing Agency</b>	<b>GS1</b>
<b>Based on Code List</b>	<b>n/a</b>
<b>Type Of Management</b>	<b>n/a</b>

Code Value	Code Name	Code Definition
APPLICABLE		Tax applies to the item or service within the target market at the rate specified TradeltemTaxAmount or TradeltemTaxRate.
DOMESTIC_REVERSE_CHARGE		Code specifying that the rate is based upon the domestic reverse charge VAT treatment. This code value is particularly pertinent to the UK context.
EXEMPT		The item or service has no taxation requirements nor any requirements related to invoicing or reporting.
FREE_EXPORT_ITEM		Code specifying that the item is free export and taxes are not charged.
HIGH		The Trade Item is taxed at a tax rate that is higher than any other rate of taxation for trade items. The classification of High is subject to Target Market rules and can change based on regulation.
LOW		The item or service is taxed at a tax rate that is lower than any other rate of taxation for trade items (except zero). The classification of low is subject to Target Market rules and can change based on regulation.
MEDIUM		The item or service is taxed at a tax rate that is considered to be intermediate between the lower and higher rates of taxation for trade items. The classification of medium is subject to Target Market rules and can change based on regulation.
MIXED		Code specifying that the rate is based on mixed tax. Transaction includes item taxed at different rates.
NOT_APPLICABLE		Tax does not apply to the item or service within the target market.
PREPAID		The tax, fee or duty has been paid by the supplier of the trade item.
REDUCTION_IN_BASE		A benefit provided under the law that allows one to apply a reduction in the tax basis for calculating. In general, exceptions to the basis for tax calculation are the value of an operation. However, to reduce the tax, the benefit is granted to a reduction in the value of this base. This code value is particularly pertinent to the BR tax structure.
REDUCTION_IN_TAX_RATE		A reduction in the tax rate. Generally, reduced tax rates are arranged in a more objective way according to the law. This code value is particularly pertinent to the BR tax structure.
SERVICES_OUTSIDE_SCOPE_OF_TAX		Code specifying that taxes are not applicable to the services.
STANDARD		Tax rate used or accepted as normal or average. The classification of standard is subject to Target Market rules and can change based on regulation.
VALUE_ADDED		A fixed amount of tax for each product, based on criteria established by legislation rather than the conventional method which is the application of a percentage over the value of the product or operation. This code value is particularly pertinent to



Code Value	Code Name	Code Definition
		the Brazilian (BR) tax structure.
VALUE_ADDED_MARGIN	.	A percentage defined by the Tax Authorities that is applied on (the value of the goods+ Federal VAT+ freight+ other expenses) aiming at obtaining a basis for calculating the substitution for the State VAT. The goal of the Value Added Margin is to calculate the State VAT according to the basis that would be applied in the last step of the production chain; in this case, it could be the final resale. Example: Final Price to Retailer = Suggested Price + Expenses + %MVA This code value is particularly pertinent to the Brazilian (BR) tax structure
VALUE_ADDED_TAX_NOT_NOW_DUE_FOR_PAYMENT		A code to indicate that the Value Added Tax (VAT) amount which is due on the current invoice is to be paid on receipt of a separate VAT payment request. The value added tax is not due for payment now.
ZERO		The item or service has a tax rate or amount equal to zero but still has requirements for invoicing and may have a rate that can be modified by the government at any given time.

## 6.32. Temperature Measurement Unit Code

<b>GS1 Code List</b>	<b>TemperatureMeasurementUnitCode</b>
<b>GS1 Code List Version</b>	1 (September 2011)
<b>Managing Agency</b>	UN/ECE
<b>Based on Code List</b>	UN/ECE recommendation 20
<b>Type Of Management</b>	GS1 RESTRICTED

Code Value	Code Name	Code Definition
CEL		Celsius: (also historically known as centigrade) is a temperature scale, the freezing point of water is 0 degrees Celsius (°C) and the boiling point 100 °C (at standard atmospheric pressure), placing the boiling and freezing points of water exactly 100 degrees apart.
FAH		The Fahrenheit temperature scale: the freezing point of water is 32 degrees Fahrenheit (°F) and the boiling point 212 °F (at standard atmospheric pressure), placing the boiling and freezing points of water exactly 180 degrees apart.
KEL		Kelvin: A unit of absolute temperature equal to 1/273.16 of the absolute temperature of the triple point of water. One Kelvin degree is equal to one Celsius degree.

### 6.33. Time Measurement Unit Code

<b>GS1 Code List</b>	<b>TimeMeasurementUnitCode</b>
<b>GS1 Code List Version</b>	<b>1 (September 2011)</b>
<b>Managing Agency</b>	<b>UN/ECE</b>
<b>Based on Code List</b>	<b>UN/ECE recommendation 20</b>
<b>Type Of Management</b>	<b>GS1 RESTRICTED</b>

Code Value	Code Name	Code Definition
SEC		Second [unit of time]
MIN		Minute [unit of time]: 60 seconds
HUR		Hour: 3,600 seconds
DAY		Day: 86,400 seconds
C26		Millisecond: 10 <sup>-3</sup> second
H70		Picosecond: 10 <sup>-12</sup> second
B98		Microsecond: 10 <sup>-6</sup> second
C47		Nanosecond: 10 <sup>-9</sup> second
QAN		Quarter of a Year: A unit of time defining the number of quarters (3 months).
WEE		Week: 604,800 seconds
MON		Month: 2,629,800 seconds (approx)
ANN		Year: 31,556,926 seconds

## 7. Business Message Examples

Not Applicable

## 8. Implementation Considerations

Not Applicable

## 9. Appendices

Not Applicable

## 10. Summary of Changes

### 10.1. BMS release 3.0

Change	BMS Doc Version
Baseline version for 3.0 Release.	1.0.0
BMS Public review: <ul style="list-style-type: none"> <li>■ corrected design of Amount data type, reversed sequence of codeListVersion and currencyCode.</li> <li>■ Added in GDTI.</li> <li>■ Added SourceReference from BMS Artwork Content.</li> </ul>	1.0.0
Updated for Increment 1 Release. <ul style="list-style-type: none"> <li>■ Added following code values to Contact Type for product recall (PRO, PRM, PRC, PRR)</li> <li>■ Errata update on definition of amount.</li> </ul>	1.0.1

### 10.2. BMS release 3.1

Change	BMS Doc Version
<p><b>COMPONENT AND DATATYPE CHANGES</b></p> <p><b>Communication Channel</b></p> <p>Extended field length of communicationValue to 200. Added communicationChannelName.</p> <div style="border: 1px solid black; padding: 10px; margin: 10px 0;"> <p><b>class CommunicationChannel</b></p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0; background-color: #f9f9f9;"> <p style="text-align: center;"><b>CommunicationChannel</b></p> <ul style="list-style-type: none"> <li>+ communicationChannelCode :CommunicationChannelCode</li> <li>+ communicationValue :string = {1..200}</li> <li>+ communicationChannelName :string [0..1] = {1..200}</li> </ul> </div> </div> <p><b>New class anyURI</b></p>	issue 1

Change	BMS Doc Version
<p><b>class Primitive Data Types - 3.1 maintenance view</b></p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p style="text-align: center;">«PrimitiveType» <b>anyURI</b></p> <hr/> <p style="text-align: center;"><b>maintenance</b></p> <p>Change: (Verified) 3.1 new primitive type for TSD project</p> </div> <p><b>Changes to Address class:</b></p> <p><b>class Address - Maintenance View</b></p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p style="text-align: center;"><b>Address</b></p> <ul style="list-style-type: none"> <li>+ city: string [0..1] = {1..200}</li> <li>+ countryCode: string [0..1] = {1..80}</li> <li>+ countryCode: CountryCode [0..1]</li> <li>+ countyCode: string [0..1] = {1..80}</li> <li>+ crossStreet: string [0..1] = {1..200}</li> <li>+ currencyOfPartyCode: CurrencyCode [0..1]</li> <li>+ languageOfThePartyCode: LanguageCode [0..1]</li> <li>+ name: string [0..1] = {1..200}</li> <li>+ pOBoxNumber: string [0..1] = {1..80}</li> <li>+ postalCode: string [0..1] = {1..80}</li> <li>+ provinceCode: string [0..1] = {1..80}</li> <li>+ state: string [0..1] = {1..80}</li> <li>+ streetAddressOne: string [0..1] = {1..200}</li> <li>+ streetAddressTwo: string [0..1] = {1..200}</li> <li>+ streetAddressThree: string [0..1] = {1..200}</li> </ul> <p style="text-align: center;"><b>maintenance</b></p> <p>Change: (Verified) 3.1 added streetAddressThree (WR 12-155)</p> </div> <p><b>Change to Document class:</b></p> <p><b>class Document - maintenance view</b></p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p style="text-align: center;">«abstract» <b>Document</b></p> <ul style="list-style-type: none"> <li>+ creationDateTime: dateTime</li> <li>+ documentStatusCode: DocumentStatusEnumeration</li> <li>+ documentActionCode: DocumentActionEnumeration [0..1]</li> <li>+ documentStructureVersion: string [0..1] = {1..80}</li> <li>+ lastUpdateDateTime: dateTime [0..1]</li> <li>+ revisionNumber: positiveInteger [0..1]</li> <li>+ extension: extension [0..1]</li> </ul> <p style="text-align: center;"><b>maintenance</b></p> <p>Change: (Verified) 3.1 added documentEffectiveDate (WR 11-265) Change: (Verified) 3.1 added revisionNumber (WR 12-153)</p> </div> <p><b>Change to Document Reference class:</b></p>	

Change	BMS Doc Version
<div style="border: 1px solid black; padding: 5px;"> <p><b>class Document Reference - maintenance view</b></p> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p style="text-align: center;"><b>DocumentReference</b></p> <p>+ creationDateTime : dateTime [0..1]                      + revisionNumber: positiveInteger [0..1]                      + lineNumber: positiveInteger [0..1]</p> </div> <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p style="text-align: center;"><b>maintenance</b></p> <p>Change: (Verified) 3.1 added revisionNumber (WR 12-153)</p> </div> </div>	
<p><b>CODELIST CHANGES</b></p> <p><b>AdditionalTradeItemIdentificationCode</b>                      Added values (ARTG_ID, AU_PROSTHESES_REBATE_CODE, NUMERO_RDN)                      Deprecated NDC</p> <p><b>AdditionalPartyIdentificationCode</b>                      Added values PARTITA_IVA, CASHSSP</p> <p><b>ColourCodeListCode</b>                      Added values 9 (RAL), 10 (NCS) (ECL March 2013)</p> <p><b>CommunicationChannelCode</b>                      Added SOCIAL_MEDIA</p> <p><b>ContactTypeCode</b>                      Added values (BVP,BXA,BYF,BZL,CXC,CYC,CZL,ZZZ,DMO,DNR,DOG,DPP,DQT,DSU)</p> <p><b>NutrientTypeCode</b>                      Added values (ENERSF,NACLI)</p> <p><b>PartyRoleCode</b>                      Added values (PURCHASE_ORDER_RECEIVER, REGISTERED_AGENT, PARTY_RECEIVING_PRIVATE_DATA)</p> <p><b>AdditionalTradeItemClassificationCodeListCode:</b>                      Added new codes 49, 50, 51, 52, 53, 54, 55, 56, 57, 58 (GDD: published as ECL in March 2013)                      Added names for codes 7, 9, 10, 11, 13, 14, 15, 16, 17, 18, 20, 21, 30                      Other updates:</p> <ul style="list-style-type: none"> <li>■ Name and definition for code value 6 (UNSPSC to ECCMA)</li> <li>■ Definition of code value 16 (BRAD C07).</li> <li>■ Name for code value 43 from 'US FDA Product Code Classification Database' to 'US FDA PCCD'</li> <li>■ Name for code value 45 from SNOMED to SNOMED CT</li> <li>■ Name for code value 46 from UMDS to UMDNS</li> </ul> <p><b>IncotermsCode:</b>                      removed code values and version, added Note to explain how to apply the code list version attribute.</p> <p><b>FinancialAccountNumberTypeCode:</b>                      marked existing code values for deletion, added two new code values (IBAN_IDENTIFICATION, BBAN_IDENTIFICATION)</p>	
<p><b>LIBRARY ORGANIZATION</b></p> <ul style="list-style-type: none"> <li>■ Added PaymentTermsTypeCode and AllowanceChargeTypeCode.data types and associated code lists. Removed from eCom Common.</li> <li>■ Added AllowanceOrChargeTypeEnumeration.data type and associated code list.</li> <li>■ Removed AVP classes and data types from Common Library</li> </ul>	

Change	BMS Doc Version
<p><b>NutrientTypeCode:</b></p> <ul style="list-style-type: none"> <li>■ Added HMB, L_CARNITINE, SALTEQ</li> <li>■ Reverted code value for Iodized Salt to IODIZED_SALT to match 2.8 value.</li> </ul> <p><b>AdditionalTradeItemClassificationCode:</b> Updated Code Names for following codes (50, 51, 53).</p>	
<p><b>Updated definitions for AdditionalTradeItemIdentificationCode values of SUPPLIER_ASSIGNED, MODEL_NUMBER, MANUFACTURER_PART_NUMBER.</b></p>	1.1
<ul style="list-style-type: none"> <li>• Added Code 11 (IFPS) to ColourCodeListCode</li> <li>• Added Code 63 (NCM) to AdditionalTradeItemClassificationCode</li> <li>• Added the following codes to the TaxCategoryCode (REDUCTION_IN_BASE, REDUCTION_IN_TAX_RATE, VALUE_ADDED, VALUE_ADDED_MARGIN).</li> <li>• Added NUCLEOTIDE to Nutrient Type Code</li> <li>• Added the following codes to the Entity Type Code List: 83 (Basic Party Registration), 84 (Registry Party Data Dump), 85 (Party Registration Response), 86(Catalogue Item Authorisation),87(Catalogue Item Authorisation Response), 88(Catalogue Item Hierarchical Withdrawal), 89(GS1 Response), 90(Price Synchronisation Document), 91 (Price Synchronisation Confirmation).</li> </ul>	1.2
<ul style="list-style-type: none"> <li>• Added UCC_COMMUNICATION_IDENTIFICATION, UNKNOWN, UN_LOCATION_CODE to Additional Party Identification.</li> <li>• Added BREEDER, CUTTER, FATTENER, GROWER, MINCER, SLAUGHTERER to Party Role List.</li> <li>• Added G_HC to Nutrient Code List</li> </ul>	1.3
<ul style="list-style-type: none"> <li>• Added following codes for December ECL:64 (CORE DIY), 65 (FDA Preferred Term Code), 66 (Medsafe Risk Classification), 67 (Medsafe Regulatory Classification).</li> <li>• Nutrient Type Code: Added GINSENG for Dec ECL</li> <li>• Size Code List Code: Added value 4 (EU/Nappy Diaper Size) for ECL.</li> <li>• Additional Trade Item Classification: Updated definition of code 58 to match ECL.</li> </ul>	1.4