




The Global Language of Business

# GS1 Digital Link Standard: URI Syntax

Enabling consistent representation of GS1 identification keys within web addresses to link to online information and services

Release ~~1.31.2~~, ~~Ratified, Feb 2022~~Community Review Draft, Aug 2022

---





## 19 Document Summary

Document Item	Current Value
Document Name	GS1 Digital Link Standard: URI Syntax
Document Date	
Document Version	<del>1.31-2</del>
Document Issue	<del>01</del>
Document Status	
Document Description	Enabling consistent representation of GS1 identification keys within web addresses to link to online information and services

## 20 Contributors

Name	Company
Kishore Karuppan (Chair)	Procter & Gamble Co.
Michel Ottiker (Chair)	GS1 Switzerland
Dominique Guinard (Chair)	EVERYTHING
Stefan Artlich	Bayer AG - Division Pharma
Adam Björnstjerna	HKScan Sweden AB
Wes Bloemker	Arthrex Inc.
Stephen Brown	Mead Westvaco
Greg Buckley	PepsiCo, Inc.
Jeanne Duckett	Avery Dennison RFID
Vera Feuerstein	Nestlé
Tarik Gemei	Amgen Inc.
Viktoria Grahnen	AbbVie
Zoltan Homan	Cook Medical Inc.
Sinead Kennedy	Cook Medical Australia
Mike Kuhno	Avery Dennison RFID
Nicolas Lecocq	L'Oreal
Phill Marley	AstraZeneca Pharmaceuticals
Fritz Mbumb-Kumb	EM Microelectronic
Yi Meng	Qingdao Haier Washing Machine Co. Ltd.
Paul Muller	EM Microelectronic
Martin Neselius	BillerudKorsnäs (Venture)
Tatjana Pathare	F. Hoffmann-La Roche Ltd.
Mandeep Sodhi	Nestlé
Jim Springer	EM Microelectronic
John Terwilliger	Abbott
Gina Tomassi	PepsiCo, Inc.
Jeroen van Rosmalen	Amgen Inc.



Name	Company
Julie Vargas	Avery Dennison RFID
Sylvie Vilcoq	DANONE PRODUITS FRAIS FRANCE
Evan Bacchus	Costco Wholesale
Fabien Calleia	SIZEASE
Sven Dienelt	Hermann Hagemeyer GmbH & Co. KG
Marcel Ducceschi	Migros-Genossenschafts-Bund
Jonas Elander	Axfood Sverige AB
Max Engström	H&M
Plamen Iliev	DECATHLON
Jerome Lemay	DECATHLON
Dibyajeetan Mishra	DECATHLON
Sylvia Rubio Alegren	ICA Sverige AB
Hans Peter Scheidt	C & A SCS
Martijn Veerman	Customer Value
Joachim Wilkens	C & A SCS
Jeff Denton	AmerisourceBergen Corporation
Vladimir Dzalbo	Smartrac Technology Germany GmbH
Richard Fisher	DoD Logistics AIT Standards Office
Hajo Reissmann	Universitaetsklinikum Schleswig-Holstein
Hirokazu Nagai	Japan Pallet Rental Corporation
Thomas Burke	Institute of Food Technologists
Albert Arbones	GS1 Spain
Karen Arkesteyn	GS1 Belgium & Luxembourg
Andrea Arozamena	GS1 Mexico
Koji Asano	GS1 Japan
Andrea Ausili	GS1 Italy
Mahdi Barati	GS1 Iran
Xavier Barras	GS1 France
Jonas Batt	GS1 Switzerland
Arnaud Bonnefoy	GS1 France
Jonas Buskenfried	GS1 Sweden
Emanuela Casalini	GS1 Italy
Madalina Cernat	GS1 Romania
Anthony Chan	GS1 Hong Kong, China
Shawn Chen	GS1 Thailand
Luiz Costa	GS1 Brasil
Benjamin Couty	GS1 France
Amanda Creane	GS1 Ireland
Tim Daly	GS1 Ireland
Owen Dance	GS1 New Zealand
Michael Davis	GS1 Australia



Name	Company
Kevin Dean	GS1 Canada
Huipeng Deng	GS1 China
Sean Dennison	GS1 Ireland
Peta Ding	GS1 UK
Deniss Dobrovolskis	GS1 Sweden
Nipun Dogra	GS1 India
Xiaowen Dong	GS1 China
Gianluca Fazio	GS1 Argentina
Guilherme França	GS1 Brasil
Michele Francis Padayachee	GS1 South Africa
Jesper Kervin Franke	GS1 Denmark
Jean-Christophe Gilbert	GS1 France
Vanessa Giulieri	GS1 Italy
Alvin Goh	GS1 Singapore
Nicole Golestani	GS1 Canada
Heinz Graf	GS1 Switzerland
Magali Granger	GS1 France
Marija Groznik Stankovic	GS1 Slovenia
János Gyuris	GS1 Hungary
Rami Habbal	GS1 UAE
Jason Hale	GS1 UK
Gary Hartley	GS1 New Zealand
Sandra Hohenecker	GS1 Germany
Hideki Ichihara	GS1 Japan
Yoshihiko Iwasaki	GS1 Japan
Yohan Jeon	GS1 Korea
Fiona (Zhitao) Jia	GS1 China
Sang Ik Jung	GS1 Korea
Iliada Karali	GS1 Association Greece
Kimmo Keravuori	GS1 Finland
Kazuna Kimura	GS1 Japan
Dora Kit	GS1 Hong Kong, China
Sabine Klaeser	GS1 Germany
Alexey Krotkov	GS1 Russia
Chris Lai	GS1 Hong Kong, China
Ildikó Lieber	GS1 Hungary
Xiaoyan Liu	GS1 China
Marisa Lu	GS1 Chinese Taipei
Ilka Machermer	GS1 Germany
Noriyuki Mama	GS1 Japan
Roberto Matsubayashi	GS1 Brasil



Name	Company
Riad Mechtari	GS1 Algeria
Terje Menkerud	GS1 Norway
Jan Merckx	GS1 Netherlands
Ephraim Mokheseng	GS1 South Africa
Adrien Molines	GS1 France
Naoko Mori	GS1 Japan
Daniel Mueller-Sauter	GS1 Switzerland
Prince Namane	GS1 South Africa
Jorge Andrés Nava Alanís	GS1 Mexico
Zubair Nazir	GS1 Canada
Daisuke Negishi	GS1 Japan
Alice Nguyen	GS1 Vietnam
Maciej Niemir	GS1 Poland
Staffan Olsson	GS1 Sweden
Manos Papadakis	GS1 Association Greece
Sebastián Perazzo	GS1 Argentina
Thiago Perez Rojas	GS1 Argentina
James Perng	GS1 Chinese Taipei
Bijoy Peter	GS1 India
Sarina Pielaat	GS1 Netherlands
Aruna Ravikumar	GS1 Australia
Paul Reid	GS1 UK
Zbigniew Rusinek	GS1 Poland
Nick Rusman	GS1 Netherlands
Sunny Sanam	GS1 Australia
Roxana Saravia Bulmini	GS1 Argentina
Yuki Sato	GS1 Japan
Sue Schmid	GS1 Australia
Eugen Sehorz	GS1 Austria
Pooja Sengupta	GS1 Australia
Xiaojing Shao	GS1 China
Yuko Shimizu	GS1 Japan
Marcel Sieira	GS1 Australia
Cesar Silvestre	GS1 Mexico
Olga Soboleva	GS1 Russia
Roko Staničić	GS1 Slovenia
Andrew Steele	GS1 Australia
Sylvia Stein	GS1 Netherlands
Jo Anna Stewart	GS1 US
Ralph Troeger	GS1 Germany
Frits van den Bos	GS1 Netherlands



Name	Company
Ricardo Verza Amaral Melo	GS1 Brasil
Linda Vezzani	GS1 Italy
Rocio Vizcarra	GS1 Argentina
Amber Walls	GS1 US
Yi Wang	GS1 China
Achim Wetter	GS1 Germany
Stephan Wijnker	GS1 Australia
Dirk Willekens	GS1 Belgium & Luxembourg
Connie Wong	GS1 Canada
Ruoyun Yan	GS1 China
Shawn Zhang	GS1 China
Victor Zhang	GS1 China
Dieter Beitz	CSB System AG
Marc Blanchet	Viagenie
Shreenidhi Bharadwaj	Syndigo
Scott Brown	1WorldSync, Inc.
Shawn Cady	Syndigo
Ed Collins	Brandbank
J.D. Kern	Syndigo
Sprague Ackley	Digimarc
Adnan Alattar	Digimarc
Philip Allgaier	bpcompass GmbH
Attilio Bellman	Antares Vision
Karim Ben Dakhli	Dentsu Aegis Network
Jayson Berryhill	Envisible LLC
Dalibor Biscevic	Business Technologies Ltd
Megan Brewster	Impinj, Inc
Menno Bruil	H2Compute
Randy Burd	Kwikee, A Syndigo Company
Steffen Butschbacher	bpcompass GmbH
Tony Ceder	Charmingtrim
Robert Celeste	Center for Supply Chain Studies
Patrick Chanez	INEXTO SA
Grant Courtney	Be4ward ltd
Henk Dannenberg	NXP Semiconductors
Dilip Daswani	Qliktag Software (formally Zeebric LLC)
Cory Davis	Digimarc
Christophe Devins	Adents
Roland Donzelle	SQUARE / TINTAMAR
Chuck Evanhoe	Evanhoe & Associates, Inc.
Susan Flake	Zebra Technologies Corporation



Name	Company
Tomaz Frelih	Četrta pot,d.o.o.,Kranj
Mathieu Gallant	Optel Group
Ivan Gonzalez	recycl3R
Richard Graves	Phy
Danny Haak	Nedap
Steve Halliday	RAIN RFID Alliance
Mark Harrison	Milecastle Media Limited
Philip Heggelund	DuckScape Inc
John Herzig	Barcode Graphics Inc Canada
Bernie Hogan	Independent Consultant - Bernie Hogan
Dan James	Digimarc
Sandun Jayawardena	H2Compute
Margo Johnson	Transmute
Paul Kanwar	ScanTrust
Thomas Kühne	Goodstag GmbH
Sean Lockhead	Lockhead Consulting Group LLC
Andrew Love	Be4ward Ltd
André Machado	TrustaTAG
Lee Metters	Domino Printing Sciences PLC
Joel Meyer	Digimarc
Mario Mira	Dentsu Aegis Network
Attila Sándor Nagy	infiCom.EU Co. Ltd.
Ilteris Oney	ecomis
Mitun Pandey	Goodstag GmbH
Tiphaine Paulhiac	Ambrosus Technologies
Fernando Pereira	Saphety Level SA
Justin Picard	ScanTrust
Scott Pugh	Jennason LLC
Tony Rodriguez	Digimarc
Octavio Rodriguez	Systech International
Zbigniew Sagan	Advanced Track and Trace
Joannie Sauvageau	Optel Group
Kim Simonalle	Qliktag Software (formally Zeebric LLC)
Laurent Tonnelier	mobLead
Andrew Verb	Bar Code Graphics, Inc.
Elizabeth Waldorf	TraceLink
Alex Winiarski	Winiarski Group
George Wright IV	Product Identification & Processing Systems
Shi Yu	Beijing REN JU ZHI HUI Technology Co. Ltd.
Pete Alvarez	GS1 Global Office
Phil Archer	GS1 Global Office



Name	Company
Lena Coulibaly	GS1 Global Office
<a href="#">Peta Ding</a>	<a href="#">GS1 Global Office</a>
Nadi (Scott) Gray	GS1 Global Office
Steven Keddie	GS1 Global Office
Neil Piper	GS1 Global Office
Craig Alan Repec	GS1 Global Office
Greg Rowe	GS1 Global Office
John Ryu	GS1 Global Office

## 21 Log of Changes

Release	Date of Change	Changed By	Summary of Change
1.0	Aug 2019	Mark Harrison, Phil Archer, Dominique Guinard, Marie Petre & Greg Rowe	Initial release developed on WR 17-000343. Originally published under the title <b>GS1 Web URI Structure Standard</b>
1.1	Feb 2020	Mark Harrison, Phil Archer Greg Rowe	Updates based upon WR 18-231 which can be found in section 10
1.2	Jan 2021	Mark Harrison, Phil Archer, Dominique Guinard, Steven Keddie & Greg Rowe	Updates based upon WR 20-127 which can be found in section 8
1.2.1	Feb 2022	Mark Harrison	WR 21-429 bundles WR 21-185 /420/ 421/422. Reference change log <a href="#">8.1</a>
<a href="#">1.3.0</a>	<a href="#">Oct 2022 ??</a>	<a href="#">Phil Archer &amp; Peta Ding</a>	<a href="#">WR 22-255 (reinstating AI 415) and WR 22-247 (removal of deprecated convenience alphas)</a>

## 22 Disclaimer

23 GS1®, under its IP Policy, seeks to avoid uncertainty regarding intellectual property claims by requiring the participants in  
24 the Work Group that developed this **GS1 Digital Link Standard: URI Syntax** to agree to grant to GS1 members a  
25 royalty-free licence or a RAND licence to Necessary Claims, as that term is defined in the GS1 IP Policy. Furthermore,  
26 attention is drawn to the possibility that an implementation of one or more features of this Specification may be the  
27 subject of a patent or other intellectual property right that does not involve a Necessary Claim. Any such patent or other  
28 intellectual property right is not subject to the licencing obligations of GS1. Moreover, the agreement to grant licences  
29 provided under the GS1 IP Policy does not include IP rights and any claims of third parties who were not participants in  
30 the Work Group.

31 Accordingly, GS1 recommends that any organisation developing an implementation designed to be in conformance with  
32 this Specification should determine whether there are any patents that may encompass a specific implementation that the  
33 organisation is developing in compliance with the Specification and whether a licence under a patent or other intellectual  
34 property right is needed. Such a determination of a need for licencing should be made in view of the details of the specific  
35 system designed by the organisation in consultation with their own patent counsel.

36 THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF  
37 MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, OR ANY WARRANTY OTHER WISE  
38 ARISING OUT OF THIS SPECIFICATION. GS1 disclaims all liability for any damages arising from use or misuse of this  
39 document, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of  
40 any intellectual property rights, relating to use of information in or reliance upon this document.

41 GS1 retains the right to make changes to this document at any time, without notice. GS1 makes no warranty for the use  
42 of this document and assumes no responsibility for any errors which may appear in the document, nor does it make a  
43 commitment to update the information contained herein.

44 GS1 and the GS1 logo are registered trademarks of GS1 AISBL.

45





## Table of Contents

46		
47	<b>1</b>	<b>Introduction ..... 11</b>
48	1.1	How the GS1 Digital Link standard documents fit together..... 11
49	1.2	Typographical conventions used in this document ..... 12
50	<b>2</b>	<b>Conformance to GS1 Digital Link ..... 12</b>
51	<b>3</b>	<b>What is a URI? ..... 13</b>
52	3.1	The GS1 Digital Link URI..... 15
53	<b>4</b>	<b>GS1 Digital Link URI Syntax ..... 16</b>
54	4.1	Convenience alphas removed ..... 16
55	4.2	Character sets..... 16
56	4.3	Primary identification keys ..... 18
57	4.4	Key qualifiers ..... 19
58	4.5	Primary key formats..... 19
59	4.6	Key qualifier formats ..... 20
60	4.7	Primary identifier and value concatenation ..... 20
61	4.8	Key qualifier concatenation ..... 21
62	4.9	Path element order ..... 21
63	4.10	Data attributes ..... 22
64	4.10.1	Extension mechanism and reserved keywords ..... 28
65	4.10.2	Constructing the query string ..... 29
66	4.11	Constructing the GS1 Digital Link URI..... 30
67	4.12	Canonical GS1 Digital Link URIs ..... 31
68	<b>5</b>	<b>Examples of GS1 Digital Link URIs ..... 32</b>
69	5.1	GTIN..... 32
70	5.2	GTIN + CPV ..... 33
71	5.3	GTIN + Batch/Lot ..... 33
72	5.4	GTIN + Serial Number (also known as SGTIN) ..... 33
73	5.5	GTIN + Batch/Lot + Serial Number + Expiry Date ..... 34
74	5.6	GTIN + Net Weight ..... 34
75	5.7	GTIN + Net weight + Amount payable + Best before date..... 34
76	5.8	SSCC ..... 34
77	5.9	SSCC with specified Content, Count and Batch/Lot ..... 35
78	5.10	Physical location represented by a GLN or GLN + GLN Extension ..... 35
79	5.11	GIAI + GTIN ..... 35
80	<b>6</b>	<b>AIDC Issues ..... 36</b>
81	6.1	Recognising a GS1 Digital Link URI..... 36
82	6.1.1	Matching an uncompressed GS1 Digital Link URI..... 37
83	6.1.2	Matching a compressed GS1 Digital Link URI..... 37
84	6.1.3	Recommended procedure ..... 37
85	6.2	Human Readable Interpretation (HRI) ..... 38
86	<b>7</b>	<b>Glossary ..... 38</b>



87	<b>8</b>	<b>Changes since version 1.1</b> .....	<b>40</b>
88	8.1	Changes since version 1.2.....	40
89	8.2	Changes since version 1.2.1.....	41
90	<b>9</b>	<b>References</b> .....	<b>41</b>
91			
92			



## 93 1 Introduction

94 *This section and its subsections are informative*

95 GS1 defines a wide range of identifiers that underpin the supply chain and retail industry across the  
96 world. This document assumes the reader is familiar with these and the concept of GS1 Application  
97 Identifiers. If not, please see information on [GS1 Identification Keys] and the [GENSPECS] for further  
98 background.

99 This work has been motivated by a number of trends. For example: the desire among retailers to  
100 move to 2D barcodes that can carry more information than just the GTIN; the problems of multiple  
101 barcodes causing scanning errors through conflicts which suggests a need for a single but  
102 multipurpose barcode; the growing expectation among consumers that more information is  
103 available online about the products they're considering buying; the brand owner concept of the  
104 pack as a media channel linking to multimedia experiences, and more.

105 As a result of this standard, it is possible to represent GS1 identification keys consistently within  
106 Web addresses as well as within barcodes containing Web addresses, such that a single  
107 identification approach can support both product identification for supply chain applications *and* a  
108 link to online material for consumer and business partner interactions. It's this dual functionality  
109 and enormous flexibility that is currently not possible when, for example, Brand Owners embed an  
110 unstructured Web page address in a QR Code<sup>®1</sup>.

111 The scope of the work accommodates all Class 1 and Class 2 GS1 Keys and Key qualifiers (e.g.,  
112 serial number, batch number, consumer product variant) and other relevant attributes as the same  
113 technologies are equally applicable to SSCCs, GLNs, GIAIs, GRAIs, GSRNs etc. While the syntax  
114 can support Class 2 Keys, it is up to the Class 2 Issuing Agencies to determine whether it's fit for  
115 their use. For Class 3 GS1 Keys, GS1 welcomes bilateral discussions with Issuing Agencies to see  
116 where alignment is possible.

117 This GS1 standard references a number of third-party standards from the Internet Engineering  
118 Task Force (IETF) and the World Wide Web Consortium (W3C).

### 119 1.1 How the GS1 Digital Link standard documents fit together

120 Rather than one very long document containing every detail, as of version 1.2, the GS1 Digital Link  
121 standard comprises 4 discrete documents:

122 **URI syntax** (this document)

123 This document provides some of the background to the design of GS1 Digital Link, highlighting  
124 existing techniques and practices that underpin the World Wide Web, and applying those to the  
125 GS1 system. The normative portions set out the detailed syntax of Web addresses (HTTP URIs)  
126 that encode GS1 identifiers with exactly the same precision and expressivity as the AI-based  
127 element syntax used across the GS1 system, notably in the GS1 General Specifications. The GS1  
128 Digital Link URI syntax distinguishes between primary keys, such as GTIN and GLN, key qualifiers,  
129 such as batch/lot and GLN extension, and attributes such as expiry date and ship-to address. The  
130 GS1 Digital Link URI syntax is the foundation on which all other aspects of the standard are built.

#### 131 **Compression**

132 A GS1 Digital Link URI that contains a set of identifiers and attributes may exceed the capacity of  
133 some data carriers. This document defines a compression/decompression algorithm that minimises  
134 the length of those Web URIs while retaining two critical features: 1) that the compressed form is  
135 still a URL on the same domain as the uncompressed form, that is, there is no change in ownership  
136 of the URL; 2) that it can be decompressed and the GS1 keys extracted *without* an online lookup.

#### 137 **Resolution**

138 A GS1 Digital Link URI is a particular form of URL and *can* be used in exactly the same way as any  
139 other URL (this is an important design feature). However, it can also be the gateway to multiple  
140 sources of information, both human and machine-readable. This document defines how the keys in

<sup>1</sup> Unless otherwise specified, the term 'QR Code<sup>®</sup>' refers to the widely used [ISO/IEC 18004 QR Code<sup>®</sup>](#), excluding the GS1 QR Code that recognises the FNC1 character. 'QR Code' is a registered trademark of Denso Wave, a subsidiary of Denso Corporation. Both the [ISO/IEC 18004 QR Code<sup>®</sup>](#) and GS1 QR Code follow the encoding scheme described in ISO/IEC 18004 Information technology — Automatic identification and data capture techniques — QR Code bar code symbology specification, 3rd edition 2015-02-01.



141 a GS1 Digital Link URI can be 'resolved' to those information sources in such a way that  
142 information systems and apps can discover them automatically. Resolvers are what makes the  
143 standard operational for the GS1 community and the industries served.

#### 144 **Semantics**

145 Devices like scanners and point of sale terminals, PIM systems, product catalogues and more that  
146 are designed specifically to work with GS1 identifiers and data carriers, are all programmed to  
147 function within that particular framework. GS1 Digital Link puts things like GTINs, SSCCs and  
148 GRAIs onto the Web alongside countless other identifiers and ways of working. This document  
149 expresses the meaning behind the GS1 Digital Link standard in a way that the Web at large can  
150 understand and process. It makes use of, and extends, the GS1 Web Vocabulary.

## 151 **1.2 Typographical conventions used in this document**

152 This document includes a lot of examples of GS1 Digital Link URIs such as:

153 `https://example.org/414/{gln}/254/{glnExtension}`

154 `https://example.org/01/{gtin}{?exp}`

155 The use of the monospace font indicates that the text has meaning for computers. Further, these  
156 examples follow the convention used in [RFC 6570]. The places where the values of variables should  
157 be inserted are written in braces, so, for example, {gtin} means "insert GTIN here". All other text  
158 in the URI is a literal string to be used as written. As explained in [RFC 2606] and [RFC 6761], the  
159 domains example.com, example.org and example.net are second-level domain names reserved by  
160 the Internet Assigned Numbers Authority (IANA) for use in documentation. These should be  
161 understood as a placeholder for any registered second-level domain name.


## 162 **2 Conformance to GS1 Digital Link**

163 *This section is normative*

164 The GS1 Digital Link standard comprises a number of discrete documents against which  
165 conformance can be asserted. The core of this standard, GS1 Digital Link URI syntax, is expressed  
166 using ABNF grammar [RFC 5234] in section 4 such that conformance can be determined with  
167 certainty.

168 There is no single conformance statement for the entirety of GS1 Digital Link. It is therefore  
169 inappropriate to make a formal claim of broad conformance without citing the specific standard  
170 with which conformance is claimed.


171 It is worth noting that a GS1 Digital Link URI, like any Web URI or URL, does not have any intrinsic  
172 meaning. It may be treated in exactly the same way as any URL. It is only if it is parsed by a GS1-  
173 aware system that GS1 Application Identifiers and their values can be extracted and processed.  
174 Examples of such systems include scanners that may treat a GS1 Digital Link URI as an alternative  
175 syntax to element strings, and conformant GS1 resolvers. Applications SHALL NOT assume that a  
176 URL that follows the syntax defined in this standard will point to a resolver. One way to test  
177 whether a Web URI does or does not point to a GS1 conformant resolver is to check for the  
178 presence of a Resolver Description File in the relevant Well-Known location /.well-  
179 known/gs1resolver [RFC 8615]. Details of the Resolver Description File are defined in GS1 Digital  
180 Link Standard: Resolution [DL-Resolution].

181  **NOTE:** This standard discusses complete URIs encoded in data carriers such as QR codes,  
182 Data Matrix codes and NFC tags. The potential use of software to construct those URIs from  
183 components discovered through scans of, for example, UPC/EAN barcodes or GS1 DataMatrix  
184 symbols, is out of scope.  
185  
186

187 **3 What is a URI?**

188 *This section is informative*

189 This section provides some clarification about what a Uniform Resource Identifier (URI) is, how  
 190 URIs relate to Uniform Resource Names (URNs) and Uniform Resource Locators (URLs), as well as  
 191 providing an explanation of the main structural elements within a Web URI.



192

193 **Figure 3-1** URNs and URLs are also URIs

194 *Figure 3-1* shows a Venn diagram in which we see that Uniform Resource Identifier is the broad  
 195 term that includes Uniform Resource Names (URNs) and Uniform Resource Locators (URLs) as well  
 196 as URIs with various protocols including http or https, ftp, mailto, tel etc. This means that every  
 197 URL and every URN is also a URI, since URI is the broader umbrella term. Furthermore,  
 198 Internationalized Resource Identifiers (IRIs) are an even broader category that support characters  
 199 from the Universal Character Set/Unicode, whereas URIs only support the ASCII character set. IRIs  
 200 are defined in [IRIs]. GS1 Digital Link URIs are a subset of Web URIs that conform to this GS1  
 201 technical standard.

202 *Figure 3-2* shows another Venn diagram. This time, it shows two capabilities:


- 203
- 204 1. The capability to easily resolve to resources (e.g. information) on the Web.
  - 205 2. The capability to provide a globally unambiguous name for anything, whether or not the thing exists only on the Web or in the real world.

206 The first capability is usually associated with URLs and Web addresses.

207 The second capability is usually associated with URNs.


208 Web URIs exist at the intersection of these two capabilities; in terms of their syntax, they look like  
 209 URLs because they specify http or https as their protocol - and they can be configured to behave  
 210 like URLs in terms of supporting Web requests via the http/https Web protocol. However, they are  
 211 also a perfectly valid way of assigning a globally unambiguous name for anything, whether in the  
 212 real world or online. Note that 'globally unambiguous' does not mean globally unique; two different  
 213 things should have distinct URIs in any situation where we want to be able to distinguish between  
 214 them. However, there may be many URIs that all refer to the same thing, even within the same  
 215 URI namespace or domain name. It is also possible to use Linked Data [Linked Data] to make an

216 assertion between two URIs to formally express that they both refer to the same thing, even if the  
 217 URIs are different strings.



218  
 219 **Figure 3-2** A Web URI can act both as a globally unambiguous name for something, as well as providing an  
 220 easy way to retrieve Web resources (e.g. information) relating to the identified thing

221 [Figure 3-3](#) provides a brief overview of the internal structural elements of a Web URI:



222  
 223 **Figure 3-3** Internal structure of a Web URI  
 224 [Figure 3-3](#) shows the structural elements of a Web URI. The scheme indicates the protocol and (at  
 225 the time of writing) is always http:// or https:// (use of HTTPS is more secure and is therefore  
 226 recommended as best practice). The hostname is typically a registered Internet domain name or a  
 227 subdomain of such a registered domain name. Following the domain name, the remainder of the  
 228 Web URI is case sensitive. The URI path information consists of a number of strings separated by  
 229 the forward slash character. Although this is just a string, it is often used by the Linked Data



230 community and in REST interfaces [REST] to represent a collection of resources organised in a  
231 conceptually hierarchical way, with the broadest (most general, least specific) category appearing  
232 towards the left of the URI path information and with the narrowest (most specific) category  
233 appearing towards the right of the URI path information.

234 This design pattern provides a hint to humans that related Web URIs may exist and can be formed  
235 by successively truncating the Web URI path information from right to left, removing each  
236 successive segment preceded by its forward slash ( "/" ) character. These related Web URIs may  
237 provide information about an object at a broader, more general, less specific granularity.

238 However, this is only a legible hint to humans. Computer software would typically treat the entire  
239 URI (at least up to the fragment identifier) as an opaque indivisible string and would not attempt  
240 such truncation. Instead, they will look for explicit links to related URIs, ideally expressed with  
241 semantic annotation, using Linked Data properties. These aspects – the machine-processable  
242 semantics or meaning of a GS1 Digital Link URI – are explored and defined in detail in GS1 Digital  
243 Link Standard: Semantics [DL-Semantics]

244 The query string enables multiple key=value pairs to be sent to a Web resource. The URI query  
245 string appears after the URI path information and consists of everything between the "?" at the end  
246 of the path information and the end of the URI or the "#" symbol indicating the start of the  
247 fragment identifier. Within the URI query string, key=value pairs may be concatenated using &  
248 ; as a delimiter.

249 The URI fragment identifier is optional and appears after the query string (if present) and preceded  
250 by the "#" character. The URI fragment identifier is typically used to provide a link to an internal  
251 subsection of an information resource. The Linked Data community do make use of URIs with  
252 fragment identifiers, although the fragment identifier is not useful for passing key=value pairs.  
253 Importantly, fragment identifiers are *not* sent to the server but are handled entirely within the  
254 client.

255 Web URIs provide essentially two options for expressing the values of GS1 Application Identifiers -  
256 either within the URI path information or within the URI query string. The URI path information is  
257 the most appropriate place for expressing a GS1 identification key and an ordered set of optional  
258 qualifiers that are used in conjunction with the GS1 identification key to form a compound key that  
259 is used to retrieve information about something at a finer level of granularity (e.g. traceability data  
260 about an SGTIN, batch/lot-level master data). The query string is appropriate for data attributes of  
261 the identified resource such as expiry date, weight etc., as well as being a natural extension point  
262 for any additional arbitrary key=value pairs that cannot be expressed using GS1 Application  
263 Identifiers (see section [4.10.1](#)); for example, the query string could include a key=value pair to  
264 indicate a specific stakeholder role or a specific action or activity or type of service to be accessed.  
265 It should be noted that no key=value pair should be repeated with the same key in the URI query  
266 string. If a key is repeated, the last defined value for that key takes precedence over any  
267 previously defined value.

### 268 3.1 The GS1 Digital Link URI

269 GS1 Digital Link provides a syntax for expressing GS1 identifier keys, key qualifiers and data  
270 attributes in a format that can be used on the Web in an intuitive manner (via a straightforward  
271 HTTP request) to enable consumers and others to directly access relevant information and services  
272 about products, assets, locations, etc. A GS1 Digital Link URI can be encoded natively in any data  
273 carrier that can support the encoding of a Web address (URL). This means that additional data  
274 carriers such as QR Codes®, digital watermarks, NFC tags and other technologies will also be able  
275 to include GS1 identification keys while continuing to provide links to relevant information. When  
276 the data carrier is created and such a URL is embedded within it, a scanning device can extract the  
277 entire URL, and no further processing by the scanning device, or software therein, is required to  
278 construct the URL that is used to access a server where relevant information is stored.

279



280 **4 GS1 Digital Link URI Syntax**

281 *This section and all its subsections are normative*

282 This section specifies the structure of GS1 Digital Link URIs using the Augmented Backus-Naur  
283 Form (ABNF) syntax as defined in [RFC 5234] and updated by [RFC 7405]. ABNF formally expresses  
284 how strings of characters (including URIs) are constructed by concatenating smaller components in  
285 a sequential order and is machine-processable.

286 Those smaller components may be defined in terms of further sub-components and/or in terms of  
287 sequences of character sets that are also defined by rules.

288 ABNF also supports repeating components and optional components. Optional components are  
289 enclosed within square brackets.

290 A sequential group of one or more components may be enclosed within round brackets.

291 Repeating components use the  $m^*n$ (component) notation to indicate that the component within  
292 the round brackets may appear at least  $m$  times and at most  $n$  times. Default values are  $m=0$ ,  
293  $n$ =infinity. If either  $m$  or  $n$  are omitted, their default values are assumed.

294 Everything following a semicolon on a line is considered to be an explanatory comment.


295 The notation  $n$ (component) or  $n$ component where  $n$  is one or more digit characters is equivalent  
296 to  $n^*n$ (component), indicating that the component must appear exactly  $n$  times.

297 A number of comments are provided to explain the meaning of rules.

298 ABNF is designed primarily to express formal syntax in standards documents. It may also be used  
299 to validate strings against that syntax, however, there are limitations. It has no negation option  
300 (string SHALL NOT contain "xyz") and it does not support non-greedy matching. For this reason,  
301 there are some features of the GS1 Digital Link URI syntax that cannot be tested using ABNF-based  
302 parsers. In particular, those with a custom path will fail ABNF-based validation.

303 **4.1 ~~Deprecation warning~~ Convenience alphas removed**

304 ~~Earlier versions of the~~ The formal grammar below, developed initially for the first version of the GS1  
305 Digital Link standard [DL1], supported ~~eds~~ 'convenience alphas' in place of commonly used ~~GS1~~  
306 ~~application-GS1 Application Id~~ identifiers. For example, '01' ~~could~~ be replaced by 'gtin', '414' by  
307 'gln' etc. These were introduced in an effort to make GS1 Digital Link URIs more developer-  
308 friendly. Experience has shown that the opposite is true as it introduced ~~s~~ complexity, ~~and~~  
309 ~~confusion and inconsistency~~ for implementations of the standard. ~~At the time of writing, there are~~  
310 ~~many implementations of GS1 Digital Link by scanning equipment manufacturers and barcode~~  
311 ~~generating tools. The majority of these do not recognise convenience alphas and the small number~~  
312 ~~of known implementations that do are being updated to remove them. Therefore, Convenience~~  
313 ~~alpha- were marked as deprecated in version 1.2 of the standard and have been removed~~  
314 ~~completely as of version 1.2.23.0, please note that:~~

315  Convenience alphas will be removed from future versions of the standard and hence are  
316 ~~flagged~~ as DEPRECATED here.

317 ~~This is reflected as relevant in later sections of this document.~~

318 **4.2 Character sets**

319 Firstly, a number of character sets are defined for later re-use in subsequent ABNF rules.

320 DIGIT = "0" / "1" / "2" / "3" / "4" /  
321 "5" / "6" / "7" / "8" / "9"

322 BOOLEAN = "0" / "1"

323

324 UPPERALPHA = %x41-5A ; A-Z ( ASCII characters 65-90 decimal, 41-5A hex)





325  
326 LOWERALPHA = %x61-7A ; a-z ( ASCII characters 97-122 decimal, 61-7A hex)  
327  
328 ALPHA = UPPERALPHA / LOWERALPHA ; A-Z or a-z  
329  
330 HEXDIG = DIGIT / "A" / "B" / "C" / "D" / "E" / "F"  
331  
332 DoubleQuote = '"' ; the double-quote character "

333  
334 The following characters must be represented using percent-encoding (see section 2.1 of RFC 3986  
335 [PercentEncoding]) when used as literal characters within URIs, since many of these have special  
336 meanings within Web URIs:

337 Octothorpe = "%23" ; percent-encoding of the # character  
338 ForwardSlash = "%2F" ; percent-encoding of the / character  
339  
340 Percent = "%25" ; percent-encoding of the % character  
341 Ampersand = "%26" ; percent-encoding of the & character  
342 Plus = "%2B" ; percent-encoding of the + character  
343 Comma = "%2C" ; percent-encoding of the , character  
344  
345 Exclamation = "%21" ; percent-encoding of the ! character  
346 LeftBracket = "%28" ; percent-encoding of the ( character  
347 RightBracket = "%29" ; percent-encoding of the ) character  
348 Asterisk = "%2A" ; percent-encoding of the \* character  
349  
350 Apostrophe = "%27" ; percent-encoding of the ' character  
351 Colon = "%3A" ; percent-encoding of the : character  
352 Semicolon = "%3B" ; percent-encoding of the ; character  
353 LeftAngleBracket = "%3C" ; percent-encoding of the < character  
354 Equals = "%3D" ; percent-encoding of the = character  
355 RightAngleBracket = "%3E" ; percent-encoding of the > character  
356 QuestionMark = "%3F" ; percent-encoding of the ? character

357  
358 The following group of symbol characters is permitted within the 82-character subset of ISO/IEC  
359 646, indicated in Figure 7.11-1 of the GS1 General Specifications [GENSPECS].

360 XSYMBOL = DoubleQuote / "-" / "." / "\_" / Exclamation / Percent /  
361 Ampersand / Plus / Comma / ForwardSlash / Asterisk /  
362 LeftBracket / RightBracket / Apostrophe / Semicolon /  
363 Colon / LeftAngleBracket / RightAngleBracket / Equals /  
364 QuestionMark

365  
366 The following group of symbol characters is permitted within the 39-character subset of ISO/IEC  
367 646, indicated in Figure 7.11-2 of the GS1 General Specifications [GENSPECS].



368 YSYMBOL = "-" / Octothorpe / ForwardSlash

369  
370 The following character set corresponds to all permitted characters within the 82-character subset  
371 of ISO/IEC 646, indicated in Figure 7.11-1 of the GS1 General Specifications [GENSPECS].

372 XCHAR = DIGIT / UPPERALPHA / LOWERALPHA / XSYMBOL

373  
374 The following character set corresponds to all permitted characters within the 39-character subset  
375 of ISO/IEC 646, indicated in Figure 7.11-2 of the GS1 General Specifications [GENSPECS]. It is  
376 currently only used within the value of the Components and Parts Identifier (CPID).

377 YCHAR = DIGIT / UPPERALPHA / YSYMBOL

### 378 4.3 Primary identification keys

379 The following rules indicate which GS1 Application Identifiers (AI) [that](#) are considered as primary  
380 identification keys for GS1 Digital Link URI. [Please note that as of version 1.3.02.2 of this standard,](#)  
381 [the 'convenience alphas' defined in earlier versions are no longer supported \(see section 4.1\).](#) [Note](#)  
382 [that for each of these \(and the rules in section 4.4\), the numeric AI value may be used or](#)  
383 [alternatively, a corresponding lower case short name may be used if it is more friendly to software](#)  
384 [developers. The numeric AI value may be more suitable for use when encoding a GS1 Digital Link](#)  
385 [URI within a 2D barcode, since this can be encoded more efficiently, resulting in a lower total](#)  
386 [module count and improved readability.](#)

387 ~~The %s prefix notation was introduced in [RFC 7405] and simply indicates that the following string~~  
388 ~~value is case sensitive. For example, in the rule below, `gtin-code` may be either "`01`" or "`gtin`"~~  
389 ~~but not "`GTIN`" nor "`Gtin`".~~

390  **Note:** the alphanumeric notation below will be deprecated and scheduled to be removed  
391 from future versions of the standard.

392 `gtin-code` = "01"/~~%s~~"`gtin`" ; GTIN  
393 `itip-code` = "8006"/~~%s~~"`itip`" ; ITIP  
394 `gmn-code` = "8013"/~~%s~~"`gmn`" ; Global Model Number  
395 `cpid-code` = "8010"/~~%s~~"`cpid`" ; CPID  
396 `gln-code` = "414"/~~%s~~"`gln`" ; Physical Location GLN  
397 `payTo-code` = "415" ; GLN of invoicing party  
398 `partyGln-code` = "417"/~~%s~~"`party`" ; Party GLN  
399 `gsrnp-code` = "8017"/~~%s~~"`gsrnp`" ; GSRN of the Provider  
400 `gsrn-code` = "8018"/~~%s~~"`gsrn`" ; GSRN of the Recipient  
401 `gcn-code` = "255"/~~%s~~"`gcn`" ; GCN  
402 `sscc-code` = "00"/~~%s~~"`sscc`" ; SSCC  
403 `gdti-code` = "253"/~~%s~~"`gdti`" ; GDTI  
404 `ginc-code` = "401"/~~%s~~"`ginc`" ; GINC  
405 `gsin-code` = "402"/~~%s~~"`gsin`" ; GSIN  
406 `grai-code` = "8003"/~~%s~~"`grai`" ; GRAI  
407 `giai-code` = "8004"/~~%s~~"`giai`" ; GIAI

Commented [PD1]: Removed, as it seems %s-prefix only relates to the alphas ?

Commented [PA2]: WR 22-255 covered by this one line (re-inserted from version 1.1 of the spec)




#### 4.4 Key qualifiers

The following rules which GS1 Application Identifiers (AI) are considered as key qualifiers for a GS1 Digital Link URI.

411	cpv-code	=	"22" / %s"cpv"	; Consumer Product
412	Variant			
413	lot-code	=	"10" / %s"lot"	; Batch/Lot identifier
414	ser-code	=	"21" / %s"ser"	; GTIN Serial Number
415	cpasn-code	=	"8011" / %s"cpasn"	; CPID Serial Number
416	glnx-code	=	"254" / %s"glnx"	; GLN extension
417	refno-code	=	"8020" / %s"refno"	; Payment Reference Number
418	srin-code	=	"8019" / %s"srin"	; Service Relation Instance
419	Number			
420	tpx-code	=	"235"	; third-party controlled serialised extension to GTIN
421				
422	uic-ext-code	=	"7040"	; GS1 UIC with Extension 1 and Importer Index
423				

#### 4.5 Primary key formats

The following rules express the format of the values of the primary GS1 identification keys.

 **Note:** the GS1 General Specifications [GENSPECS] define further restrictions on some of these values, particularly for those which include a GS1 Check Digit, Indicator Digit or Extension Digit. Please refer to the GS1 General Specifications [GENSPECS] for further details.

429	gtin-value	=	8DIGIT / 12DIGIT / 13DIGIT / 14DIGIT	
430	itip-value	=	14DIGIT 2DIGIT 2DIGIT	
431				; 14 digits then 2 digits then 2 digits
432	gmn-value	=	1*25XCHAR	; 1-25 characters from 82-chr subset
433	cpid-value	=	1*30YCHAR	; 1-30 characters from 39-chr subset
434	gln-value	=	13DIGIT	; exactly 13 digits
435	payto-value	=	13DIGIT	; exactly 13 digits
436	partyGln-value	=	13DIGIT	; exactly 13 digits
437	gsrnp-value	=	18DIGIT	; exactly 18 digits
438	gsrn-value	=	18DIGIT	; exactly 18 digits
439	gcn-value	=	13DIGIT [1*12DIGIT]	
440				; 13 digits then optional 1-12 digits
441	sscc-value	=	18DIGIT	; exactly 18 digits
442	gdti-value	=	13DIGIT [1*17XCHAR]	
443				; 13 digits then optional 1-17 characters
444				; from the 82-character subset
445	ginc-value	=	1*30XCHAR	
446				; 1-30 characters from the 82-character subset
447	gsin-value	=	17DIGIT	; exactly 17 digits

Commented [PA3]: Part of WR 22-255



448           grai-value           = 14DIGIT [1\*16XCHAR]  
449                               ; 14 digits then optional 1-16 characters  
450                               ; from the 82-character subset of ISO/IEC 646  
451           giai-value           = 1\*30XCHAR ; 1-30 characters from 82-chr subset

#### 452 4.6 Key qualifier formats

453 The following rules express the format of the values of the key qualifiers of primary GS1  
454 identification keys:

455           cpv-value           = 1\*20XCHAR ; 1-20 characters from 82-chr subset  
456           lot-value           = 1\*20XCHAR ; 1-20 characters from 82-chr subset  
457           ser-value           = 1\*20XCHAR ; 1-20 characters from 82-chr subset  
458           cpsn-value           = 1\*12DIGIT ; 1-12 digits  
459           glnx-value           = 1\*20XCHAR ; 1-20 characters from 82-chr subset  
460           refno-value          = 1\*25XCHAR ; 1-25 characters from 82-chr subset  
461           srin-value           = 1\*10DIGIT ; 1-10 digits  
462           tpx-value           = 1\*28XCHAR ; 1-28 characters from 82-chr subset  
463           uic-ext-value        = 1DIGIT 3XCHAR  
464                               ; 1 digit then 3 characters from 82-chr subset

#### 465 4.7 Primary identifier and value concatenation

466 The following rules express how each primary identifier code and its value should be concatenated  
467 (for use within the URI path information) :

468           gtin-comp           = "/" gtin-code "/" gtin-value  
469           itip-comp           = "/" itip-code "/" itip-value  
470           gmn-comp           = "/" gmn-code "/" gmn-value  
471           cpid-comp           = "/" cpid-code "/" cpid-value  
472           gln-comp           = "/" gln-code "/" gln-value  
473           payTo-comp          = "/" payTo-code "/" payTo-value  
474           partyGln-comp       = "/" partyGln-code "/" partyGln-value  
475           gsrnp-comp          = "/" gsrnp-code "/" gsrnp-value  
476           gsrn-comp          = "/" gsrn-code "/" gsrn-value  
477           gcn-comp           = "/" gcn-code "/" gcn-value  
478           sscc-comp          = "/" sccc-code "/" sccc-value  
479           gdti-comp          = "/" gdti-code "/" gdti-value  
480           ginc-comp          = "/" ginc-code "/" ginc-value  
481           gsin-comp          = "/" gsin-code "/" gsin-value  
482           grai-comp          = "/" grai-code "/" grai-value  
483           giai-comp          = "/" giai-code "/" giai-value

Commented [PA4]: WR 22-255



#### 4.8 Key qualifier concatenation

The following rules express how each key qualifier and its value should be concatenated (for use within the URI path information) :

```
487 cpv-comp           = "/" cpv-code "/" cpv-value
488 lot-comp           = "/" lot-code "/" lot-value
489 ser-comp           = "/" ser-code "/" ser-value
490 cpsn-comp          = "/" cpsn-code "/" cpsn-value
491 glnx-comp          = "/" glnx-code "/" glnx-value
492 refno-comp         = "/" refno-code "/" refno-value
493 srin-comp          = "/" srin-code "/" srin-value
494 tpx-comp           = "/" tpx-code "/" tpx-value
495 uic-ext-comp       = "/" uic-ext-code "/" uic-ext-value
```

#### 4.9 Path element order

The following rules express how the URI path information should be structured for each primary GS1 identification key. Note that some primary identifiers such as SSCC do not have any associated key qualifier. Other primary identifiers such as GTIN may have multiple key qualifiers. The square bracket notation indicates that the enclosed key qualifier component may be omitted but the sequence in which they appear is important and must be preserved. For example, the rule for `gtin-path` would permit any of these:

```
503 /01/9520123456788/22/2A/10/ABC123/21/12345XYZ
504 /01/9520123456788/10/ABC123/
505 /01/9520123456788/10/ABC123/21/12345XYZ
506 /01/9520123456788/21/12345XYZ
```

but does not permit strings such as:

```
508 /01/9520123456788/21/12345XYZ/10/ABC123
```

in which the sequential ordering of the key qualifier components is not preserved.

```
510 gtin-path           = gtin-comp [cpv-comp] [lot-comp] [ser-comp]
511 itip-path          = itip-comp [cpv-comp] [lot-comp] [ser-comp]
512 gmn-path           = gmn-comp
513 cpid-path          = cpid-comp [cpsn-comp]
514 gln-path           = gln-comp [glxn-comp]
515 payTo-path         = payTo-comp
516 partyGln-path      = partyGln-comp
517 gsrnp-path         = gsrnp-comp [srin-comp]
518 gsrn-path          = gsrn-comp [srin-comp]
519 gcn-path           = gcn-comp
520 sccc-path          = sccc-comp
521 gdti-path          = gdti-comp
522 ginc-path          = ginc-comp
523 gsin-path          = gsin-comp
524 grai-path          = grai-comp
525 giai-path          = giai-comp
526 upui-path          = gtin-comp tpx-comp
527 eoid-path          = partyGln-comp uic-ext-comp
528 fid-path           = gln-comp uic-ext-comp
529 mid-path           = giai-comp uic-ext-comp
```

Commented [PD5]: WR 22-255



531 The following rule simply states that any of the above is considered as a gs1path (which will be  
532 referenced in a later rule).

```
533 gs1path = gtin-path / itip-path / gmn-path / cpid-path / gln-path /  
534 payTo-path / partyGln-path / gsrnp-path / gsrn-path /  
535 gcn-path /  
536 sccc-path / gdti-path / ginc-path / gsin-path / grai-path  
537 / giai-path / upui-path / eoid-path / fid-path / mid-path  
538
```

Commented [PD6]: WR-255

#### 539 4.10 Data attributes

540 The following rules are concerned with GS1 Application Identifiers that are considered to be data  
541 attributes rather than primary identifier keys or key qualifiers. Data attributes and their values  
542 SHALL be expressed via the URI query string as key=value pairs. Where there is a choice, the  
543 numeric AI value is much preferred over the more human-friendly short name.

544 Note that 'data attributes' MAY include AIs that may also be used as primary keys. In any GS1  
545 Digital Link URI there SHALL be exactly one primary key, as defined in section 4.3, followed by any  
546 key qualifiers relevant to that primary key as path elements. However, the GS1 General  
547 Specifications [GENSPECS] allow combinations of primary keys in a single data carrier. For example,  
548 it is possible to encode both a GTIN and a GIAI in a single element string within a data carrier (see  
549 the example in section 5.11). Where it is necessary to encode more than one primary key in a  
550 single GS1 Digital Link URI, one SHALL be used in the path and the remaining key(s) encoded in  
551 the query string as data attributes.

```
552 netWeightVMTICode = "3100" / "3101" / "3102" / "3103" / "3104" / "3105" /  
553 "3200" / "3201" / "3202" / "3203" / "3204" / "3205" /  
554 "3560" / "3561" / "3562" / "3563" / "3564" / "3565" /  
555 "3570" / "3571" / "3572" / "3573" / "3574" / "3575"  
556 netWeightVMTIValue = 6DIGIT  
557 netWeightVMTIParameter = netWeightVMTICode "=" netWeightVMTIValue  
558  
559 lengthVMTICode = "3110" / "3111" / "3112" / "3113" / "3114" / "3115" /  
560 "3210" / "3211" / "3212" / "3213" / "3214" / "3215" /  
561 "3220" / "3221" / "3222" / "3223" / "3224" / "3225" /  
562 "3230" / "3231" / "3232" / "3233" / "3234" / "3235"  
563 lengthVMTIValue = 6DIGIT  
564 lengthVMTIParameter = lengthVMTICode "=" lengthVMTIValue  
565  
566 widthVMTICode = "3120" / "3121" / "3122" / "3123" / "3124" / "3125" /  
567 "3240" / "3241" / "3242" / "3243" / "3244" / "3245" /  
568 "3250" / "3251" / "3252" / "3253" / "3254" / "3255" /  
569 "3260" / "3261" / "3262" / "3263" / "3264" / "3265"  
570 widthVMTIValue = 6DIGIT  
571 widthVMTIParameter = widthVMTICode "=" widthVMTIValue  
572  
573 depthVMTICode = "3130" / "3131" / "3132" / "3133" / "3134" / "3135" /  
574 "3270" / "3271" / "3272" / "3273" / "3274" / "3275" /  
575 "3280" / "3281" / "3282" / "3283" / "3284" / "3285" /  
576 "3290" / "3291" / "3292" / "3293" / "3294" / "3295"  
577 depthVMTIValue = 6DIGIT  
578 depthVMTIParameter = depthVMTICode "=" depthVMTIValue  
579  
580 areaVMTICode = "3140" / "3141" / "3142" / "3143" / "3144" / "3145" /  
581 "3500" / "3501" / "3502" / "3503" / "3504" / "3505" /  
582 "3510" / "3511" / "3512" / "3513" / "3514" / "3515" /  
583 "3520" / "3521" / "3522" / "3523" / "3524" / "3525"  
584 areaVMTIValue = 6DIGIT  
585 areaVMTIParameter = areaVMTICode "=" areaVMTIValue  
586
```



```
587 netVolumeVMTICode = "3150" / "3151" / "3152" / "3153" / "3154" / "3155" /
588 "3160" / "3161" / "3162" / "3163" / "3164" / "3165" /
589 "3600" / "3601" / "3602" / "3603" / "3604" / "3605" /
590 "3610" / "3611" / "3612" / "3613" / "3614" / "3615" /
591 "3640" / "3641" / "3642" / "3643" / "3644" / "3645" /
592 "3650" / "3651" / "3652" / "3653" / "3654" / "3655" /
593 "3660" / "3661" / "3662" / "3663" / "3664" / "3665"
594 netVolumeVMTIValue = 6DIGIT
595 netVolumeVMTIParameter = netVolumeVMTICode "=" netVolumeVMTIValue
596
597
598 massPerUnitAreaVMTICode = "3370" / "3371" / "3372" / "3373" / "3374" /
599 "3375"
600 massPerUnitAreaVMTIValue = 6DIGIT
601 massPerUnitAreaVMTIParameter = massPerUnitAreaVMTICode "="
602 massPerUnitAreaVMTIValue
603
604
605 grossWeightCode = "3300" / "3301" / "3302" / "3303" / "3304" / "3305" /
606 "3400" / "3401" / "3402" / "3403" / "3404" / "3405"
607 grossWeightValue = 6DIGIT
608 grossWeightParameter = grossWeightCode "=" grossWeightValue
609
610 logisticLengthCode = "3310" / "3311" / "3312" / "3313" / "3314" / "3315" /
611 "3410" / "3411" / "3412" / "3413" / "3414" / "3415" /
612 "3420" / "3421" / "3422" / "3423" / "3424" / "3425" /
613 "3430" / "3431" / "3432" / "3433" / "3434" / "3435"
614 logisticLengthValue = 6DIGIT
615 logisticLengthParameter = logisticLengthCode "=" logisticLengthValue
616
617 logisticWidthCode = "3320" / "3321" / "3322" / "3323" / "3324" / "3325" /
618 "3440" / "3441" / "3442" / "3443" / "3444" / "3445" /
619 "3450" / "3451" / "3452" / "3453" / "3454" / "3455" /
620 "3460" / "3461" / "3462" / "3463" / "3464" / "3465"
621 logisticWidthValue = 6DIGIT
622 logisticWidthParameter = logisticWidthCode "=" logisticWidthValue
623
624 logisticDepthCode = "3330" / "3331" / "3332" / "3333" / "3334" / "3335" /
625 "3470" / "3471" / "3472" / "3473" / "3474" / "3475" /
626 "3480" / "3481" / "3482" / "3483" / "3484" / "3485" /
627 "3490" / "3491" / "3492" / "3493" / "3494" / "3495"
628 logisticDepthValue = 6DIGIT
629 logisticDepthParameter = logisticDepthCode "=" logisticDepthValue
630
631 logisticAreaCode = "3340" / "3341" / "3342" / "3343" / "3344" / "3345" /
632 "3530" / "3531" / "3532" / "3533" / "3534" / "3535" /
633 "3540" / "3541" / "3542" / "3543" / "3544" / "3545" /
634 "3550" / "3551" / "3552" / "3553" / "3554" / "3555"
635 logisticAreaValue = 6DIGIT
636 logisticAreaParameter = logisticAreaCode "=" logisticAreaValue
637
638 logisticVolumeCode = "3350" / "3351" / "3352" / "3353" / "3354" / "3355" /
639 "3360" / "3361" / "3362" / "3363" / "3364" / "3365" /
640 "3620" / "3621" / "3622" / "3623" / "3624" / "3625" /
641 "3630" / "3631" / "3632" / "3633" / "3634" / "3635" /
642 "3670" / "3671" / "3672" / "3673" / "3674" / "3675" /
643 "3680" / "3681" / "3682" / "3683" / "3684" / "3685" /
644 "3690" / "3691" / "3692" / "3693" / "3694" / "3695"
645 logisticVolumeValue = 6DIGIT
646 logisticVolumeParameter = logisticVolumeCode "=" logisticVolumeValue
```



```
647 processorCode = "7030" / "7031" / "7032" / "7033" / "7034" / "7035" /
648 "7036" / "7037" / "7038" / "7039"
649 processorValue = 3DIGIT 1*27XCHAR
650 processorParameter = processorCode "=" processorValue
651
652 contentParameter = "02=" 14DIGIT
653
654 prodDateParameter = "11=" 6DIGIT
655
656 dueDateParameter = "12=" 6DIGIT
657
658 packDateParameter = "13=" 6DIGIT
659
660 bestBeforeDateParameter = "15=" 6DIGIT
661
662 sellByDateParameter = "16=" 6DIGIT
663
664 firstFreezeDateParameter = "7006=" 6DIGIT
665
666 harvestDateParameter = "7007=" 6DIGIT [6DIGIT]
667
668 pricePerUnitParameter = "8005=" 6DIGIT
669
670 variantParameter = "20=" 2DIGIT
671
672 varCountParameter = "30=" 1*8DIGIT
673
674 countParameter = "37=" 1*8DIGIT
675
676 mutualParameter = "90=" 1*30XCHAR
677
678 additionalIdParameter = "240=" 1*30XCHAR
679
680 custPartNoParameter = "241=" 1*30XCHAR
681
682 mtoVariantParameter = "242=" 1*6DIGIT
683
684 pcnParameter = "243=" 1*20XCHAR
685
686 secondarySerialParameter = "250=" 1*30XCHAR
687
688 refToSourceParameter = "251=" 1*30XCHAR
689
690 amountCode = "3900" / "3901" / "3902" / "3903" / "3904" /
691 "3905"
692
693 amountValue = 1*15DIGIT
694
695 amountParameter = amountCode "=" amountValue
696
697 amountISOCCode = "3910" / "3911" / "3912" / "3913" / "3914" /
698 "3915"
699
700 amountISOValue = 3DIGIT 1*15DIGIT
701
702 amountISOParameter = amountISOCCode "=" amountISOValue
703
704 priceCode = "3920" / "3921" / "3922" / "3923" / "3924" /
705 "3925"
706 priceValue = 1*15DIGIT
```





707		
708	priceParameter	= priceCode "=" priceValue
709		
710	priceISOCODE	= "3930" / "3931" / "3932" / "3933" / "3934" /
711		"3935"
712	priceISOValue	= 3DIGIT 1*15DIGIT
713		
714	priceISOPParameter	= priceISOCODE "=" priceISOValue
715		
716	percentOffCode	= "3940" / "3941" / "3942" / "3943" / "3944" /
717		"3945"
718		
719	percentOffValue	= 4DIGIT
720		
721	percentOffParameter	= percentOffCode "=" percentOffValue
722		
723	orderNumberParameter	= "400=" 1*30XCHAR
724		
725	routeParameter	= "403=" 1*30XCHAR
726		
727	shipToLocParameter	= "410=" 13DIGIT
728		
729	billToParameter	= "411=" 13DIGIT
730		
731	purchaseFromParameter	= "412=" 13DIGIT
732		
733	shipForLocParameter	= "413=" 13DIGIT
734		
735	<del>payToParameter</del>	<del>= "415=" 13DIGIT</del>
736		
737	prodServLocParameter	= "416=" 13DIGIT
738		
739	shipToPostParameter	= "420=" 1*20XCHAR
740		
741	shipToPostISOPParameter	= "421=" 3DIGIT 1*9XCHAR
742		
743	originParameter	= "422=" 3DIGIT
744		
745	countryProcessParameter	= "424=" 3DIGIT
746		
747	countryFullProcessParameter	= "426=" 3DIGIT
748		
749	countryInitialProcessParameter	= "423=" 3DIGIT 1*12DIGIT
750		
751	countryDisassemblyParameter	= "425=" 3DIGIT 1*12DIGIT
752		
753	originSubdivisionParameter	= "427=" 1*3XCHAR
754		
755	nhrnP2NParameter	= "710=" 1*20XCHAR
756		
757	nhrnCIPParameter	= "711=" 1*20XCHAR
758		
759	nhrnCNParameter	= "712=" 1*20XCHAR
760		
761	nhrnDRNParameter	= "713=" 1*20XCHAR
762		
763	nhrnAIMParameter	= "714=" 1*20XCHAR
764		
765	nhrnUS-FDAPParameter	= "715=" 1*20XCHAR
766		

**Commented [PA7]:** payToParameter deleted here as included with other primary keys as attributes a little further down in this section.



767	nsnParameter	= "7001=" 13DIGIT
768	meatCutParameter	= "7002=" 1*30XCHAR
770	activePotencyParameter	= "7004=" 1*4DIGIT
772	catchAreaParameter	= "7005=" 1*12XCHAR
774	aquaticSpeciesParameter	= "7008=" 1*3XCHAR
776	fishingGearTypeParameter	= "7009=" 1*10XCHAR
778	prodMethodParameter	= "7010=" 1*2XCHAR
779	refurbLotParameter	= "7020=" 1*20XCHAR
782	funcStatParameter	= "7021=" 1*20XCHAR
783	revStatParameter	= "7022=" 1*20XCHAR
784	giaiAssemblyParameter	= "7023=" 1*30XCHAR
788	certificationRefCode	= "7230" / "7231" / "7232" / "7233" / "7234" / "7235" / "7236" / "7237" / "7238" / "7239"
789	certificationRefValue	= 2XCHAR 1*28XCHAR
790	certificationRefParameter	= certificationRefCode "=" certificationRefValue
792	dimensionsParameter	= "8001=" 14DIGIT
793	cmtNoParameter	= "8002=" 1*20XCHAR
794	ibanParameter	= "8007=" 1*34XCHAR
795	prodTimeParameter	= "8008=" 8DIGIT [2DIGIT] [2DIGIT]
796	opticalSensorParameter	= "8009=" 1*50XCHAR
797	versionParameter	= "8012=" 1*20XCHAR
798	refNoParameter	= "8020=" 1*25XCHAR
799	itipContentParameter	= "8026=" 14DIGIT 2DIGIT 2DIGIT
800	couponIDNAParameter	= "8110=" 1*70XCHAR
801	pointsParameter	= "8111=" 4DIGIT
802	paperlessCouponIDNAParameter	= "8112=" 1*70XCHAR
803	shipToCompParameter	= "4300=" 1*35XCHAR
804	shipToNameParameter	= "4301=" 1*35XCHAR
805	shipToAdd1Parameter	= "4302=" 1*70XCHAR
806	shipToAdd2Parameter	= "4303=" 1*70XCHAR
807	shipToSubParameter	= "4304=" 1*70XCHAR



827		
828	shipToLocalityParameter	= "4305=" 1*70XCHAR
829		
830	shipToRegParameter	= "4306=" 1*70XCHAR
831		
832	shipToCountryParameter	= "4307=" 2XCHAR
833		
834	shipToPhoneParameter	= "4308=" 1*30XCHAR
835		
836	rtnToCompParameter	= "4310=" 1*35XCHAR
837		
838	rtnToNameParameter	= "4311=" 1*35XCHAR
839		
840	rtnToAdd1Parameter	= "4312=" 1*70XCHAR
841		
842	rtnToAdd2Parameter	= "4313=" 1*70XCHAR
843		
844	rtnToSubParameter	= "4314=" 1*70XCHAR
845		
846	rtnToLocParameter	= "4315=" 1*70XCHAR
847		
848	rtnToRegParameter	= "4316=" 1*70XCHAR
849		
850	rtnToCountryParameter	= "4317=" 2XCHAR
851		
852	rtnToPostParameter	= "4318=" 1*20XCHAR
853		
854	rtnToPhoneParameter	= "4319=" 1*30XCHAR
855		
856	srvDescriptionParameter	= "4320=" 1*35XCHAR
857		
858	dangerousGoodsParameter	= "4321=" BOOLEAN
859		
860	authToLeaveParameter	= "4322=" BOOLEAN
861		
862	sigRequiredParameter	= "4323=" BOOLEAN
863		
864	notBeforeDelDateParameter	= "4324=" 10DIGIT
865		
866	notAfterDelDateParameter	= "4325=" 10DIGIT
867		
868	releaseDateParameter	= "4326=" 6DIGIT
869		
870	amountPayPerUnitCode	= "3950" / "3951" / "3952" / "3953"
871	amountPayPerUnitValue	= 6DIGIT
872	amountPayPerUnitParameter	= amountPayPerUnitCode "=" amountPayPerUnitValue
873		
874	gtinParameter	= "01=" gtin-value
875		
876	itipParameter	= "8006=" itip-value
877		
878	gmnParameter	= "8013=" gmn-value
879		
880	cpidParameter	= "8010=" cpid-value
881		
882	glnParameter	= "414=" gln-value
883		
884	payToParameter	= "415=" payTo-value
885		
886	partyGlnParameter	= "417=" partyGln-value

Commented [PA8]: WR 22-255



```
887
888     gsrnpParameter      = "8017=" gsrnp-value
889
890     gsrnParameter       = "8018=" gsrn-value
891
892     gcnParameter        = "255=" gcn-value
893
894     scccParameter       = "00=" sccc-value
895
896     gdtiParameter       = "253=" gdti-value
897
898     gincParameter       = "401=" ginc-value
899
900     gsinParameter       = "402=" gsin-value
901
902     graiParameter       = "8003=" grai-value
903
904     giaiParameter       = "8004=" giai-value
905
906     internalCode        = "91" / "92" / "93" / "94" / "95" /
907                          "96" / "97" / "98" / "99"
908     internalValue       = 1*90XCHAR
909     internalParameter    = internalCode "=" internalValue
```

910 Batch/Lot may also be used as a data attribute in conjunction with an SSCC [AI (00)] and a  
911 CONTENT [AI (02)] in order to indicate that the SSCC contains GTINs of a specific batch/lot. For  
912 this reason, `LotParameter` is defined for use within the URI query string.

```
913     LotParameter        = lot-code "=" lot-value
```

914 Expiry Date [AI (17)] and Expiry Date/Time [AI (7003)] are data attributes. However, because  
915 of their importance in managing stock rotation and checking for expired products, they [initially](#)  
916 [were given convenience alphas. These have now been removed \(see section 4.1\)](#).

```
917     expiryDateCode      = "17" / "%s"exp
918     expiryDateValue     = 6DIGIT
919     expiryDateParameter  = expiryDateCode "=" expiryDateValue
920
921     expiryTimeCode      = "7003" / "%s"expdt
922     expiryTimeValue     = 10DIGIT
923     expiryTimeParameter  = expiryTimeCode "=" expiryTimeValue
```

#### 924 4.10.1 Extension mechanism and reserved keywords

925 The URI query string is a natural extension point within the syntax that can accommodate  
926 additional key=value pairs to express data attribute parameters that cannot be expressed using  
927 GS1 Application Identifiers. Examples of such usage may be to express a specific role, action,  
928 activity or type of service to be accessed. The following `extensionParameter` is based on the ABNF  
929 rule for query appearing in [RFC 3986] and serves as the main extension point for the GS1 Digital  
930 Link URI syntax. It permits multiple arbitrary key=value pairs to be included within the query  
931 string of a GS1 Digital Link URI. Any key=value pairs used for extension data SHALL NOT be all-  
932 numeric to avoid conflict with existing and future keys used for GS1 Application Identifiers either in  
933 terms of semantics or syntax, ~~and SHALL NOT use the values `lot`, `exp`, `expdt`~~; nor should they be  
934 used to express a value (such as a value for net weight) if that value can be expressed using GS1  
935 Application Identifiers as data attributes. As detailed in GS1 Digital Link Standard: Resolution [DL-  
936 Resolution], the keywords `linkType` and `context` are also reserved and SHALL NOT be used  
937 except as defined in those sections.

```
938     extensionKey = *( DIGIT ) everythingExceptDigitsAndEquals
939                  *( DIGIT / everythingExceptDigitsAndEquals)
940
941     extensionValue = *( DIGIT / everythingExceptDigitsAndEquals / "=")
```



```
941 extensionParameter = extensionKey "=" extensionValue
942 ; any other query string parameter permitted by RFC 3986
943 ; including additional arbitrary key=value pairs except as
944 ; restricted in the above paragraph
```

#### 945 4.10.2 Constructing the query string

946 The following rule states that any of the above parameters for data attributes may appear as a  
947 query string parameter ( `queryStringParam` ), referenced later.

```
948 queryStringParam = netWeightVMTIPParameter / lengthVMTIPParameter /
949 widthVMTIPParameter / depthVMTIPParameter / areaVMTIPParameter /
950 netVolumeVMTIPParameter / massPerUnitAreaVMTIPParameter /
951 grossWeightParameter / logisticLengthParameter /
952 logisticWidthParameter / logisticDepthParameter /
953 logisticAreaParameter / logisticVolumeParameter /
954 processorParameter / LotParameter / expiryDateParameter /
955 expiryTimeParameter / contentParameter / prodDateParameter /
956 dueDateParameter / packDateParameter / bestBeforeDateParameter /
957 sellByDateParameter / firstFreezeDateParameter /
958 harvestDateParameter / pricePerUnitParameter / variantParameter /
959 varCountParameter / countParameter / amountPayPerUnitParameter /
960 additionalIdParameter / custPartNoParameter /
961 mtoVariantParameter / pcnParameter / secondarySerialParameter /
962 refToSourceParameter / amountParameter / amountISOParameter /
963 priceParameter / priceISOParameter / percentOffParameter /
964 orderNumberParameter / routeParameter / shipToLocParameter /
965 billToParameter / purchaseFromParameter / shipForLocParameter /
966 prodServLocParameter / shipToPostParameter /
967 shipToPostISOParameter / originParameter /
968 countryProcessParameter / countryFullProcessParameter /
969 countryInitialProcessParameter / countryDisassemblyParameter /
970 originSubdivisionParameter / nhrnPZNParameter / nhrnCIPParameter /
971 nhrnCNParameter / nhrnDRNParameter / nsnParameter /
972 meatCutParameter / activePotencyParameter / catchAreaParameter /
973 fishingGearTypeParameter / prodMethodParameter /
974 refurbLotParameter / funcStatParameter / revStatParameter /
975 g1aiAssemblyParameter / dimensionsParameter / cmtNoParameter /
976 ibanParameter / prodTimeParameter / versionParameter /
977 refNoParameter / couponIDNAParameter / pointsParameter /
978 itipContentParameter / certificationRefParameter /
979 aquaticSpeciesParameter / opticalSensorParameter /
980 paperlessCouponIDNAParameter /
981 internalParameter / mutualParameter / extensionParameter /
982
983 shipToCompParameter / shipToNameParameter /
984 shipToaAdd1Parameter / shipToaAdd2Parameter /
985 shipToSubParameter / shipToLocalityParameter /
986 shipToRegParameter / shipToCountryParameter /
987 shipToPhoneParameter / rtnToCompParameter /
988 rtnToNameParameter / rtnToAdd1Parameter /
989 rtnToAdd2Parameter / rtnToSubParameter /
990 rtnToLocParameter / rtnToRegParameter /
991 rtnToCountryParameter / rtnToPostParameter /
992 rtnToPhoneParameter / srvDescriptionParameter /
993 dangerousGoodsParameter / authToLeaveParameter /
994 sigRequiredParameter / notBeforeDelDateParameter /
995 notAfterDelDateParameter / releaseDateParameter /
996
997 gtinParameter / itipParameter / gmnParameter / cpidParameter /
998 glnParameter / payToParameter / partyGlnParameter /
999 gsrnpParameter /
1000 -gsrnParameter / gcnParameter / sscCParameter / gdtiParameter /
```



```
1001         _gincParameter / gsinParameter / graiParameter / giaiParameter
1002
```

#### 1003 4.11 Constructing the GS1 Digital Link URI

1004 The following rules are derived from rules appearing in [RFC 3986] and are used for defining the  
1005 general structure of a Web URI. These are particularly relevant for GS1 Digital Link URIs that are  
1006 not under the id.gs1.org domain.

```
1007 scheme           = "http" / "https"
1008
1009 unreserved       = ALPHA / DIGIT / "-" / "." / "_" / "~"
1010
1011 reserved        = gen-delims / sub-delims
1012
1013 pct-encoded     = "%" HEXDIG HEXDIG
1014
1015 gen-delims      = ":" / "/" / "?" / "#" / "[" / "]" / "@"
1016
1017 sub-delims      = "!" / "$" / "&" / "'" / "(" / ")" / "*" /
1018                 "+" / "," / ";" / "="
1019
1020 sub-delims-without-equals = "!" / "$" / "&" / "'" / "(" / ")" /
1021                 "*" / "+" / "," / ";"
1022
1023 everythingExceptDigitsAndEquals = unreserved / pct-encoded /
1024                                   sub-delims-without-equals /
1025                                   ":" / "@" / "/" / "?"
1026
1027 pchar           = unreserved / pct-encoded / sub-delims / ":" / "@"
1028
1029 segment        = *pchar
1030
1031 reg-name       = *( unreserved / pct-encoded / sub-delims )
1032
1033 dec-octet     = DIGIT           ; 0-9
1034               / %x31-39 DIGIT     ; 10-99
1035               / "1" 2DIGIT        ; 100-199
1036               / "2" %x30-34 DIGIT ; 200-249
1037               / "25" %x30-35      ; 250-255
1038
1039 IPv4address    = dec-octet "." dec-octet "." dec-octet "." dec-octet
1040
1041 IPv6address    = 6( h16 ":" ) ls32
1042               / "::" 5( h16 ":" ) ls32
1043               / [ h16 ] ":" 4( h16 ":" ) ls32
1044               / [ *1( h16 ":" ) h16 ] ":" 3( h16 ":" ) ls32
1045               / [ *2( h16 ":" ) h16 ] ":" 2( h16 ":" ) ls32
1046               / [ *3( h16 ":" ) h16 ] ":"          h16 ":"          ls32
1047               / [ *4( h16 ":" ) h16 ] ":"          ls32
1048               / [ *5( h16 ":" ) h16 ] ":"          h16
1049               / [ *6( h16 ":" ) h16 ] ":"
1050
1051 ls32           = ( h16 ":" h16 ) / IPv4address
1052               ; least-significant 32 bits of address
1053
1054 h16            = 1*4HEXDIG
1055               ; 16 bits of address represented in hexadecimal
1056
1057 IP-literal     = "[" ( IPv6address / IPvFuture ) "]"
```



```
1058
1059 IPvFuture           = "v" 1*HEXDIG "." 1*( unreserved / sub-delims / ":" )
1060
1061 host                 = IP-literal / IPv4address / reg-name
1062
1063 port                 = *DIGIT
1064
1065 hostname             = host [ ":" port ]
```

1066  
1067 Finally, the following four rules define the syntax of a reference GS1 Digital Link URI from the  
1068 concatenation of previously defined components:

```
1069 queryStringDelim    = "&" / ";"
1070
1071 queryStringComp     =
1072     "?" queryStringParam *( queryStringDelim queryStringParam)
1073
1074 uncompressedGS1webURIPattern = gslpath [queryStringComp]
1075
1076 referenceGS1webURI  = "https://id.gs1.org" uncompressedGS1webURIPattern
```

1077 The following rules define the syntax of a non-reference GS1 Digital Link URI from the  
1078 concatenation of previously defined components. An example of usage of a non-reference GS1  
1079 Digital Link URI is when a company chooses to use their own registered Internet domain name to  
1080 construct the Web URI but aligns with this specification for the format of the final part of the URI  
1081 path information and query string. Note that zero or more path segments are permitted to appear  
1082 after the hostname or domain name and before the start of the `gsluriPattern` defined in this  
1083 specification.

```
1084 optionalPathSegment = "/" segment
1085
1086 customURIStem       = scheme "://" hostname *optionalPathSegment
1087
1088 uncompressedCustomGS1webURI = customURIStem uncompressedGS1webURIPattern
```

1089 The formal ABNF syntax for the URI should be read in combination with the GS1 General  
1090 Specifications [GENSPECS] to ensure appropriate usage of Application Identifiers that represent data  
1091 attributes of identified things. In particular, section 4.14 of the GS1 General Specifications  
1092 [GENSPECS] provides guidance about data relationships, including invalid pairs of element strings  
1093 (see section 4.14.1) and mandatory associations of element strings (see section 4.14.2). In the  
1094 GS1 General Specifications [GENSPECS], section 2 specifies which identifiers are used for an  
1095 application, section 3 provides definitions for each Application Identifier, while section 4 explains  
1096 the management rules for each GS1 identification key.

1097 As previously mentioned, some GS1 primary identifier keys include GS1 check digits and some also  
1098 include indicator digits or extension digits that are to be used for specific purposes. Section 7 of the  
1099 GS1 General Specifications [GENSPECS] provides details of AIDC validation rules and section 7.2.7  
1100 explains the GS1 check digit calculation. Nothing in this GS1 specification changes the existing  
1101 validation rules that apply to the values of GS1 Application Identifiers; this document only specifies  
1102 how valid GS1 AI values shall be expressed in the GS1 Digital Link structure.

1103 Any URI that conforms to the formal syntax as defined above and that respects the relevant rules  
1104 specified in the GS1 General Specifications as cited is:

- 1105
1. a valid Web URI that can be dereferenced on the Web without further processing;
  2. a valid expression of one or more GS1 application identifiers and their values, informationally equivalent to the same data expressed in GS1 AI syntax.
- 1106  
1107

## 1108 4.12 Canonical GS1 Digital Link URIs

1109 A GS1 Digital Link URI can be constructed in any domain name, may contain additional key=value  
1110 pairs in the query string and so on. This flexibility is a deliberate feature of the standard to support



1111 its use in as many scenarios as possible and to ensure brands can remain in control of the domains  
1112 they use.

1113 However, in some contexts (e.g., to support carriers that cannot embed a Web URI) it is necessary  
1114 to identify a *single* well-known or default version of the GS1 Digital Link URI. This is defined in [RFC  
1115 6596] as the *canonical URI*. We define the canonical URI as follows:

- 1116 ▪ the scheme SHALL be HTTPS;
- 1117 ▪ the domain name SHALL be id.gs1.org;
- 1118 ▪ ~~deprecated convenience string equivalents for AIs SHALL NOT be used;~~
- 1119 ▪ GTIN-8, GTIN-12 and GTIN-13 SHALL be padded to 14 digits
- 1120 ▪ the URI query string (if present) SHALL NOT contain any other key=value pairs except for keys  
1121 that are GS1 application identifiers;
- 1122 ▪ key=value pairs, if present, should be sorted in lexical, not numeric, order of the key;
- 1123 ▪ for clarity, this means that the parameters defined in GS1 Digital Link Standard: Resolution  
1124 [DL-Resolution], namely *linkType* and *context*, and their values, are not included in the  
1125 canonical GS1 Digital Link.

1126 It follows that the canonical version of

1127 `http://example.com/01/9520123456788/22/2A?linkType=gs1:traceability&foo=bar`

1128 is

1129 `https://id.gs1.org/01/09520123456788/22/2A`

1130 Some further points of clarification:

- 1131 ▪ A *canonical* GS1 Digital Link URI, as defined in this section, is distinct from a *reference* GS1  
1132 Digital Link URI, which is defined as *any* valid GS1 Digital Link URI on the id.gs1.org domain.  
1133 The other rules above do not apply to reference GS1 Digital Link URIs.
- 1134 ▪ Elsewhere in the GS1 Digital Link standards it is stated that a trailing slash, while not-  
1135 conformant, should be tolerated by resolvers. That is, a resolver should tolerate  
1136 `https://example.com/8003/{grai}/` even though that final / character is not allowed by the  
1137 formal ABNF. A canonical GS1 Digital Link URI SHALL NOT include a trailing slash.

## 1138 2.1 Preferred representation

1139 ~~The syntax defined for GS1 Digital Link URIs in general allows commonly used numeric AIs to be  
1140 substituted for short strings that ease human comprehension. Note that this is not allowed for the  
1141 canonical GS1 Digital Link URI structure defined immediately above in section 4.12. For example,  
1142 /01/ and /gtin/ are synonymous, as are /21/ and /ser/ etc. These can be very useful when  
1143 explaining the standard to a new audience. However, as noted in section 4.1, these 'convenience  
1144 alphas' will be deprecated in the next iteration of this standard. Therefore, in any production  
1145 setting or new implementation, only the numeric versions SHALL be used. There are three primary  
1146 reasons for this:~~

1147 ~~3.—In some data carriers, fewer bits or modules are needed to encode numbers than letters;~~

1148 ~~4.—In all cases, the 'convenience alpha' short name is longer than the numeric version;~~

1149 ~~5.—GS1 Digital Link is based on GS1 AI-based element strings which are all based on numeric AIs.  
1150 Convenience alphas confuse this and add an extra burden to implementations.~~

## 1151 5 Examples of GS1 Digital Link URIs

1152 *This section is informative*

### 1153 5.1 GTIN

1154 `https://id.gs1.org/01/09520123456788`

Commented [PA9]: Keeping this sentence in for now





1155  
1156 is the canonical Digital Link URI for GTIN 9520123456788 equivalent to the following element  
1157 string:  
1158 (01)09520123456788

1159  
1160 The following are further valid GS1 non canonical Digital Link URIs for GTIN 9520123456788 using  
1161 a custom domain name e.g. example.com instead of id.gs1.org  
1162 https://brand.example.com/01/9520123456788  
1163 https://brand.example.com/some-extra/pathinfo/01/9520123456788  
1164 If redirection information has been specified to GS1 by the corresponding licensee of that GTIN or  
1165 the GS1 Company Prefix (for GTINs constructed from GS1 Company Prefixes), a GS1 Resolver that  
1166 supports GS1 Digital Link URIs will be able to effectively redirect any requests for that GS1 Digital  
1167 Link URI to a corresponding URL specified by the licensee.

## 1168 5.2 GTIN + CPV

1169 https://id.gs1.org/01/09520123456788/22/2A  
1170  
1171 Is the canonical GS1 Digital Link URIs for GTIN 9520123456788 combined with Consumer Product  
1172 Variant '2A' and to the following element string:  
1173 (01)09520123456788(22)2A  
1174  
1175 The following are further valid non canonical GS1 Digital Link URIs for GTIN 9520123456788  
1176 combined with Consumer Product Variant '2A' .  
1177 https://brand.example.com/01/9520123456788/22/2A  
1178 https://retailer.example.com/01/9520123456788/22/2A

## 1179 5.3 GTIN + Batch/Lot

1180 https://id.gs1.org/01/09520123456788/10/ABC123  
1181  
1182 is the canonical GS1 Digital Link URIs for GTIN 9520123456788 combined with Batch/Lot  
1183 'ABC123' and equivalent to the following element string:  
1184 (01)09520123456788(10)ABC123  
1185  
1186 The following are further non canonical valid GS1 Digital Link URIs for GTIN 9520123456788  
1187 combined with Batch/Lot 'ABC123'  
1188 https://brand.example.com/01/9520123456788/10/ABC123  
1189 https://retailer.example.com/01/9520123456788/10/ABC123

## 1190 5.4 GTIN + Serial Number (also known as SGTIN)

1191 https://id.gs1.org/01/09520123456788/21/12345  
1192 is the canonical GS1 Digital Link URIs for GTIN 9520123456788 combined with Serial Number  
1193 '12345' and equivalent to the following element string:  
1194 (01)09520123456788(21)12345  
1195



- 1196 The following are further valid GS1 Digital Link URIs for GTIN 9520123456788 combined with  
1197 Serial Number '12345'
- 1198 <https://brand.example.com/01/9520123456788/21/12345>  
1199 <https://retailer.example.com/01/9520123456788/21/12345>
- 1200 **5.5 GTIN + Batch/Lot + Serial Number + Expiry Date**  
1201 <https://id.gs1.org/01/09520123456788/10/ABC1/21/12345?17=180426>  
1202 is the canonical GS1 Digital Link URIs for GTIN 9520123456788 combined with Batch/Lot 'ABC1'  
1203 and Serial Number '12345' and with an expiry date of 26th April 2018 equivalent to the following  
1204 element strings:  
1205 (01)09520123456788(17)180426(10)ABC1(21)12345  
1206  
1207 The following is also a valid non canonical GS1 Digital Link URIs for GTIN 9520123456788  
1208 combined with Batch/Lot 'ABC1' and Serial Number '12345' and with an expiry date of 26th  
1209 April 2018.  
1210 <https://example.com/01/9520123456788/10/ABC1/21/12345?17=180426>
- 1211 **5.6 GTIN + Net Weight**  
1212 <https://id.gs1.org/01/09520123456788?3103=000195>  
1213 is the canonical GS1 Digital Link URIs for GTIN 9520123456788 combined with a net weight of  
1214 0.195 kg equivalent to the following element strings:  
1215 (01)09520123456788(3103)000195  
1216 The following is a further valid non canonical GS1 Digital Link URIs for GTIN 9520123456788  
1217 combined with a net weight of 0.195 kg :  
1218 <https://example.com/01/9520123456788?3103=000195>
- 1219 **5.7 GTIN + Net weight + Amount payable + Best before date**  
1220 <https://example.com/01/9520123456788?3103=000195&3922=0299&17=201225>  
1221 This GS1 Digital Link URI includes three data attributes for the given GTIN, which can be in any  
1222 order in the query string. The equivalent element string is  
1223 (01)09520123456788(3103)000195(3922)0299(17)201225  
1224 The following GS1 Digital Link URIs are also equivalent, but only the second is canonical as the  
1225 data attributes have been arranged in the lexical order of the AIs.  
1226 <https://id.gs1.org/01/9520123456788?3103=000195&3922=0299&17=201225>  
1227 <https://id.gs1.org/01/9520123456788?17=201225&3103=000195&3922=0299>
- 1228 **5.8 SSCC**  
1229 <https://id.gs1.org/00/952012345678912345>  
1230  
1231 is the canonical GS1 Digital Link URI for SSCC 952012345678912345 equivalent to the following  
1232 element string:  
1233 (00)952012345678912345  
1234 The following is a further valid non canonical GS1 Digital Link URIs for SSCC  
1235 952012345678912345 :



1236 `https://example.com/00/952012345678912345`

## 1237 **5.9 SSCC with specified Content, Count and Batch/Lot**

1238 `https://id.gs1.org/00/952012345678912345?02=09520123456788&37=25&10=ABC12`

1239 is the canonical GS1 Digital Link URIs for SSCC 952012345678912345 containing a count [ AI  
1240 (37) ] of 25 instances of Content [ AI (02) ] 09520123456788 having Batch/Lot identifier [ AI (10)  
1241 ] 'ABC123' equivalent to the following element strings:  
1242

1243 `(00)952012345678912345(02)09520123456788(37)25(10)ABC123`

1244 The following is a further non canonical valid GS1 Digital Link URI for SSCC 106141412345678908  
1245 containing a count [ AI (37) ] of 25 instances of Content [ AI (02) ] 09520123456788 having  
1246 Batch/Lot identifier [ AI (10) ] 'ABC123':

1247 `https://example.com/00/952012345678912345?02=09520123456788&37=25&10=ABC123`

## 1248 **5.10 Physical location represented by a GLN or GLN + GLN Extension**

1249 `https://id.gs1.org/414/9520123456788`

1250  
1251 is the canonical GS1 Digital Link URI for GLN 9520123456788 equivalent to the following element  
1252 string:

1253 `(414)9520123456788`

1254

1255 `https://id.gs1.org/414/9520123456788/254/32a%2Fb`

1256  
1257 Is the canonical GS1 Digital Link URIs for GLN 9520123456788 combined with a GLN extension  
1258 '32a/b'. Note that because the forward slash character has a special meaning within Web URIs,  
1259 it is replaced with %2F, its percent encoding, when it is being used as a literal value, rather than as  
1260 a URI path separator.

1261 It is equivalent to the following element strings:

1262 `(414)9520123456788(254)32a/b`

1263

1264 The following is also a valid but non canonical GS1 Digital Link URIs for GLN 9520123456788 :

1265 `https://example.com/414/9520123456788`

1266

1267 The following is a further valid non canonical GS1 Digital Link URIs for GLN 9520123456788  
1268 combined with a GLN extension '32a/b' :

1269 `https://example.com/4149520123456788/254/32a%2Fb`

## 1270 **5.11 GIAI + GTIN**

1271 `https://example.com/8004/9520614141234567?01=9520123456788`

1272 `https://example.com/01/9520123456788?8004=9520614141234567`

1273 Both of these GS1 Digital Link URIs express the same combination of GS1 Application Identifiers.  
1274 However, they are not equivalent. For the first example, in which the GIAI appears in the URI path  
1275 information, the issuer of that GIAI asset identifier is the authority, whereas for the second  
1276 example in which the GTIN is in the URI path information, the licensee of the GTIN (typically the  
1277 brand owner or manufacturer) is the authority for that GS1 Digital Link URI.



1278 Although both identify an item with GIAI 9520614141234567 that is an instance of GTIN  
1279 9520123456788, the choice of which identifier to place in the URI path information does matter  
1280 for resolvers that have a policy of only permitting referral records specified by the respective  
1281 licensee of the GS1 identification key appearing in the URI path information. It also makes a  
1282 difference from a semantic perspective. The first example expresses that "this thing is an asset  
1283 identified by this GIAI – and it is/was also a product identified by this GTIN." The second example  
1284 expresses that this is a product and that it also carries this asset identifier. The second example is  
1285 unlikely to be encoded by the manufacturer or brand owner in a data carrier except when an  
1286 instance of a product is manufactured for a specific known customer/asset owner. Most mass-  
1287 produced products are made to stock rather than made to order/bespoke. This is an example  
1288 where there are two primary identifiers in a single GS1 Digital Link URI. The equivalent element  
1289 string is  
1290 (01)09520123456788(8004)9520614141234567

1291 Although there are no specific rules about which of the 'two primary keys' should go in the path  
1292 and which in the query string, the order is likely to be determined by the context. In this example,  
1293 the GIAI will be assigned by the owner of the item who purchased it from the manufacturer who  
1294 assigned the GTIN. In this scenario, it is the owner who would create the GS1 Digital Link URI and  
1295 therefore it is very likely to be the GIAI that goes in the path – the owner's primary – rather than  
1296 the manufacturer. The presence of multiple primary keys has an effect on the semantics that can  
1297 be inferred from the URI. See GS1 Digital Link Standard: Semantics for more on this topic [DL-  
1298 Semantics].

## 1299 6 AIDC Issues

1300 *This section is normative*

1301 The use of GS1 Digital Link URIs in data carriers is governed by the GS1 General Specifications  
1302 [GENSPECS]. That document defines the full GS1 system from the semantics of individual  
1303 Application Identifiers and their permitted values, through to data carrier positioning and human-  
1304 readable information and much more besides.

1305 The following subsections supplement the General Specifications as they pertain specifically to GS1  
1306 Digital Link.

### 1307 6.1 Recognising a GS1 Digital Link URI

1308 There is no special character that can be included in a data carrier to indicate that what follows is a  
1309 GS1 Digital Link URI. This is because there is no special character in any data carrier to indicate  
1310 that what follows is a URL – and GS1 Digital Link URIs are URLs. This is a deliberate and important  
1311 design feature: a general purpose scanning application, such as a consumer's mobile device, can  
1312 scan a GS1 Digital Link URI and treat it like any other URL.

1313 Applications might, however, want to recognise a GS1 Digital Link URI and, for example, make use  
1314 of the GS1 identifiers or execute specific queries against a resolver. Therefore, some processing is  
1315 necessary by the scanner to determine whether the string of characters is or is not conformant to  
1316 this and other GS1 standards.

1317 A scanner working within the GS1 system that recognises GS1 Digital Link SHALL only pass on the  
1318 scanned string if it has determined that it is *plausibly* a conformant GS1 Digital Link URI. It is not  
1319 required to carry out a full validation, which is left to the receiving application.

1320 We offer a method based on regular expression matches for making this determination but any  
1321 method is acceptable. It does not give an absolute assurance that the string *is* a conformant GS1  
1322 Digital Link URI, rather it detects strings that are definitely not and plausibly are GS1 Digital Link  
1323 URIs. This is in line with many scanning applications that will recognise the presence of indicator  
1324 characters at the start of a barcode and act accordingly but will not process the scanned string  
1325 further before passing it to a receiving application.



1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372

**6.1.1 Matching an uncompressed GS1 Digital Link URI**

The following regular expression will match a valid uncompressed GS1 Digital Link URI as defined in this specification. It is unlikely, although, not impossible, that it will match a URL that is not also a conformant GS1 Digital Link URI. Failure to match means it definitely is not an uncompressed GS1 Digital Link URI.

In addition to the GS1 Digital Link syntax, all regular expressions provided below support the inclusion of a user name and port number in the URL. These are rarely used in practice but are part of the formal URL syntax.

**RE1:**

```
^https?:(\\\/(((\\\/?#)*@)?(\\\/?#:#:)*(:((\\\/?#)*)?)?([?#]*)(\\\/(01|8006|8013|8010|414|415|417|8017|8018|255|00|253|401|402|8003|8004)\\\/)(\d{4}[\V]+)(\V[^\+]+|\V[^\+]?[/]?(\?([\?\\n]*)?)(#[^\n]*)?))^https?:(\\\/(((\\\/?#)*@)?(\\\/?#:#:)*(:((\\\/?#)*)?)?([?#]*)(\\\/(01|gtin|8006|itip|8013|gmn|8010|epid|414|gln|417|party|8017|gornp|8018|gorn|255|gen|00|seel|253|gdti|401|gine|402|goi|8003|grai|8004|giai)\\\/)(\d{4}[\V]+)(\V[^\+]+|\V[^\+]?[/]?(\?([\?\\n]*)?)(#[^\n]*)?))?)
```

Regular expression RE1 provided above recognises the convenience alphas ('gtin' as an alias for '01' etc.). As noted in section 4.1, these are deprecated and will be removed in the next version of this standard. Therefore we provide a modified version of the above regular expression, RE2, that does not recognise the convenience alphas.

**RE2:**

```
^https?:(\\\/(((\\\/?#)*@)?(\\\/?#:#:)*(:((\\\/?#)*)?)?([?#]*)(\\\/(01|8006|8013|8010|414|417|8017|8018|255|00|253|401|402|8003|8004)\\\/)(\d{4}[\V]+)(\V[^\+]+|\V[^\+]?[/]?(\?([\?\\n]*)?)(#[^\n]*)?))?)
```

Commented [PD10]: WR 255  
Commented [PA11R10]: Good catch, thanks

**6.1.56.1.2 Matching a compressed GS1 Digital Link URI**

The following regular expression, RE2, will match a compressed or partially compressed GS1 Digital Link URI, with the same caveats as for RE1.

**RE2:**

```
^https?:(\\\/(((\\\/?#)*@)?(\\\/?#:#:)*(:((\\\/?#)*)?)?([?#]*)(\\\/[0-9A-Za-z_]{10,}$))?)
```

As a further warning, recall that a GS1 Digital Link URI may contain arbitrary path segments between the domain name and the primary key. It is unlikely but possible that those path segments will all be numeric. An even less likely scenario, but still possible, is that the compression algorithm may create an all-numeric output. RE2 must allow for this but the downside is that a URL like https://example.com/0123/456789012340123, which is not a valid uncompressed GS1 Digital Link URI and will fail to match RE1 or RE2, will match RE3.

**6.1.66.1.3 Recommended procedure**

Noting the limitations of regular expressions in the previous sections, we do not recommend combining RE3 with RE1 or RE2. Rather, the recommended procedure is that for a given input string:

- 1. If a given string matches RE2 or RE1 (in that order), it plausibly is an uncompressed GS1 Digital Link URI.
- 2. If it doesn't match that, but does match RE2, then it plausibly is a compressed GS1 Digital Link URI.
- 3. If it matches none of the regular expressions here, it definitely is not a conformant GS1 Digital Link URI, compressed or otherwise.



1373 **6.2 Human Readable Interpretation (HRI)**

1374 This standard defers entirely to the GS1 General Specifications for rules concerning human-  
1375 readable interpretation.

1376 **7 Glossary**

1377 The glossary lists the terms and definitions that are applied in this document. Please refer to the  
1378 [www.gs1.org/glossary](http://www.gs1.org/glossary) for the online version.

Term	Definition
Attribute	An element string that provides additional information about an entity identified with a GS1 identification key, such as batch number associated with a Global Trade Item Number (GTIN).
Brand Owner	The organisation that owns the specifications of a trade item, regardless of where and by whom it is manufactured. The brand owner is normally responsible for the management of the Global Trade Item Number (GTIN).
Canonical GS1 Digital Link URI	The definitive GS1 Digital Link URI for a given resource. See section <a href="#">4.12</a>
Consumer	Often considered as the "recipient" of the supply chain in the past, today's consumer is an active part of the supply chain and expects more data, with higher accuracy, and greater ease.
Consumer Product Variant (CPV)	An alphanumeric attribute of a GTIN assigned to a retail consumer trade item variant for its lifetime.
Data Field	A field that contains a GS1 identification key, an RCN, or attribute information
Data titles	Data titles are the abbreviated descriptions of element strings which are used to support manual interpretation of barcodes.
Dereferencing a URI	The use of an appropriate access mechanism (e.g. Web request) to perform an action on the URI's resource (e.g. to retrieve an information representation via HTTP GET or to send data to a resource via an HTTP POST operation). Dereferencing a URI is often considered synonymous with making a Web request or 'looking up' a URI on the Web.
Domain name	<p>A domain name is an identification string that defines a realm of administrative autonomy, authority or control within the Internet. Domain names are formed by the rules and procedures of the Domain Name System (DNS). Any name registered in the DNS is a domain name. Domain names are used in various networking contexts and application-specific naming and addressing purposes.</p> <p>Domain names provide an abstraction layer that separates a registered name for an organisation or authority from the actual internet addresses (IP addresses) that provide its associated information services such as its Website, its e-mail server etc. The system that connects the domain names with the corresponding IP addresses is the Domain Name System (DNS).</p>
Element string	The combination of a GS1 Application Identifier and GS1 Application Identifier data field.
GS1 Application identifier	The field of two or more digits at the beginning of an element string that uniquely defines its format and meaning.
GS1 Application identifier data field	The data used in a business application defined by one GS1 Application Identifier.
GS1 Barcode	A data carrier which encodes GS1 Application Identifier element strings.
GS1 Barcode using GS1 Application Identifiers	All GS1 endorsed barcode symbologies that can encode more than a GTIN namely GS1-128, GS1 DataMatrix, GS1 DataBar and Composite and GS1 QR Code.
GS1 Identification key	A unique identifier for a class of objects (e.g. a trade item) or an instance of an object (e.g. a logistic unit).
GS1 key qualifier	A key qualifier is an additional attribute that is designated for use as part of a compound key (e.g., GTIN + serial number is a compound key, with the serial number being a key qualifier for the GTIN)
GS1 Digital Link URI	A Web URI conforming to the GS1 Digital Link URI syntax.



Term	Definition
key=value pair	The query string of a URL – the portion after the ? symbol - may contain one or more keys, also known as parameters, and their values. For example, an expiry date (17) can be given a value of 221225 as 17=221225. Multiple key=value pairs can be included in the query string, separated by the & character.
LGTIN (GTIN + Lot/Batch)	A compound key formed from the combination of GTIN [ AI (01) ] and Batch/Lot identifier [ AI (10) ]. LGTIN is defined as an EPC Class URN in the current GS1 Tag Data Standard (v1.11), sections 6.4.1 and 7.14, which describes the mapping between the EPC Class URN format for LGTIN and the corresponding element string.
Parsing	The process of analysing the structure of a sentence or URI structure in order to extract relevant information from it. Note that within the context of EPC URN structures, parsing refers to the ability to extract structural components within the EPC structure, e.g. for the purpose of matching against EPC URN patterns.
QR Code®	A two-dimensional matrix symbology consisting of square modules arranged in a square pattern. The symbology is characterised by a unique finder pattern located at three corners of the symbol. QR Code® symbols are read by two-dimensional imaging scanners or vision systems
Reference GS1 Digital Link URI	A GS1 Digital Link URI that uses the id.gs1.org domain
Resolver	The term 'resolver' is not unique to GS1. It is the name for any service that accepts an identifier as input and passes the request about the identified item to information about it. In the GS1 context, a resolver connects a GS1-identified item to one or more online resources that are directly related to it. The item may be identified at any level of granularity, and the resources may be either human or machine readable. Examples include product information pages, instruction manuals, patient leaflets and clinical data, product data, service APIs, marketing experiences and more. GS1 resolvers are defined in [DL-Resolution]
Retailer	An organisation engaged in the sale and distribution of products to consumers. Also includes online retailers/e-tailers
SGTIN (Serialised GTIN)	A compound key formed from the combination of a GTIN [AI (01) ] with Serial Number [ AI (21) ] which provides globally unique identification for every instance of a product. The term SGTIN appears in section 6.3.1 and 7.1 of the current GS1 Tag Data Standard, v1.11
Subdomain	A subdomain is a domain that is part of a main domain. Although example.com is a subdomain of the top-level domain (.com), we most often think of a subdomain as the part of the hostname that precedes the registered domain name. For example, the registered domain name gs1.org has one subdomain ('www') [ as in www.gs1.org ] that is used for its Website. It also has a subdomain ('id') [ as in id.gs1.org] that is used for Web-based data services for GS1.
URI	Uniform Resource Identifier. A string of characters used to identify a resource. The resource may be an information resource such as a Web page or a thing in the real world, such as a physical object, person or location. URIs refer to the superset of Uniform Resource Names (URNs), Uniform Resource Locators (URLs) and Web URIs (which can function both as globally unambiguous names, while also behaving like URLs by enabling intuitive retrieval of related information via the Web).
URI fragment identifier	The fragment identifier component of a URI allows indirect identification of a secondary resource by reference to a primary resource and additional identifying information. The identified secondary resource may be some portion or subset of the primary resource, some view or representations of the primary resource, or some other resource defined or described by those representations. A fragment identifier component is indicated by the presence of an octothorpe/hash/number sign ("#") character and terminated by the end of the URI.  A typical use of a URI fragment identifier is to provide a direct link to a specific section within a very long Web document such as <a href="https://www.w3.org/TR/dwbp/#DataIdentifiers">https://www.w3.org/TR/dwbp/#DataIdentifiers</a>



Term	Definition
URI path information	A path consists of a sequence of path segments separated by a slash ("/") character. A path is always defined for a URI, though the defined path may be empty (zero length). The path component contains data, usually organized in hierarchical form, that, along with data in the non-hierarchical query component, serves to identify a resource within the scope of the URI's scheme and naming authority (if any). The path is terminated by the first question mark ("?") or number sign("#") character, or by the end of the URI.
URI query string	The query component contains non-hierarchical data that, along with data in the path component, serves to identify a resource within the scope of the URI's scheme and naming authority (if any). The query component is indicated by the first question mark ("?") character and terminated by a number sign("#") character or by the end of the URI.
URL	Uniform Resource Locator (URL), a specific type of URI colloquially known as Web address. A URL is a URI starting with http or https .

## 1379 8 Changes since version 1.1

1380 The single GS1 Digital Link standard version 1.1 has been split into four separate documents:

1381 GS1 Digital Link Standard: URI syntax (this document)

1382 GS1 Digital Link Standard: Resolution

1383 GS1 Digital Link Standard: Compression and decompression

1384 GS1 Digital Link Standard: Semantics

1385 The canonical version of a GS1 Digital Link URI, section [4.12](#), is now defined as using HTTPS and  
1386 the key=value pairs in the query string are now sorted in lexical order of the AIs.

1387 AIs in the 410-416 range, except 414 and 417, have been removed from the list of primary keys  
1388 (section [4.3](#)).

1389 The ABNF grammar has been updated to support new AIs in the range 4300-4326 introduced in  
1390 the GS1 General Specifications as a result of GS1 Scan4Transport.

1391 AIs 3950 – 3953 added

1392 ABNF for extension parameters made more precise to match normative text

1393 All primary keys can be included in the query string to accommodate situations where a single URI  
1394 needs to carry more than one primary key (section [4.10](#)).

1395 Convenience alphas deprecation notice ([4.1, 0](#))

1396 New paragraph emphasising that GS1 DL URIs do not have to, and SHALL NOT be assumed to,  
1397 point to a resolver (section [2](#)).

1398 Updated introduction.

1399 Example GS1 identifiers changed to use the 952 prefix.

1400 AIDC Considerations section added, including regular expressions for determining strings that  
1401 definitely are not, or plausibly are, GS1 Digital Link URIs.

### 1402 8.1 Changes since version 1.2

1403 A number of minor inaccuracies were detected in how the URI syntax reflected the definition of  
1404 GS1 identifiers. The purpose of the update to this version (1.2.1) was simply to correct these  
1405 errors. The identifiers affected are:

- 1406 ■ The final component of GCN, GDTI and GRAI are all optional (previous versions of the GS1  
1407 Digital Link URI Syntax suggested at least one serialisation character was required).





- 1408
- 1409
- The final component of GCN is all optional (previous versions of the GS1 Digital Link URI Syntax suggested at least one serialisation character was required).
  - GMN now X..25 in line with changes in the GenSpecs between versions 19 and 21.
  - Harvest date (7007) now accepts 6 or 12 digits but not intermediate numbers of digits.
  - New AI 715, National Healthcare Reimbursement Number – USA NDC, added
  - AIs 90, 240, 241, 242, 243, 250, 251, 400, 403, 8102 corrected all updated to allow CHAR, previously they were shown in GS1 Digital Link as being DIGIT only.
  - AI 723s now 2\*XCHAR 1\*28XCHAR (previously it had been written as 2\*30XCHAR)
  - AI 8008 changed from 8DIGIT 1\*4DIGIT to 8DIGIT [2DIGIT] [2DIGIT] which then tolerates 8 digits, 10 digits (if minutes are specified) or 12 digits (if minutes and seconds are specified) but does not tolerate 9 digits or 11 digits.
- 1419
- It was recognised that `locNoParameter` is redundant because we also have `glnParameter` that expresses exactly the same thing.
- 1420

## 1421 **8.2 Changes since version 1.2.1**

- 1422
- [AI 415, Pay To, reinstated as a primary key \(see, in particular, section 4.3\)](#)
  - [Convenience alphas, deprecated in version 1.2.0, have now been removed so that, for example, 'gtin' cannot be used instead of '01' in the path. This change is reflected throughout the document, starting with section 4.3.](#)
- 1423
- 1424
- 1425

## 1426 **9 References**

- 1427 [DL1]
- 1428 GS1 Digital link version 1.0 Originally titled GS1 Web URI Structure. Mark Harrison, Phil Archer, Dominique
- 1429 Guinard et al. GS1 Ratified Standard, August 2018 <https://www.gs1.org/standards/Digital-Link/1-0>
- 1430 [DL 1.1]
- 1431 GS1 Digital Link version 1.1 Mark Harrison, Phil Archer, Dominique Guinard et al. GS1 Ratified Standard,
- 1432 February 2020 [https://www.gs1.org/docs/Digital-Link/GS1\\_Digital\\_link\\_Standard\\_1.1.pdf](https://www.gs1.org/docs/Digital-Link/GS1_Digital_link_Standard_1.1.pdf)
- 1433 [DL-Compression]
- 1434 GS1 Digital Link: Compression and decompression. Mark Harrison, GS1 ratified standard, see
- 1435 <https://www.gs1.org/standards/gs1-digital-link>
- 1436 [DL-Resolution]
- 1437 GS1 Digital Link: Resolution. Phil Archer, Mark Harrison, Dominique Guinard et al. GS1 ratified standard, see
- 1438 <https://www.gs1.org/standards/gs1-digital-link>
- 1439 [DL-Semantics]
- 1440 GS1 Digital Link: Semantics, Mark Harrison, Phil Archer et al. GS1 ratified standard, see
- 1441 <https://www.gs1.org/standards/gs1-digital-link>
- 1442 [GENSPECS]
- 1443 GS1 General Specifications V22.0. GS1 Ratified Standard January 2022
- 1444 [https://www.gs1.org/sites/default/files/docs/barcodes/GS1\\_General\\_Specifications.pdf](https://www.gs1.org/sites/default/files/docs/barcodes/GS1_General_Specifications.pdf)
- 1445 [GS1 Identification Keys]
- 1446 <https://www.gs1.org/standards/id-keys>
- 1447 [GS1Voc]
- 1448 The GS1 Web vocabulary <https://www.gs1.org/voc/>
- 1449 [IRIs]
- 1450 Internationalized Resource Identifiers (IRIs) M Duerst, M. Suignard. IETF January 2005
- 1451 <https://tools.ietf.org/html/rfc3987>
- 1452 [Linked Data]
- 1453 Tim Berners-Lee 2006 <https://www.w3.org/DesignIssues/LinkedData>
- 1454 [LMS]
- 1455 GS1 Lightweight Messaging Standard for Verification of Product Identifiers, Release 1.1. GS1 ratified standard
- 1456 July 2019
- 1457 [https://www.gs1.org/sites/default/files/docs/standards/gs1\\_lightweight\\_verification\\_messaging\\_standard\\_v1-](https://www.gs1.org/sites/default/files/docs/standards/gs1_lightweight_verification_messaging_standard_v1-1.pdf)
- 1458 [1.pdf](https://www.gs1.org/sites/default/files/docs/standards/gs1_lightweight_verification_messaging_standard_v1-1.pdf)
- 1459 [PercentEncoding]



- 1460 Uniform Resource Identifier (URI): Generic Syntax, section 2.1: Percent-Encoding T Berners-Lee, R Fielding, L  
1461 Masinter. IETF January 2005 <https://tools.ietf.org/html/rfc3986#section-2.1>
- 1462 [REST]
- 1463 See [https://en.wikipedia.org/wiki/Representational\\_state\\_transfer](https://en.wikipedia.org/wiki/Representational_state_transfer)
- 1464 [RFC 2606]
- 1465 Reserved Top Level Domain Names D Eastlake, A Panitz. IETF June 1999 <https://tools.ietf.org/html/rfc2606>
- 1466 [RFC 3986]
- 1467 Uniform Resource Identifier (URI): Generic Syntax. T Berners-Lee, R Fielding, L Masinter. IETF January 2005  
1468 <https://tools.ietf.org/html/rfc3986>
- 1469 [RFC 5234]
- 1470 Augmented BNF for Syntax Specifications: ABNF. D Crocker (ed), P Overell. IETF January 2008  
1471 <https://tools.ietf.org/html/rfc5234>
- 1472 [RFC 6570]
- 1473 URI Template. J. Gregorio, R. Fielding, M. Hadley, M. Nottingham, D. Orchard. IETF March 2012  
1474 <https://tools.ietf.org/html/rfc6570>
- 1475 [RFC 6596]
- 1476 The Canonical Link Relation. M Ohye, J Kupke. IETF April 2012 <https://tools.ietf.org/html/rfc6596>
- 1477 [RFC 6761]
- 1478 Special-Use Domain Names. S Cheshire, M Krochmal. IETF February 2013 <https://tools.ietf.org/html/rfc6761>
- 1479 [RFC 7405]
- 1480 Case-Sensitive String Support in ABNF. P. Kyzivat. IETF December 2014 <https://tools.ietf.org/html/rfc7405>
- 1481 [RFC 8615]
- 1482 Well-Known Uniform Resource Identifiers (URIs). M Nottingham. IETF May 2019  
1483 <https://tools.ietf.org/html/rfc8615>